

Certificate number: CM40391 Rev1



ABN: 81 663 250 815 JAS-ANZ Accreditation No. Z4450210AK PO Box 273, Palmwoods Qld 4555 Australia P· +61 7 5445 2199 www.cmicert.com.au office@cmicert.com.au

Certification Body:

THIS IS TO CERTIFY THAT

Hardie™ Smart Boundary Wall System

Type and/or use of product:

For use as an external wall in Class 1 and Class 10a buildings with a timber frame where a fire resistance level (FRL) of 60/60/60 or less (from external side) is required.

Description of product:

The Hardie™ Smart Boundary Wall System is comprised of single 90mm timber framed walls, insulated with 60mm Hardie™ Fire insulation to the external lining side of the frames within the stud bays. Walls to be lined with Hardie™ claddings to the external face & Hardie™ internal lining or standard plasterboard to the internal face. Refer A3.

COMPLIES WITH THE FOLLOWING BCA PROVISIONS AND STATE OR TERRITORY VARIATION(S)

BCA 2022

Certificate Holder:



James Hardie Australia Ptv Ltd ABN: 12 084 635 558 10 Colauhoun St. Rosehill NSW 2142 Australia P· 13 11 03 www.jameshardie.com.au **Volume One** Volume Two

Performance Requirement(s): Not Applicable Not Applicable

H1D7(4)(b) Roof and wall cladding - Sheet wall cladding **Deemed-to-Satisfy Provision(s):** Not Applicable

> H2D6(4) Damp and weatherproofing – Wall cladding

Non-combustible building elements - Fibre-reinforced H3D2(d)

cement sheeting - Panel Only

H3D3 Fire separation of external walls – Subject to Limitation and

Condition No. 2

H7D4 Construction in bushfire prone areas – BAL–FZ Subject to

Limitation and Condition No. 3

State or territory variation(s): Not Applicable H7D4 (NSW, QLD & SA)

SUBJECT TO THE FOLLOWING LIMITATIONS AND CONDITIONS AND THE PRODUCT TECHNICAL DATA IN APPENDIX A AND EVALUATION STATEMENTS IN APPENDIX B

Limitations and conditions: **Building classification/s:**

Hardie™ Smart Boundary Wall System must only to be installed in accordance with the Design Guide – Hardie™ Smart Boundary Wall System Class 1 & 10a Timber Framed Buildings January 2025.

Class 1 and 10a

Compliance with H1D7(4)(b) and H2D6(4) requires the external cladding to be a minimum of 6mm thick Hardie™ fibre-reinforced cement sheeting or Hardie™ boards with a minimum thickness of 7.5mm. Refer A2 for cladding that can be used for the Hardie™ Smart Boundary Wall System.

Richard Donarski – CMI

Date of issue: 30/01/2025





Don Grehan - Unrestricted Building Certifier

Date of expiry: 01/12/2026



Certificate number: CM40391-I01-R01

Certificate of Conformity

- 3. Compliance with H3D3 is dependent on the system that achieved the FRL outlined in A3. Any deviation from the tested specimen does not form part of this certificate of conformity.
- 4. Compliance with H7D4 is limited to the Hardie™ Smart Boundary Wall System outlined in A3. The wall systems can be located within 10m of the classified vegetation as set by AS3959:2018 in BAL-FZ. It is the responsibility of the Building Designer to ensure compliance with BAL FZ of other building elements are achieved in accordance with AS 3959-2018.
- 5. In all installations the minimum clearance between the underside of panel and the adjoining ground surface level below must comply with the specifications in Part 7.5.7 of the ABCB Housing Provisions.
- 6. No assessment has been undertaken on the product for Part F8 of Vol 1 or Part 10.8 of the ABCB Housing Provisions for Condensation management. A pliable building membrane complying with AS/NZS 4200.1:2017 must be installed in accordance with AS/NZS 4200.2:2017 to separate the wall cladding panels from any water sensitive materials.
- 7. The structural support members are designed and engineered separately as per project requirements by building designers and engineers. Stud spacing & fixings must be in accordance with Tables 7.5.3a and 7.5.4a of the ABCB Housing Provisions 2022.
- 8. The timber framing must be in accordance with AS 1684 as applicable.
- 9. Fire rating requirements of the subfloor, when required by the BCA, must be assessed by the authority having jurisdiction.
- 10. The footing and slab system is to comply with AS 2870:2011 or AS 3600:2018, as applicable.
- 11. The use of the certified product/system is subject to these Limitations and Conditions and must be read in conjunction with the Scope of Certification below.

Scope of certification: The CodeMark Scheme is a building product certification scheme. The rules of the Scheme are available at the ABCB website www.abcb.gov.au. This Certificate of Conformity is to confirm that the relevant requirements of the Building Code of Australia (BCA) as claimed against have been met. The responsibility for the product performance and its fitness for the intended use remain with the Certificate Holder. The certification is not transferrable to a manufacturer not listed on Appendix A of this certificate.

Only criteria as identified within this Certificate of Conformity can be used for CodeMark certification claims. Where other claims are made in a client's Installation Manual, Website or other documents that are outside the criteria on this Certificate of Conformity, such criteria cannot be used or claimed to meet the requirements of this CodeMark certification.

The NCC defines a Performance Solution as one that complies with the Performance Requirements by means other than a Deemed-to-Satisfy Solution. A Building Solution that relies on a CodeMark Certificate of Conformity that certifies a product against the Performance Requirements cannot be considered as Deemed-to-Satisfy Solution.

This Certificate of Conformity may only relate to a part of a Performance Solution. In these circumstances other evidence of suitability is needed to demonstrate that the relevant Performance Requirements have been met. The relevant provisions of the Governing Requirements in Part A of the NCC will also need to be satisfied.

This Certificate of Conformity is issued based on the evidence of compliance as detailed herein. Any deviation from the specifications contained in this Certificate of Conformity is outside of this document's scope and the installation of the certified product will not be covered by this Certificate of Conformity.

Disclaimer: The Scheme Owner, Scheme Administrator and Scheme Accreditation Body do not make any representations, warranties or guarantees, and accept no legal liability whatsoever arising from or connected to, the accuracy, reliability, currency or completeness of any material contained within this certificate; and the Scheme Owner, Scheme Administrator and Scheme Accreditation Body disclaim to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this certificate.

When using the CodeMark logo in relation to or on the product/system, the Certificate Holder makes a declaration of compliance with the Scope of Certification and confirms that the product is identical to the product certified herein. In issuing this Certificate of Conformity, CMI Certification Pty Ltd (CMI) has relied on the experience and expertise of external bodies (laboratories and technical experts).

Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.



APPENDIX A – PRODUCT TECHNICAL DATA

A1 Type and intended use of product

The Hardie™ Smart Boundary Wall System is intended for use as an external wall in Class 1 and Class 10a buildings. The system is designed for use in timber framed buildings with a fire resistance level (FRL) requirement of 60/60/60 or less (from external side), and also suitable for use where a BAL-FZ is required.

A2 Description of product

The Hardie™ Smart Boundary Wall System is comprised of single 90mm timber framed walls, insulated with 60mm Hardie™ Fire insulation to the external lining side of the frames within the stud bays. Walls to be lined with Hardie™ claddings to the external face & Hardie™ internal lining or standard plasterboard to the internal face.

Hardie™ External Wall Cladding Sheets

Product	Thickness				Install Guide	
Product	6mm	6mm 8mm 8.5mm 9n		9mm	- Install Guide	
EasyLap™ Panel			✓		Installation Guide – EasyLap™ Panel – Exteriors October 2023	
Hardie™ Fine Texture Cladding			✓		Installation Cuide Hardis TM Fine Tauture Cladding Hardis TM Durch ad Consuste Cladding Futanisms October 2022	
Hardie™ Brushed Concrete Cladding			✓		 Installation Guide – Hardie™ Fine Texture Cladding - Hardie™ Brushed Concrete Cladding – Exteriors October 2023 	
Hardie™ Flex Sheets	✓				Technical Specification – External Cladding April 2023	
ExoTec™ Façade Panel				✓	Installation Guide – ExoTec™ Façade Panel and Fixing System – Commercial July 2021	
Matrix™ Cladding		✓			Installation Guide – Matrix™ Cladding – Exteriors June 2023	
Axon™ Cladding 133 Smooth, 133 Grained, 400 Smooth				✓	Installation Guide – Axon™ Cladding – Exteriors October 2023	

Hardie™ External Wall Cladding Boards

Certificate number: CM40391-I01-R01

Product	Thickness				lostell Cuide	
Product	7.5mm	9mm	14mm	16mm	Install Guide	
Hardie™ Plank Weatherboard					Technical Specification – External Cladding April 2023	
Smooth – 230mm, 300mm	✓					
Woodgrain – 230mm, 300mm						
PrimeLine™ Chamfer		✓				
PrimeLine™ Heritage		✓				
PrimeLine™ Newport		✓				
Linea™ Weatherboard – 150mm, 180mm				✓	Installation Guide – Linea™ Weatherboard – Exteriors October 2023	
Oblique™ Cladding – 200mm, 300mm			✓		— Installation Guide – Hardie™ Oblique™ & Stria™ Cladding Horizontal and Vertical g – Exteriors October 2023	
Stria™ Cladding- 325mm, 405mm			✓			



Hardie™ Smart Boundary Wall System Components:

Fasteners

Fire and Acoustic-Rated Sealant

Certificate number: CM40391-I01-R01

Weather Barrier	Product Code	Length (mm)	Width (mm)	Coverage (mm²)	Mass (kg)
Hardie™ Wrap Weather Barrier	305664	30	2750	38	9
Mineral Insulation	Product Code	Length (mm)	Width (mm)	Thick (mm)	Coverage (mm²)
	305903	1160	560	60	5.1
60mm Hardie™ Fire Insulation	305902	1160	420	60	3.8
	305909	1320	420	60	4.3
Hardie™ Internal Lining	Leng	th (mm)	Width (mm)	Thick (mm)	Density (kg/m²)
	2	400	900	6	8.3
Villaboard™ Lining	1800, 2400, 270	0, 3000, 3600, 4200	1200	6	8.3
	2400, 300	0, 3600, 4200	1350	6	8.3
Versilux™ Lining	1	200	2700, 2400, 3000	9	12.4
versilux Lining	1	200	2400, 3000, 3600	6	8.3
Hardie™ Groove Lining	1200		2700, 3000	7.5	10.44
Alternatively, 10mm standard plast	terboard can be used in dry a	reas only as internal lining.	The product must comply to the re	equirements of AS/NZS 2588 - Gyps	sum Plasterboard.
Other Components					

A3 Product specification

Material	The basic composition of Hardie™ products that are listed in Section A2 Description of product is Portland cement, ground sand, cellulose fibre and water. Hardie™ building products are
	manufactured to Australian/New Zealand Standard AS/NZS 2908.2:2000 'Cellulose-cement products-Flat sheet'. The Hardie™ products listed in the above tables in Section A2 have been
	classified either Type A or Type B and are classified as Category 3 in accordance with AS/NZS 2908.2:2000. Refer A6 Other relevant technical data for details of classifications.
Damp and	Compliance with H2D6(4) is satisfied as the wall cladding complies with H1D7(4) as determined by Part 7.5 of the ABCB Housing Provisions.
weatherproofing	Part 7.5.3 of the ABCB Housing Provisions requires fibre-cement wall cladding boards to comply with AS/NZS 2908.2:2000 and be fixed in accordance with Table 7.5.3a.
	Part 7.5.4 of the ABCB Housing provisions requires fibre-cement sheet wall cladding to comply with AS/NZS 2908.2:2000 and be fixed in accordance with Table 7.5.4a.
Non-combustible	The Hardie™ fibre-reinforced cement sheeting and board products are suitable where non-combustible materials are required in accordance with as it compliance with H3D2(1)(d) of the
	Building Code of Australia as fibre-reinforced cement sheeting and boards that complies with AS/NZS 2908.2:2000. Non-combustible does not extend to include the joiners.
Fire Resistance	Assessment of the Hardie™ Smart Boundary Wall System has determined that the system achieves FRLs of 60/60/60 and -/60/60. Exposure from the external side only. Installation must
(FRLs)	be in accordance with the Design Guide – Hardie™ Smart Boundary Wall System Class 1 & 10a Timber Framed Buildings January 2025.
(25)	Source: CSIRO Report No. FCO-3222 Revision L dated 25/05/2021.

Fibre Cement Nail for fixing Villaboard™ lining. 2.8 x 30mm min. Min. Class 3 corrosion resistant fibre cement nail. 2.5 x 50mm gun nails are also suitable.

Bostik FireBan One or an equivalent sealant it must be tested in accordance with AS 1530.4 and achieve a minimum 60 minute fire rating.



Bushfire

An assessment of the Hardie™ Smart Boundary Wall System has been completed by Ignis Labs Pty Ltd. AS 3959:2018 allows external wall cladding for BAL FZ provided the system is non-combustible or complies with AS 1530.8.2:2007 or achieves an FRL of at least (30)/30/30 from the outside and set back at least 10m between the building and the edge of the classified vegetation. It is concluded that the subject wall systems have the capacity to conform with AS 1530.8.2 and as such, the subject wall systems can be located within 10m of the classified vegetation as set by AS 3959:2018 in BAL-FZ.

Source: Ignis Labs Pty Ltd Report No. IGNL-6249-16-01 I02R05 BBV3.0 JH Bushfire 05102023 dated 05/10/2023.

A4 Manufacturer and manufacturing plant(s)

Certificate number: CM40391-I01-R01

Hardie™ Smart Boundary Wall System is manufactured in Australia by James Hardie Australia Pty Ltd. Contact Certificate Holder for details.

A5 Installation requirements

Hardie™ Smart Boundary Wall System must only to be installed in accordance with the <u>Design Guide – Hardie™ Smart Boundary Wall System Class 1 & 10a Timber Framed Buildings January 2025</u>. The external cladding must be installed in accordance with the relevant installation manual for that cladding. Refer A3 for applicable cladding and the required installation manual.

A6 Other relevant technical data

Product Classification and Sheet Category - AS/NZS 2908.2:2000

Product Name	Classification	Sheet Category
Axon™ Cladding	Type A	3
EasyLap™ Panel	Type A	3
Exotec™ Facade Panel	Type A	3
Hardie™ Fine Texture Cladding	Type A	3
Hardie™ Flex Sheet	Type A	3
Hardie™ Groove Lining	Type B	3
Hardie™ Oblique	Type A	3
Hardie™ Plank Weatherboard Smooth	Type A	3
Hardie™ Plank Weatherboard Woodgrain	Type A	3

Product Name	Classification	Sheet Category
Hardie™ Brushed Concrete Cladding	Type A	3
Linea™ Weatherboard	Type A	3
Matrix™ Cladding	Type A	3
PrimeLine™ Chamfer	Type A	3
PrimeLine™ Heritage	Type A	3
PrimeLine™ Newport	Type A	3
Stria™ Cladding	Type A	3
Versilux™ Lining	Туре В	3
Villaboard™ Lining	Туре В	3



APPENDIX B – EVALUATION STATEMENTS

B1 Evaluation methods

Certificate number: CM40391-I01-R01

- 1. Construction in bushfire prone areas Provisions A5G3(1)(e). A certificate or report from a professional engineer or other appropriately qualified person.
- 2. Fire Safety Provisions A5G3(1)(c)&(d). A current certificate issued by a certification body stating the properties fulfil specific requirements of the BCA and a report issued by an Accredited Testing Laboratory.
- 3. Structural Resistance Provisions A5G3(1)(c). A current certificate issued by a certification body stating the properties fulfil specific requirements of the BCA.
- 4. Weatherproofing Provisions A5G3(1)(c). A current certificate issued by a certification body stating the properties fulfil specific requirements of the BCA.

B2 Reports

- 1. CSIRO; NATA Accreditation No. 165; Reference No. FCO-3222 Revision L; The fire resistance performance of various load- bearing timber framed walls lined with various James Hardie fibre cement products; Dated 25/05/2021. Report provides supporting evidence of FRLs in compliance with H3D3.
- 2. Ignis Labs Pty Ltd Report No. IGNL-6249-16-01 I02R05 BBV3.0 JH Bushfire 05102023; Bushfire Product Evaluation − External Cladding Systems; Dated 05/10/2023. Report confirms the BAL of the Hardie™ Smart Wall Systems that achieve an FRL 60/60/60 that complies with H7D4.
- 3. Ignis Labs Pty Ltd; Evaluation No. IGNL-9030-99-01L; Boundary Wall Gutter Installation Detail; Dated 13/12/2024. Report confirms the box gutter install detail achieves FRL 60/60/60 that complies with H3D3.
- 4. SAI Global; StandardsMark Licence Certificate No. SMK02107/1; Manufactured to the requirements of AS/NZS 2908.2:2000 Cellulose-cement products Flat sheet; Dated 05/06/2024. This certificate provides evidence in compliance with H1D7(4)(b), H2D6(4) & H3D2(d).
- 5. SAI Global; StandardsMark Licence Certificate No. SMK02107/2; Manufactured to the requirements of AS/NZS 2908.2:2000 Cellulose-cement products Flat sheet; Dated 05/06/2024. This certificate provides evidence in compliance with H1D7(4)(b), H2D6(4) & H3D2(d).

The Certificate Holder has chosen not to make the above evidence of compliance publicly available, due to the documents being considered commercial in confidence.