

Certification Body:

ABN: 81 663 250 815 JAS-ANZ Accreditation

No. Z4450210AK

PO Box 273, Palmwoods Qld 4555 Australia

P: +61 7 5445 2199 www.cmicert.com.au

office@cmicert.com.au

Certificate of Conformity

Certificate number: CM40368 Rev2

THIS IS TO CERTIFY THAT

Alu-Selekta

Type and/or use of product:

Internal lining and external cladding material.

Description of product:

The Alu-Selekta is a pre-finished cladding material available in a range of realistic timber look finishes.

COMPLIES WITH THE FOLLOWING BCA PROVISIONS AND STATE OR TERRITORY VARIATION(S)

BCA 2022 (Amdt.1)

Certificate Holder:

modinex GROUP

Modinex Group Pty Ltd ABN: 49 623 442 848 150 Toongarra Road Wulkuraka QLD 4305 Australia Ph: 07 3281 4222

www.modinex.com.au

Volume Two

Performance Requirement(s): J1P2 Energy efficiency – Can be used with other building elements to achieve the required thermal performance. H6P1 Energy efficiency – Can be used with other building elements to achieve the required thermal performance.

Deemed-to-Satisfy Provision(s): C2D10(1)(a) Non-combustible building elements H2D6(4) Weatherproofing – Wall Cladding complying with AS 1562.1

F3D5 Weatherproofing – Wall Cladding complying with AS H3D2 Non-combustible building elements

1562.1

Volume One

G5D3 Construction in bushfire prone areas – BAL-19 Subject to H7D4 Construction in bushfire prone areas – BAL-19 Subject to

Limitation and Condition 7. Limitation and Condition 7

State or territory variation(s): J1P2 (NSW) Part H6 (NSW, NT & TAS)

SUBJECT TO THE FOLLOWING LIMITATIONS AND CONDITIONS AND THE PRODUCT TECHNICAL DATA IN APPENDIX A AND EVALUATION STATEMENTS IN APPENDIX B

Limitations and conditions:

Building classification/s: Class 1,2,3,4,5,6,7,8,9 & 10

- 1. Installation of the Alu-Selekta panel must be in accordance with Alu-Selekta Series Installation Guide Aug 2025.
- 2. The span tables shown in *A3 Product specifications* are only suitable for the Alu-Selekta Cladding Profile. The Profile is manufactured from 6063-T5 Grade Aluminium material.
- 3. Importance level and design wind speeds must be confirmed by the project engineers with reference to the tables in A3.
- 4. The Sub-Structure battens are to be a minimum of 0.9mm G550 Material. The fixing requirements of the support battens to the sub-structure to be determined by others.
- 5. The fixing of the Alu-Selekta Cladding Profile to the Sub-Structure battens is to be achieved with a minimum of an 8-18x16 Metal Self Tapping Screw. (Screws head must be a minimum of 8mm in diameter).

Glen Gugliotti – CMI

Date of issue: 03/10/2025





Don Grehan – Unrestricted Building Certifier

Date of expiry: 21/07/2026



- 6. The use of the certified product/system is subject to these Limitations and Conditions and must be read in conjunction with the Scope of Certification below.
- 7. In order to maintain compliance with BAL 19, it is the responsibility of the Building Designer to ensure compliance is achieved in accordance with AS 3959-2018.

Scope of certification: The CodeMark Scheme is a building product certification scheme. The rules of the Scheme are available at the ABCB website www.abcb.gov.au. This Certificate of Conformity is to confirm that the relevant requirements of the Building Code of Australia (BCA) as claimed against have been met. The responsibility for the product performance and its fitness for the intended use remain with the Certificate Holder. The certification is not transferrable to a manufacturer not listed on Appendix A of this certificate.

Only criteria as identified within this Certificate of Conformity can be used for CodeMark certification claims. Where other claims are made in a client's Installation Manual, Website or other documents that are outside the criteria on this Certificate of Conformity, such criteria cannot be used or claimed to meet the requirements of this CodeMark certification.

The NCC defines a Performance Solution as one that complies with the Performance Requirements by means other than a Deemed-to-Satisfy Solution. A Building Solution that relies on a CodeMark Certificate of Conformity that certifies a product against the Performance Requirements cannot be considered as Deemed-to-Satisfy Solution.

This Certificate of Conformity may only relate to a part of a Performance Solution. In these circumstances other evidence of suitability is needed to demonstrate that the relevant Performance Requirements have been met. The relevant provisions of the Governing Requirements in Part A of the NCC will also need to be satisfied.

This Certificate of Conformity is issued based on the evidence of compliance as detailed herein. Any deviation from the specifications contained in this Certificate of Conformity is outside of this document's scope and the installation of the certified product will not be covered by this Certificate of Conformity.

Disclaimer: The Scheme Owner, Scheme Administrator and Scheme Accreditation Body do not make any representations, warranties or guarantees, and accept no legal liability whatsoever arising from or connected to, the accuracy, reliability, currency or completeness of any material contained within this certificate; and the Scheme Owner, Scheme Administrator and Scheme Accreditation Body disclaim to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this certificate.

When using the CodeMark logo in relation to or on the product/system, the Certificate Holder makes a declaration of compliance with the Scope of Certification and confirms that the product is identical to the product certified herein. In issuing this Certificate of Conformity, CMI Certification Pty Ltd (CMI) has relied on the experience and expertise of external bodies (laboratories and technical experts).

Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.



APPENDIX A – PRODUCT TECHNICAL DATA

A1 Type and intended use of product

Applied to externals of buildings as a cladding and soffit lining, or used internally as a lining.

A2 Description of product

Highly durable Aluminium Cladding System, available in a range of realistic timber look finishes.

A3 Product specification

Non-Combustibility	The Alu-Selekta panel has been tested in accordance with AS 1530.1-1994 is NOT deemed COMBUSTIBLE according to the test criteria specified in Clause 3.4 of AS 1530.1-1994
	Source: Ignis Labs Pty Ltd; Report No. IGNL-4211-01R IO1 R00; Testing in accordance with AS 1530.1-1994: Combustibility Test for Materials; Dated 26/02/2021.
nergy Efficiency	The thermal conductivity of the Alu-Selekta panel was determined by testing carried out by AWTA Product Testing.
	The average value of Thermal Conductivity of the specimens tested was as follows: 0.25315 W/m.K
	The average value of Thermal Resistance of the specimens tested was as follows: 0.07 m ² K/W
	Source: AWTA Product Testing, NATA Accreditation No. 983, 985 & 1356, Report No. 22-003310, Dated 20/10/2022.
ushfire	Construction in Bushfire Prone Areas (BAL LOW – BAL 19)
	The Bushfire performance of Modinex Alu-Selekta Channel Castelation Screenclad has been assessed in accordance with the requirements of AS 3959-2018 section 6.4.1(c) as appropriate for BAL-19 exposure.
	Source: AS 3959-2018 Section 6.4.1(c)



Span Tables

Importance Level 2 Structure - Wind Region A

The following tables are based upon the following assumptions regarding the calculations of the Site Wind Speed in accordance with AS/NZS 1170.2:2021;

- Ms=1.0
- Mt=1.0

Importance Level 2 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Mind Danier		Cladding Installation	Kl = General	KI = Edge Zones	KI = Corner
Wind Region	Terrain Category	Height (m)	Zones KI=1.5	KI=2.0	Zones Kl=3.0
		0-5	625	625	625
	1	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
^		25-40	625	625	625
А	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4.



Span Tables

Importance Level 2 Structure - Wind Region B

The following tables are based upon the following assumptions regarding the calculations of the Site Wind Speed in accordance with AS/NZS 1170.2:2021;

- Ms=1.0
- Mt=1.0

Importance Level 2 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Mind Danier		Cladding Installation	Kl = General	KI = Edge Zones	KI = Corner
Wind Region	Terrain Category	Height (m)	Zones KI=1.5	Kl=2.0	Zones Kl=3.0
		0-5	625	625	625
	1	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
D		25-40	625	625	625
В	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4.



Span Tables

Importance Level 2 Structure – Wind Region C

The following tables are based upon the following assumptions regarding the calculations of the Site Wind Speed in accordance with AS/NZS 1170.2:2021;

- Ms=1.0
- Mt=1.0

Importance Level 2 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Wind Region	Terrain Category	Cladding Installation Height (m)	KI = General Zones KI=1.5	KI = Edge Zones KI=2.0	Kl = Corner Zones Kl=3.0
		0-5	625	625	625
	4	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
6		25-40	625	625	625
С	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4.



Span Tables

Importance Level 3 Structure - Wind Region A

Importance Level 3 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Mind Decies	Tamain Catagoni	Cladding Installation	KI = General	KI = Edge Zones	Kl = Corner
Wind Region	Terrain Category	Height (m)	Zones KI=1.5	KI=2.0	Zones KI=3.0
		0-5	625	625	625
	1	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
Α	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4



Span Tables

Importance Level 3 Structure - Wind Region B

Importance Level 3 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Mind Design	Tamusin Catanam	Cladding Installation	Kl = General	KI = Edge Zones	Kl = Corner
Wind Region	Terrain Category	Height (m)	Zones Kl=1.5	Kl=2.0	Zones KI=3.0
		0-5	625	625	625
	4	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
D		25-40	625	625	625
В	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4



Span Tables

Importance Level 3 Structure – Wind Region C

Importance Level 3 Structures			Maximum Batten Spacing/Fixing Spacing (mm)		
Wind Region	Terrain Category	Cladding Installation	Kl = General	KI = Edge Zones	KI = Corner
willa Kegion	remain category	Height (m)	Zones KI=1.5	KI=2.0	Zones KI=3.0
		0-5	625	625	625
	1	5-10	625	625	625
	1	10-25	625	625	625
		25-40	625	625	625
	2	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
6		25-40	625	625	625
С	2.5	0-5	625	625	625
		5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625
		0-5	625	625	625
	3	5-10	625	625	625
		10-25	625	625	625
		25-40	625	625	625

Notes: The Building Design Engineer is to provide the design zones relating to Local Pressure requirements of AS/NZS 1170.2:2021 CL5.4.4.

A4 Manufacturer and manufacturing plant(s)

This field is optional. Contact the Certificate Holder for details.

A5 Installation requirements

Installation must be in accordance with Alu-Selekta Series Installation Guide - Aug 2025.



A6 Other relevant technical data

Bushfire	Construction in Bushfire Prone Areas (BAL 29)						
	Ignis Labs have produced a Bus Holder for details.	shfire com	oliance report for lo	cations where BAL-29 is required, this can be achieved through a Site Specific Performance solution, contact Certificate			
Fire Hazard Properties	Determination of Ignitability, Flame Propagation, Heat Release and Smoke Release AS/NZS 1530.3-1999 Indices.						
	Ignitability Index	0	Range 0-20				
	Spread of Flame Index	0	Range 0-10				
	Heat Evolved Index	0	Range 0-10				
	Smoke Developed Index	3	Range 0-10				
	Source: AWTA Product Testing; NATA Accreditation No. 1356; Report No. 17-003431; Dated 20/07/2017.						
Sea-Salt Spray testing	ANTL have produced a Salt Spray Test Report as per ASTM B117-11 and a Mortar splash test as per AS 4506-2005, contact Certificate Holder for details.						
	Source: ANTL; Test Report #5482.11, Dated 29/10/2024						

APPENDIX B – EVALUATION STATEMENTS

B1 Evaluation methods

Certificate number: CM40368-I01-R02

- 1. Fire Safety Provisions A5G3(1)(d) Reports from Accredited Testing Laboratories.
- 2. Weatherproofing Provision A5G3(1)(e). Reports from A Professional Engineer.
- 3. Energy Efficiency Provisions A5G3(1)(d) Reports from Accredited Testing Laboratories.

B2 Reports

- 1. Ignis Labs Pty Ltd; NATA Accreditation No. 20534; Report No. IGNL-4211-01R I01 R00; Testing in accordance with AS 1530.1-1994: Combustibility Test for Materials; Dated 26/02/2021, Demonstrates the product Alu-Selekta is NOT deemed COMBUSTIBLE for compliance with C2D10 & H3D2.
- 2. Summermore Pty Ltd; Certification of Alu-Selekta Cladding in accordance with AS/NZS 1170.0:2002, AS/NZS 1170.1:2002, AS/NZS 1170.2:2021, AS/NZS 1664.1:1997 & AS 1562.1:2018; Dated 18/07/2024, Demonstrates that the product Alu-Selekta meets compliance with AS 1562.1 and F3D5 & H2D6(4).
- 3. Summermore Pty Ltd; ALU-SELEKTA CLADDING MAXIMUM BATTEN SPACING / FIXING SPACING TABLES (19-19107) in accordance with AS/NZS 1170.2:2021; Dated 11/07/2019, Provides calculations in relation to the maximum batten spacing / fixing spacing tables for the purposes of meeting compliance with AS 1562.1 and F3D5 & H2D6(4).
- 4. AWTA Product Testing; NATA Accreditation No. 983, 985 & 1356; Report No. 22-003310; Steady-State Thermal Transmission Properties by Means of the Heat Flow Apparatus, Dated 20/10/2022, Demonstrates the Thermal Conductivity and Resistance of the Alu-Selekta panel for compliance with J1P2 & H6P1.
- 5. AWTA Product Testing; NATA Accreditation No. 983, 985 & 1356; Report No. 17-003431, Testing in Accordance with AS/NZS 1530.3-1999 Methods for Fire Tests on Building Materials, Components and Structures; Dated 20/07/2017, Demonstrates the Fire Hazard Properties of the Alu-Selekta panel when tested against AS/NZS 1530.3-1999 as shown in A6.
- 6. Ignis Labs; IGNE-9168-99-01RI01R00; Bushfire Compliance Assessment with AS3939:2018; Dated 14/03/2025. Contributes towards compliance with G5D3 and H7D4 for BAL-19.

The Certificate Holder has chosen not to make the above evidence of compliance publicly available, due to the documents being considered commercial in confidence.