

# **CERTIFICATE OF CONFORMITY**

This is to certify that

## **22/7 ENTERPRISE**

Is certified to manufacture products to:

## AS 4041:2006 Pressure piping

#### **Certificate Holder**

22/7 ENTERPRISE D 1126. SWATI CLOVER. SHILAJ CIRCLE, S.P.RING ROAD, THALTEJ. AHMEDABAD, GUJARAT, INDIA - 380054 E: sales@227enterrprise.com W: https://227enterprise.com

**Certification Body** 




**CMI** Certification Pty Ltd ABN: 81 663 250 815 JAS-ANZ Accreditation No. Z4450210AK PO Box 273. Palmwoods Qld 4555. Australia Ph: +61 7 5445 2199 E: office@cmicert.com.au W: https://cmicert.com.au/

**Product Description** Refrigerant Branch Pipes for VRF Air-conditioning

**Product Purpose or Use** Refrigerant Branch Pipes for VRF Air-conditioning

#### Subject to the following Conditions & Limitations:

Nil



Originally Certified: 17/12/2024

**Talissa Ireland** 

CMI Certification Pty Ltd

Updated: 17/12/2024

Expires: 17/12/2029





• The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IÉC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or • It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au

PC10105-I01-R00

other proprietary right.

Page **1** of **10** 



## **CERTIFICATE OF CONFORMITY**

This is to certify that


### 22/7 ENTERPRISE

Is certified to manufacture products to:

### AS 4041:2006 Pressure piping


Model	Brand	Description	Operating Pressure	Material	Date Endorsed
RB-Y55	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 15.88 MM GAS ASSY - 19.05 MM REDUCER x 2, 9.52 MM REDUCER x 2 LIQUID - 9.52 MM LIQUID ASSY - 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
RB-Y105	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 22.22 MM GAS ASSY - 28.58 MM REDUCER x 2, 15.88 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 15.88 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.34 REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
RB-Y205	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 31.75 MM GAS ASSY - 22.22 MM REDUCER x 2, 9.52 MM REDUCER x 1, 34.93 MM REDUCER x 2 LIQUID - 15.88 MM LIQUID ASSY - 19.05 MM REDUCER x 2, 6.35 MM REDUCER x 1, 12.7 MM REDUCER x 1	400 to 450	Copper C12200	17/12/2024
RB-Y305	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 38.1 MM GAS ASSY - 41.28 MM REDUCER x 2, 34.93 MM REDUCER x 3, 28.58 MM REDUCER x 2, 22.22 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 22.22 MM LIQUID ASSY - 15.88 MM REDUCER x 03, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.






	Carrier /	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS SUPPLY	400 to 450	Copper	
	Totalline	GAS JOINT - 213 MM GAS ASSY - THREE SIDE ID 28.58/25.4/31.75 MM - REDUCER 22.22 MM ID REDUCER x 2, 19.05 MM REDUCER x 2, 9.52 MM REDUCER x 2, 12.7 MM REDUCER x 3, 15.88 MM REDUCER x 1, 31.8 MM REDUCER x 1, 34.93 MM REDUCER x 1	PSI	C12200	17/12/202
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS SUPPLY			
RBM 24E	Carrier / Totalline	GAS JOINT - 221 MM GAS ASSY - THREE SIDE ID 38.1/28.58/38.1 MM - REDUCER 41.28 MM REDUCER x 1, 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2, 19.05 MM REDUCER x 2, 15.88 MM REDUCER x 2, 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/20
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 4 450	-	
FQZHN-01D	Voltas / Midea / Carrier / Trane	GAS - 240 MM GAS ASSY - 15.9 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 161.5 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.40 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/20
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
	Voltas / Midea / Carrier / Trane	GAS - 276 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 1, 15.9 MM REDUCER x 1 LIQUID - 190MM LIQUID ASSY - 9.50 MM REDUCER x 1, 6.40 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/20
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
FQZHN-03D	Voltas / Midea / Carrier / Trane	GAS - 289 MM GAS ASSY - 31.8 MM REDUCER x 1, 15.9 MM REDUCER x 1, 19.1 MM REDUCER x 1 LIQUID - 240MM LIQUID ASSY - 19.1 MM REDUCER x 1, 6.40 MM REDUCER x 1, 9.5 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/20
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
$F()/HN_{(1/1)}$	Voltas / Midea / Carrier / Trane	GAS - 332 MM GAS ASSY - 38.1 MM REDUCER x 1, 19.1 MM REDUCER x 1, 22.22 MM REDUCER x 1 LIQUID - 280MM LIQUID ASSY - 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/20
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
FQZHN-05D	Voltas / Midea /	GAS - 350MM GAS ASSY - 44.45 MM REDUCER x 1, 34.60 MM REDUCER x 1, 34.90 MM	400 to 450 PSI	Copper C12200	17/12/20





				LV LV LV
	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Voltas / Midea / Carrier / Trane	REDUCER x 1	PSI	Copper C12200	17/12/2024
Voltas / Midea / Carrier / Trane	REDUCER x 1	PSI	Copper C12200	17/12/2024
Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 295 MM GAS ASSY - 38.1 MM REDUCER x 1, 25.4 MM REDUCER x 2 LIQUID - 194 MM LIQUID ASSY - 22.22 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 25.4 MM REDUCER x 2 LIQUID - 199 MM LIQUID ASSY - 22.2 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 15.5 MM REDUCER x 1, 25.4 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 22.22 MM REDUCER x 1, 12.72 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 263 MM GAS ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 201 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Hitachi		Dei	Copper C12200	17/12/2024
	Carrier / Trane /oltas / Midea / Carrier / Trane Hitachi Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (arrier / Trane)   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.93 MM REDUCER x 1, 34.93 MM REDUCER x 1   LIQUID - 345 MM LIQUID ASSY - 25.45 MM REDUCER x 1, 15.88 MM REDUCER x 1, 22.22 MM REDUCER x 1   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.90 MM REDUCER x 1, 34.93 MM REDUCER x 1   LIQUID - 288 MM LIQUID ASSY - 31.75 MM REDUCER x 1, 28.58 MM REDUCER x 1, 15.88 MM REDUCER x 1, 1000 CER x 1   (oltas / Midea / Carrier / Trane)   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   (oltas / Midea / Carrier / Trane)   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   (oltas / Midea / Carrier / Trane)   (oltas / Midea / Carrier /	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450     Carrier / Trane   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.93 MM REDUCER x 1, 34.93 MM   400 to 450     Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450     VIDUE - 345 MM LIQUID ASSY - 25.45 MM REDUCER x 1, 15.88 MM REDUCER x 1, 22.22   MM REDUCER x 1   400 to 450     VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.90 MM REDUCER x 1, 34.93 MM   400 to 450     Carrier / Trane   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 28.58 MM REDUCER x 1, 15.88   400 to 450     LIQUID - 288 MM LIQUID ASSY - 31.75 MM REDUCER x 1, 28.58 MM REDUCER x 1, 15.88   400 to 450     VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450     GAS - 295 MM GAS ASSY - 38.1 MM REDUCER x 1, 25.4 MM REDUCER x 2   400 to 450     VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450     GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 12.7 MM REDUCER x 2   951     VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450     GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 12.7 MM REDUCER x 2   951     VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   GAS - 263 MM GAS ASSY -	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper PSI     /carrier / Trane   GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.93 MM REDUCER x 1, 22.22 MM REDUCER x 1   400 to 450   Copper PSI     /LQUID - 345 MM LIQUID ASSY - 25.45 MM REDUCER x 1, 15.88 MM REDUCER x 1, 22.22 MM REDUCER x 1   PSI   PSI   C12200     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper PSI     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper PSI     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper C12200     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper C12200     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper C12200     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper C12200     /oltas / Midea / Carrier / Trane   VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY   400 to 450   Copper C12200     /oltas / Midea





					LV LV LV
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-E-242SNK	Hitachi	GAS - 318 MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 321 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-E-302SNK	Hitachi	GAS - 351 MM GAS ASSY - 38.1 MM REDUCER x 2, 28.52 MM REDUCER x 1 LIQUID - 342 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	100 1 150	2	
40VJ012M7-HQEE	Haier	GAS - 292 MM GAS ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 207 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
40VJ018M7-HQEE	Haier	GAS - 350MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 237 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 9.54 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
40VJ026M7-HQEE	Haier	GAS - 350MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 340 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
40VJ048M7-HQEE	Haier	GAS - 390 MM GAS ASSY - 38.1 MM REDUCER x 2, 28.52 MM REDUCER x 1 LIQUID - 360 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Connor	
KHRP26A22T	Daikin	GAS - 440 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 368 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
KHRP26A33T	Daikin	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450 PSI	Copper C12200	17/12/2024

• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <a href="https://register.cmicert.com.au/">https://register.cmicert.com.au/</a>



		GAS - 440 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2			
		LIQUID - 368 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 REDUCER x 2			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
KHRP26A72T	Daikin	GAS - 505 MM GAS ASSY - 31.75 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 330MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/202
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
KHRP26A73T	Daikin	GAS - 548 MM GAS ASSY - 31.75 MM REDUCER x 1,15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 330 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450 PSI	Copper C12200	17/12/2024
UTP-AX054AA Fijitsu Gener	Fijitsu General	GAS - 363 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 261 MM LIQUID ASSY - 6.35 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Copper	
UTP-AX090AA	Fijitsu General	GAS - 427 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 362 MM LIQUID ASSY - 6.35 REDUCER x 3	PSI	C12200	17/12/202
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
UTP-AX180AA	Fijitsu General	GAS - 349 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 1, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/202
		LIQUID - 362 MM LIQUID ASSY - 6.35 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
UTP-AX567AA	Fijitsu General	GAS - 564 MM GAS ASSY - 34.92 MM REDUCER x 1, 28.58 MM REDUCER x 1, 19.05 MM REDUCER x 1 LIQUID - 375 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 15.88 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/202
	1		1		




• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au/

TA TA TA V				<u>_V _V _V</u>
Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 488 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 12.7 MM REDUCER x 02, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 324 MM GAS ASSY - 12.7 MM REDUCER x 2, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 19.05 MM REDUCER x 1, 22.22 MM REDUCER x 1, 28.28 MM REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 41.28 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 292 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 292 MM LIQUID ASSY - 6.35 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 413 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 332 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450 PSI	Copper C12200	17/12/2024
	Mitsubishi / Akabishi Mitsubishi / Akabishi Mitsubishi / Akabishi LG LG	Fijitsu GeneralGAS - 488 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2Mitsubishi / AkabishiVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 12.7 MM REDUCER x 0, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 15.88 MM REDUCER x 1Mitsubishi / AkabishiVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 324 MM GAS ASSY - 12.7 MM REDUCER x 2, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 22.22 MM REDUCER x 1, 28.28 MM REDUCER x 1 LIQUID - 150 MM GAS ASSY - 19.05 MM REDUCER x 1, 22.22 MM REDUCER x 1, 28.28 MM REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 25.20 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 27.7 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 12.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 12.68 MM REDUCER x 2 LIQUID - 292 MM LIQUID ASSY - 15.88 MM REDUCER x 3LGVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 413 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 332	Fijitsu GeneralGAS - 488 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2, GAS - 250 MM GAS ASSY - 12.7 MM REDUCER x 02, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 22.22 MM REDUCER x 1, REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 22.22 MM REDUCER x 1, 400 to 450 REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35400 to 450 PSIMitsubishi / AkabishiVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 11.28 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35400 to 450 PSILGVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35400 to 450 PSILGVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 12.7 MM REDUCER x 3400 to 450 PSILGVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 413 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 33	Fijitsu GeneralGAS - 488 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 12.7 MM REDUCER x 0, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1, 28.28 MM REDUCER x 1, 9.52 MM REDUCER x 1, 28.28 MM REDUCER x 1, 9.52 MM REDUCER x 1, 28.28 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1, 28.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1, 28.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.22 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.20 MM REDUCER x 2, 20.20 C02000400 to 450 C02000COPPER C12200Mitsubishi / AkabishiVRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 19.65 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1, 22.7 MM REDUCER x 2 LIQUID - 163 MM LIQUID ASSY - 15.88 MM REDUCER x 3 LIQUID - 292 MM LIQUID ASSY - 6.35 MM REDUCER x 3 LIQUID - 292 MM LIQUID AS

• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <a href="https://register.cmicert.com.au/">https://register.cmicert.com.au/</a>



		GAS - 404 MM GAS ASSY - 31.8 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 394 MM LIQUID ASSY - 12.7 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-JRBLN14521	LG	GAS - 405 MM GAS ASSY - 34.9 MM REDUCER x 1, 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 435 MM LIQUID ASSY - 15.88 MM REDUCER x 2, 12.7 MM REDUCER x 1			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-JRBLN23220	LG	GAS - 530 MM GAS ASSY - 44.48 MM REDUCER x 1, 38.1 MM REDUCER x 1, 34.93 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 379 MM LIQUID ASSY - 19.05 MM REDUCER x 2, 25.4 MM REDUCER x 1			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Copper	
Pi-FQ01A/A	Gree	GAS - 278 MM GAS ASSY - 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 245 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1	PSI	C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-FQ01B/B	Gree	GAS - 300 MM GAS ASSY - 19.05 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 238 MM LIQUID ASSY - 9.52 MM REDUCER x 2, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-FQ02A	Gree	GAS - 370MM GAS ASSY - 22.2 MM REDUCER x 1, 9.52 MM REDUCER x 1, 19.05 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 260 MM LIQUID ASSY - 9.52 MM REDUCER x 2, 6.35 MM REDUCER x 1			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-FQ03A	Gree	GAS - 496 MM GAS ASSY - 34.93 MM REDUCER x 1, 19.05 MM REDUCER x 1, 28.58 MM REDUCER x 1 LIQUID - 263 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024





			<u> </u>	<u> </u>	<u>_V \V \V</u>
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-FQ04A	Gree	GAS - 456 MM GAS ASSY - 41.6 MM REDUCER x 1, 34.82 MM REDUCER x 1, 25.5 MM	400 to 450 PSI		17/12/2024
		REDUCER x 1 LIQUID - 431 MM LIQUID ASSY - 18.9 MM REDUCER x 2, 12.7 MM REDUCER x 1	P51	C12200	
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Copper	
Pi-CZ-P160BK2	Panasonic	GAS- 110 MM GAS ASSY - 15.88 MM REDUCER x 3	PSI	C12200	17/12/2024
		LIQUID - 110 MM LIQUID ASSY - 12.7 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Copper	
Pi-CZ-P680BK2	Panasonic	GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3	PSI	C12200	17/12/2024
		LIQUID - 110 MM LIQUID ASSY - 28.58 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Coppor	
Pi-CZ-P680PJ2	Panasonic	GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 110 MM LIQUID ASSY - 28.58 MM REDUCER x 3			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 1 450	0	
Pi-CZ-P1350BK2	Panasonic	GAS - 175 MM GAS ASSY - 18.55 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 110 MM LIQUID ASSY - 31.75 MM REDUCER x 3		012200	
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY		•	
Pi-CZ-P1350PJ2	Panasonic	GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 110 MM LIQUID ASSSY - 31.75 MM REDUCER x 3	FOI	012200	
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-MXJ-YA1509M	Samsung	GAS - 282 MM GAS ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1	400 to 450	Copper C12200	17/12/2024
		LIQIUD - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1	PSI	012200	
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-MXJ-YA2512M	Samsung	GAS - 364 MM GAS ASSY - 25.6 MM REDUCER x 2, 19.2 MM REDUCER x 1	400 to 450	Copper	17/12/2024
		LIQUID - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1	PSI	C12200	
			400 to 450	Copper	
Pi-MXJ-YA2812M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	PSI	C12200	17/12/2024

• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <a href="https://register.cmicert.com.au/">https://register.cmicert.com.au/</a>



					<u>LV LV LV</u>
		GAS - 387 MM GAS ASSY - 28.7 MM REDUCER x 1, 25.6 MM REDUCER x 1, 31.9 MM REDUCER x 1			
		LIQUID - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1			
Pi-MXJ-YA2815M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 387 MM GAS ASSY - 31.9 MM REDUCER x 1, 25.6 MM REDUCER x 1, 28.7 MM REDUCER x 1 LIQUID - 282 MM LIQUID ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-MXJ-YA3419M	Samsung	GAS - 419 MM GAS ASSY - 28.7 MM REDUCER x 1, 35.1 MM REDUCER x 1, 31.9 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 282 MM LIQUID ASSY - 16.1 MM REDUCER x 1, 19.2 MM REDUCER x 2			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY			
Pi-MXJ-YA4119M	Samsung	GAS - 438 MM GAS ASSY - 35.1 MM REDUCER x 1, 38.3 MM REDUCER x 1, 41.4 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
		LIQUID - 282 MM LIQUID ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1			
		VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY	400 to 450	Coppor	
Pi-MXJ-YA4422M	Samsung	GAS - 475 MM GAS ASSY - 41.4 MM REDUCER x 2, 38.3 MM REDUCER x 1 LIQUID - 364 MM LIQUID ASSY - 25.6 MM REDUCER x 2, 19.2 MM REDUCER x 1	PSI	Copper C12200	17/12/2024

#### **End of Record**

Certificate No: PC10105

Originally Certified: 17/12/2024

Updated: 17/12/2024

Expires: 17/12/2029

• The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.

