



CMI ProdCert
PC10105

CERTIFICATE OF CONFORMITY

This is to certify that

227 ENTERPRISE PRIVATE LIMITED

Is certified to manufacture products to:

AS 4041:2006 Pressure piping

Certificate Holder

227 ENTERPRISE PRIVATE LIMITED
D 1126, SWATI CLOVER,
SHILAJ CIRCLE, S.P.RING ROAD,
THALTEJ,
AHMEDABAD, GUJARAT,
INDIA - 380054
E: sales@227enterprise.com
W: <https://227enterprise.com>

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Product Description

Refrigerant Branch Pipes for VRF Air-conditioning

Product Purpose or Use

Refrigerant Branch Pipes for VRF Air-conditioning

Subject to the following Conditions & Limitations:

Nil

Certificate No: PC10105

Originally Certified: 17/12/2024

Updated: 06/11/2025

Expires: 17/12/2029

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CERTIFICATE OF CONFORMITY

This is to certify that

227 ENTERPRISE PRIVATE LIMITED

Is certified to manufacture products to:

AS 4041:2006 Pressure piping

Model	Brand	Description	Operating Pressure	Material	Date Endorsed
RB-Y55	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 15.88 MM GAS ASSY - 19.05 MM REDUCER x 2, 9.52 MM REDUCER x 2 LIQUID - 9.52 MM LIQUID ASSY - 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
RB-Y105	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 22.22 MM GAS ASSY - 28.58 MM REDUCER x 2, 15.88 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 15.88 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.34 REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
RB-Y205	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 31.75 MM GAS ASSY - 22.22 MM REDUCER x 2, 9.52 MM REDUCER x 1, 34.93 MM REDUCER x 2 LIQUID - 15.88 MM LIQUID ASSY - 19.05 MM REDUCER x 2, 6.35 MM REDUCER x 1, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
RB-Y305	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 38.1 MM GAS ASSY - 41.28 MM REDUCER x 2, 34.93 MM REDUCER x 3, 28.58 MM REDUCER x 2, 22.22 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 22.22 MM LIQUID ASSY - 15.88 MM REDUCER x 03, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

RBM 14E	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS SUPPLY GAS JOINT - 213 MM GAS ASSY - THREE SIDE ID 28.58/25.4/31.75 MM - REDUCER 22.22 MM ID REDUCER x 2, 19.05 MM REDUCER x 2, 9.52 MM REDUCER x 2, 12.7 MM REDUCER x 3, 15.88 MM REDUCER x 1, 31.8 MM REDUCER x 1, 34.93 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
RBM 24E	Carrier / Totalline	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS SUPPLY GAS JOINT - 221 MM GAS ASSY - THREE SIDE ID 38.1/28.58/38.1 MM - REDUCER 41.28 MM REDUCER x 1, 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2, 19.05 MM REDUCER x 2, 15.88 MM REDUCER x 2, 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-01D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 240 MM GAS ASSY - 15.9 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 161.5 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.40 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-02D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 276 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 1, 15.9 MM REDUCER x 1 LIQUID - 190MM LIQUID ASSY - 9.50 MM REDUCER x 1, 6.40 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-03D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 289 MM GAS ASSY - 31.8 MM REDUCER x 1, 15.9 MM REDUCER x 1, 19.1 MM REDUCER x 1 LIQUID - 240MM LIQUID ASSY - 19.1 MM REDUCER x 1, 6.40 MM REDUCER x 1, 9.5 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-04D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 332 MM GAS ASSY - 38.1 MM REDUCER x 1, 19.1 MM REDUCER x 1, 22.22 MM REDUCER x 1 LIQUID - 280MM LIQUID ASSY - 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

FQZHN-05D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 350MM GAS ASSY - 44.45 MM REDUCER x 1, 34.60 MM REDUCER x 1, 34.90 MM REDUCER x 1 LIQUID - 276MM LIQUID ASSY - 15.9 MM REDUCER x 2, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-06D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.93 MM REDUCER x 1, 34.93 MM REDUCER x 1 LIQUID - 345 MM LIQUID ASSY - 25.45 MM REDUCER x 1, 15.88 MM REDUCER x 1, 22.22 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
FQZHN-07D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 381 MM GAS ASSY - 63.90 MM REDUCER x 1, 53.90 MM REDUCER x 1, 34.93 MM REDUCER x 1 LIQUID - 288 MM LIQUID ASSY - 31.75 MM REDUCER x 1, 28.58 MM REDUCER x 1, 15.88 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
FQZHW-02N1D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 295 MM GAS ASSY - 38.1 MM REDUCER x 1, 25.4 MM REDUCER x 2 LIQUID - 194 MM LIQUID ASSY - 22.22 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
FQZHW-03N1D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 25.4 MM REDUCER x 2 LIQUID - 199 MM LIQUID ASSY - 22.2 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
FQZHW-04N1D	Voltas / Midea / Carrier / Trane	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 290 MM GAS ASSY - 38.1 MM REDUCER x 1, 15.5 MM REDUCER x 1, 25.4 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 22.22 MM REDUCER x 1, 12.72 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

Pi-E-102SNK	Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 263 MM GAS ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 201 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Pi-E-162SNK	Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 318 MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1, LIQUID - 239 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-E-242SNK	Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 318 MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 321 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-E-302SNK	Hitachi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 351 MM GAS ASSY - 38.1 MM REDUCER x 2, 28.52 MM REDUCER x 1 LIQUID - 342 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
40VJ012M7-HQEE	Haier	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 292 MM GAS ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 207 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
40VJ018M7-HQEE	Haier	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 350MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 237 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 9.54 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

40VJ026M7-HQEE	Haier	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 350MM GAS ASSY - 28.58 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 340 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
40VJ048M7-HQEE	Haier	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 390 MM GAS ASSY - 38.1 MM REDUCER x 2, 28.52 MM REDUCER x 1 LIQUID - 360 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
KHRP26A22T	Daikin	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 440 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 368 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
KHRP26A33T	Daikin	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 440 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 368 MM LIQUID ASSY - 9.52 MM REDUCER x 1, 6.35 REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
KHRP26A72T	Daikin	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 505 MM GAS ASSY - 31.75 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 330MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
KHRP26A73T	Daikin	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 548 MM GAS ASSY - 31.75 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 330 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

UTP-AX054AA	Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 363 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 261 MM LIQUID ASSY - 6.35 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
UTP-AX090AA	Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 427 MM GAS ASSY - 12.7 MM REDUCER x 1, 9.52 MM REDUCER x 2 LIQUID - 362 MM LIQUID ASSY - 6.35 REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
UTP-AX180AA	Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 349 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 1, 9.52 MM REDUCER x 1 LIQUID - 362 MM LIQUID ASSY - 6.35 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
UTP-AX567AA	Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 564 MM GAS ASSY - 34.92 MM REDUCER x 1, 28.58 MM REDUCER x 1, 19.05 MM REDUCER x 1 LIQUID - 375 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 15.88 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
UTP-CX567AA	Fijitsu General	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 488 MM GAS ASSY - 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 2 LIQUID - 325 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
CMY-Y102SSA	Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 12.7 MM REDUCER x 02, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 1, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
CMY-Y102LSA	Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 324 MM GAS ASSY - 12.7 MM REDUCER x 2, 15.88 MM REDUCER x 1 LIQUID - 117 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

CMY-Y202SA	Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 250 MM GAS ASSY - 19.05 MM REDUCER x 1, 22.22 MM REDUCER x 1, 28.28 MM REDUCER x 1 LIQUID - 150 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
CMY-Y302SA	Mitsubishi / Akabishi	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 345 MM GAS ASSY - 41.28 MM REDUCER x 2, 12.7 MM REDUCER x 1 LIQUID - 163 MM LIQUID ASSY - 19.05 MM REDUCER x 1, 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-JRBLN01621	LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 292 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 292 MM LIQUID ASSY - 6.35 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-JRBLN03321	LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 413 MM GAS ASSY - 25.4 MM REDUCER x 1, 12.7 MM REDUCER x 2 LIQUID - 332 MM LIQUID ASSY - 12.7 MM REDUCER x 1, 6.35 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Pi-JRBLN07121	LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 404 MM GAS ASSY - 31.8 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 394 MM LIQUID ASSY - 12.7 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-JRBLN14521	LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 405 MM GAS ASSY - 34.9 MM REDUCER x 1, 28.58 MM REDUCER x 1, 22.22 MM REDUCER x 1 LIQUID - 435 MM LIQUID ASSY - 15.88 MM REDUCER x 2, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmcert.com.au/>

Pi-JRBLN23220	LG	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 530 MM GAS ASSY - 44.48 MM REDUCER x 1, 38.1 MM REDUCER x 1, 34.93 MM REDUCER x 1 LIQUID - 379 MM LIQUID ASSY - 19.05 MM REDUCER x 2, 25.4 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-FQ01A/A	Gree	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 278 MM GAS ASSY - 12.7 MM REDUCER x 2, 9.52 MM REDUCER x 1 LIQUID - 245 MM LIQUID ASSY - 6.35 MM REDUCER x 2, 9.52 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-FQ01B/B	Gree	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 300 MM GAS ASSY - 19.05 MM REDUCER x 1, 15.88 MM REDUCER x 1, 12.7 MM REDUCER x 1 LIQUID - 238 MM LIQUID ASSY - 9.52 MM REDUCER x 2, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-FQ02A	Gree	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 370MM GAS ASSY - 22.2 MM REDUCER x 1, 9.52 MM REDUCER x 1, 19.05 MM REDUCER x 1 LIQUID - 260 MM LIQUID ASSY - 9.52 MM REDUCER x 2, 6.35 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-FQ03A	Gree	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 496 MM GAS ASSY - 34.93 MM REDUCER x 1, 19.05 MM REDUCER x 1, 28.58 MM REDUCER x 1 LIQUID - 263 MM LIQUID ASSY - 15.88 MM REDUCER x 1, 9.52 MM REDUCER x 1, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-FQ04A	Gree	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 456 MM GAS ASSY - 41.6 MM REDUCER x 1, 34.82 MM REDUCER x 1, 25.5 MM REDUCER x 1 LIQUID - 431 MM LIQUID ASSY - 18.9 MM REDUCER x 2, 12.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

Pi-CZ-P160BK2	Panasonic	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS- 110 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 110 MM LIQUID ASSY - 12.7 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-CZ-P680BK2	Panasonic	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 110 MM LIQUID ASSY - 28.58 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-CZ-P680PJ2	Panasonic	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 110 MM LIQUID ASSY - 28.58 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-CZ-P1350BK2	Panasonic	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 175 MM GAS ASSY - 18.55 MM REDUCER x 3 LIQUID - 110 MM LIQUID ASSY - 31.75 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-CZ-P1350PJ2	Panasonic	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 175 MM GAS ASSY - 15.88 MM REDUCER x 3 LIQUID - 110 MM LIQUID ASSY - 31.75 MM REDUCER x 3	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA1509M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 282 MM GAS ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1 LIQUID - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA2512M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 364 MM GAS ASSY - 25.6 MM REDUCER x 2, 19.2 MM REDUCER x 1 LIQUID - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA2812M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 387 MM GAS ASSY - 28.7 MM REDUCER x 1, 25.6 MM REDUCER x 1, 31.9 MM REDUCER x 1 LIQUID - 255 MM LIQUID ASSY - 12.9 MM REDUCER x 2, 9.7 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

Pi-MXJ-YA2815M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 387 MM GAS ASSY - 31.9 MM REDUCER x 1, 25.6 MM REDUCER x 1, 28.7 MM REDUCER x 1 LIQUID - 282 MM LIQUID ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA3419M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 419 MM GAS ASSY - 28.7 MM REDUCER x 1, 35.1 MM REDUCER x 1, 31.9 MM REDUCER x 1 LIQUID - 282 MM LIQUID ASSY - 16.1 MM REDUCER x 1, 19.2 MM REDUCER x 2	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA4119M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 438 MM GAS ASSY - 35.1 MM REDUCER x 1, 38.3 MM REDUCER x 1, 41.4 MM REDUCER x 1 LIQUID - 282 MM LIQUID ASSY - 19.2 MM REDUCER x 2, 16.1 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024
Pi-MXJ-YA4422M	Samsung	VRF AIR CONDITIONING JOINTS & FITTING FOR GAS & LIQUID SUPPLY GAS - 475 MM GAS ASSY - 41.4 MM REDUCER x 2, 38.3 MM REDUCER x 1 LIQUID - 364 MM LIQUID ASSY - 25.6 MM REDUCER x 2, 19.2 MM REDUCER x 1	400 to 450 PSI	Copper C12200	17/12/2024

End of Record

Certificate No: PC10105

Originally Certified: 17/12/2024

Updated: 06/11/2025

Expires: 17/12/2029

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>