



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

**AMS Water Metering Pty Ltd**  
Unit 20, 51 Kalman Drive, Boronia, VIC 3155, Australia  
ABN: 92 629 008 546  
W: [www.amswatermetering.com](http://www.amswatermetering.com)  
T: +61 499 050 688

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland  
**CMI Certification Pty Ltd**  
PO Box 273, Palmwoods, Qld 4555, Australia  
ABN: 81 663 250 815  
T: + 61 7 5445 2199  
W: [www.cmicert.com.au](http://www.cmicert.com.au)  
E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
080048	02/02/2023	16/04/2024	02/02/2028	AS 3565.1-2010 Meters for cold and heated drinking and non-drinking water supplies – Technical Requirements (Reconfirmed 2021)

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## AMS Water Metering Pty Ltd



APPLICABLE STANDARD/SPECIFICATION

AS 3565.1-2010 Meters for cold and heated drinking and non-drinking water supplies – Technical Requirements (Reconfirmed 2021)

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
QALCOSONIC	W1	QW1-3-A1-5-X1-0-1-AUV	DN20 R400 Smart Ultrasonic Water Meter - LCD display – with Brass Backflow Prevention Device & Fittings - Forward & Reverse Flow Metering – 154 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1” Utility Meter for Residential, Apartments & Small Commercial Premises	No	16/04/2024
QALCOSONIC	W1	QW1-3-A2-5-X1-0-1-AUV	DN20 R400 Smart Ultrasonic Water Meter - LCD display – with Brass Backflow Prevention Device & Fittings - Forward & Reverse Flow Metering – 154 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: 14tpi Utility Meter for Residential, Apartments & Small Commercial Premises	No	16/04/2024
QALCOSONIC	W1	QW1-3-11-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 80 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4” Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-11-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 80 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4” Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-21-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 80 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-21-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 80 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-13-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-13-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-13-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-13-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-23-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-23-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-23-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-23-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-50-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 115 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-50-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 115 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-51-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 115 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-51-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 115 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-14-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-14-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-14-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-14-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-24-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-24-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-24-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-24-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-15-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-15-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-15-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-15-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 1.6m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-25-5-x1-0-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-25-5-x1-0-3	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-25-5-x1-0-1-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-25-5-x1-0-3-1	DN15 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 170 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m <sup>3</sup> /h Nominal Pressure: 1600 kPa (16 Bar) Connection: G3/4" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024



QALCOSONIC	W1	QW1-3-31-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-31-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-31-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-31-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-41-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-41-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024



QALCOSONIC	W1	QW1-3-41-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-41-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 105 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-32-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-32-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-32-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-32-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-42-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-42-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-42-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-42-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 110 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-33-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-33-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-33-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-33-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-43-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-43-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-43-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-43-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 130 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-34-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-34-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-34-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-34-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-44-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-44-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-44-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-44-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 165 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-35-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-35-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-35-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-35-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 2.5m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-45-5-x1-0-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-45-5-x1-0-3	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-45-5-x1-0-1-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-45-5-x1-0-3-1	DN20 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 190 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 4.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1" Sub Meter for Residential, Apartments & Small Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-46-5-x1-0-1	DN25 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 6.3m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ¼" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-46-5-x1-0-3	DN25 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 6.3m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ¼" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-47-5-x1-0-1	DN25 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ¼" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-47-5-x1-0-3	DN25 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ¼" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-48-5-x1-0-1	DN32 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 6.3m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ½" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-48-5-x1-0-3	DN32 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 6.3m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ½" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-49-5-x1-0-1	DN32 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ½" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-49-5-x1-0-3	DN32 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 260 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G1 ½" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024



QALCOSONIC	W1	QW1-3-52-5-x1-0-1	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-52-5-x1-0-3	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 10.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-53-5-x1-0-1	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 16.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-53-5-x1-0-3	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 16.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-54-5-x1-0-1	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 25.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-54-5-x1-0-3	DN40 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 300 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 25.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: G2" Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024

QALCOSONIC	W1	QW1-3-55-5-x1-0-1	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 16.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-55-5-x1-0-3	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 16.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-56-5-x1-0-1	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 25.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-56-5-x1-0-3	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 25.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-57-5-x1-0-1	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T30 Cold Water Use Water Operating Range to: 30°C Nominal Flow: 40.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024
QALCOSONIC	W1	QW1-3-57-5-x1-0-3	DN50 R400 Smart Ultrasonic Water Meter - LCD display - Forward & Reverse Flow Metering – 200 mm Length	Temp Class: T90 Hot Water Use Water Operating Range to: 90°C Nominal Flow: 40.0m³/h Nominal Pressure: 1600 kPa (16 Bar) Connection: DN50 Flange Sub Meter for Residential, Apartments & Large Commercial Premises	N/A	16/04/2024

\*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

\*\* Product is required to be Lead Free compliant by 01/05/2026

**End of Record**