



CMI ProdCert
PC10293

CERTIFICATE OF CONFORMITY

This is to certify that

Atomic Safety Pty Ltd.

Is certified to manufacture products to:

**AS/NZS 1891.1:2020 Personal equipment for work at height
Part 1: Manufacturing requirements or full body combination and lower body harnesses**

Certificate Holder

Atomic Safety Pty Ltd.
Unit 8, 47 Cook Ct, North Lake,
Queensland 4509 Australia
ABN: 76 693 452 032

Product Description

Safety Harness

Product Purpose or Use

Safety Harness

Subject to the following Conditions & Limitations:

Nil

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JASANZ Accreditation No. Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Certificate No: PC10293

Originally Certified: 21/08/2026

Updated: 21/08/2026

Expires: 21/08/2031

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CERTIFICATE OF CONFORMITY

This is to certify that

Atomic Safety Pty Ltd.

Is certified to manufacture products to:

**AS/NZS 1891.1:2020 Personal equipment for work at height
Part 1: Manufacturing requirements or full body combination and lower body harnesses**

Brand	Model	Description	Date Endorsed
ATOMIC	AHB01 Series	Harness Bronze Series Comprised of 45mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, leg straps that adjusted via two frontal interconnecting buckle adjusters, an adjustable chest strap that adjusted via an interconnecting buckle adjuster. The harness also consists of a triangular comfort padding located at the dorsal 'D' ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops).	21/08/2026
ATOMIC	AHB05 Series	Harness Bronze Series Product AHB01 plus a triangular mesh located at the dorsal attachment point (EWP bracket). The harness rear fall arrest attachment point (EWP bracket) is in the form of a 3 bar drop forged bracket to which, permanently attached is a ALW1 series lanyard - a single 45mm webbing lanyard (fold sewn to 22mm width) complete with a tear webbing energy absorber connected together via a "D" ring. There is attachment hardware at one end of the lanyard leg for connection between the permanent harness lanyard & an anchorage.	21/08/2026
ATOMIC	AHS01 Series	Harness Silver Series Comprised of 5mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, leg straps that adjusted via two frontal interconnecting buckle adjusters, an adjustable chest strap that adjusted via an interconnecting buckle adjuster. The harness also consists of a triangular comfort padding located at the dorsal 'D' ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops). It also contains a set of shoulder webbing loops for retrieval purposes and a standing strap located at the left leg strap for suspension release	21/08/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



ATOMIC	AHS02 Series	Harness Silver Series Comprised of 45mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, leg straps that adjusted via two frontal interconnecting buckle adjusters, an adjustable chest strap and a waist strap that adjusted via an interconnecting buckle adjuster. The harness also consists of a triangular comfort padding located at the dorsal 'D' ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops). It also contains side 'D' rings for pole strap attachment purposes and a set of shoulder webbing loops for retrieval purposes and a standing strap located at the left leg strap for suspension release.	21/08/2026
ATOMIC	AHG01 Series	Harness Gold Series Comprised of 45mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, chest strap and leg straps. Shoulder straps are adjusted via two frontal buckle adjusters; chest strap and leg straps are adjusted via male/female clip-on buckles. The harness also consists of a triangular comfort padding located at the dorsal 'D' ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops). It also contains a set of shoulder webbing loops for retrieval purposes and a standing strap located at the left leg strap for suspension release.	21/08/2026
ATOMIC	AHG02 Series	Harness Gold Series Comprised of 45mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, chest strap, waist strap and leg straps. Shoulder straps are adjusted via two frontal buckle adjusters; chest strap, waist strap and leg straps are adjusted via male/female clip-on buckles. The harness also consists of a triangular comfort padding located at the dorsal 'D' ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops). It also contains side 'D' rings for pole strap attachment purposes and a set of shoulder webbing loops for retrieval purposes and a standing strap located at the left leg strap for suspension release.	21/08/2026
ATOMIC	AHP03 Series	Harness Platinum Series Y-back style full body fall arrest sit harness. Comprised of 43-45mm webbing with colour from options Grey; Navy Blue; Royal Blue; Fluro Orange; Maroon {dark pink}; Yellow{gold}; Green; Black; Aramid webbing in Black colour only. A frontal centrally located Sternal Dee fall arrest attachment point is incorporated into the shoulder straps and size adjustment is by way of a single adjuster buckle. A frontal limited fall arrest Dee is centre located 200mm below the Sternal Dee and joined to the Dee above it either permanently by 43mm webbing or by karabiner or by kroll. Rear Fall Arrest Dee ring is incorporated into an adjustable back strap connected to the kidney belt and leg straps. Adjustment is by adjuster buckle. 43-45mm webbing wrap around style leg straps with quick release buckles are incorporated into the kidney waist belt by 43-45mm webbing forming a connection to the lower frontal Dee; 43-45mm webbing from the back leg straps are joined to the rear adjuster buckle. 43-45mm webbing forming a permanent kidney waist belt (no disconnection buckles) with two side adjuster buckles for waist size adjustment, and two side Dee rings for pole strap attachment incorporated into a permanent connection with the frontal leg loops to hold the limited fall arrest lower front Dee in place. Comfort padding is included for Shoulder; Kidney Belt and leg straps. AHP03 DE hardware attachment points and adjusters are dielectric.	21/08/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

ATOMIC	AHP04 Series	Harness Platinum Series Comprised of 45mm width polyester webbing in a choice of colours: Orange, Green, Grey, Blue, Navy Blue, Black, Maroon/Dark Pink, and Yellow flex webbing, Kevlar/Aramid webbing which form adjustable shoulder straps, chest strap, waist strap and leg straps. Shoulder straps are adjusted via two frontal buckles adjusters; chest strap, waist strap and leg straps are adjusted via male / female clip-on buckles. The harness also consists of a triangular comfort padding located at the dorsal D ring and there are also small sections of comfort padding located at the leg and waist buckles. The harness incorporates two main fall arrest attachment points.: a dorsal 'D' ring and a pair of frontal webbing loops (belay loops). It also contains side 'O' rings for pole strap attachment purposes and a set of shoulder webbing loops for retrieval purposes. A sub-pelvic strap is arranged to form a padded seat for Pole Strap work positioning. AHP04 DE hardware attachment points and adjusters are dielectric.	21/08/2026
--------	-----------------	--	------------

End of Record

Certificate No: PC10293

Originally Certified: 21/08/2026

Updated: 21/08/2026

Expires: 21/08/2031

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>