



CMI ProdCert
PC10116

CERTIFICATE OF CONFORMITY

This is to certify that

Australia Jewel Green Group Pty Ltd

Is certified to manufacture products to:

AS 2047:2014 Windows and external glazed doors in buildings

Certificate Holder

Australia Jewel Green Group Pty Ltd
3-5 Clyde St, Wingfield, SA 5013
Australia
ABN: 51 674 752 713

Product Description

Windows and external glazed doors

Product Purpose or Use

Windows and external glazed doors

Subject to the following Conditions & Limitations:

Nil

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Certificate No: PC10116

Originally Certified: 03/02/2025

Updated: 03/02/2025

Expires: 03/02/2030

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CMI ProdCert
PC10116

CERTIFICATE OF CONFORMITY

This is to certify that

Australia Jewel Green Group Pty Ltd

Is certified to manufacture products to:

AS 2047:2014 Windows and external glazed doors in buildings

Brand	Model Identification	Product	Product Description	Performance	Date Endorsed
Australia Jewel Green Group	JG50	Awning Window	Non-Thermal Break Aluminium Window – 1600mm(W) x 1200mm(H) x 50mm(T) - Operable Sash 600mm(W) x 1155mm(H) x 50mm(T) - Fixed Sash 978mm(W) x 1200mm(H) x 50mm(T) with AS 2208:2023 & AS 4666:2012 Glazing Models: JG50YK01C, JG50YK06B, JG50YK01D, JG50YK04, JG50YK03, JG50YK08, JG50YK02	Serviceability Limit Pressure: 1600 Pa Ultimate Limit Pressure: 4000 Pa Water Penetration Resistance: 600 Pa	03/02/2025
Australia Jewel Green Group	JGGR65	Awning Window	Thermal Break Aluminium Window - 1600mm(W) x 1200mm(H) x 65mm(T) - Operable Sash 600mm(W) x 1155mm(H) x 65mm(T) - Fixed Sash 978mm(W) x 1200mm(H) x 74mm(T) with AS 2208:2023 & AS 4666:2012 Glazing Models: JG65A01-24, JG65A42, JG65A12-24, JG50YK08, JG65A03A-24	Serviceability Limit Pressure: 2000 Pa Ultimate Limit Pressure: 4000 Pa Water Penetration Resistance: 450 Pa	03/02/2025
Australia Jewel Green Group	JG80	Sliding Window	Non-Thermal Break Aluminium Window - 1600mm(W) x 1200mm(H) x 80mm(T) - Operable Sash 810mm(W) x 1154mm(H) x 28mm(T) - Fixed Sash 810mm(W) x 1139mm(H) x 28mm(T) with AS 2208:2023 & AS 4666:2012 Glazing Models: JG8001, JG8003Y, JG8002YB, JG8006, JG8007A, JG8009B, JG8009A, JG8008	Serviceability Limit Pressure: 1600 Pa Ultimate Limit Pressure: 4000 Pa Water Penetration Resistance: 150 Pa	03/02/2025

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

Australia Jewel Green Group	JG120	Sliding Door	Non-Thermal Break Aluminium Door - 1800mm(W) x 2100mm(H) x 114mm(T) - Operable Sash 906mm(W) x 2061mm(H) x 28mm(T) - Fixed Sash 906mm(W) x 2045mm(H) x 28mm(T) with AS 2208:2023 & AS 4666:2012 Glazing Models: JG12001Y, JG12003YB, JG12002YC, JG8006, JG8007, JG12007YA, JG8009D, JG8009C, JG8008	Serviceability Limit Pressure: 900 Pa Ultimate Limit Pressure: 2300 Pa Water Penetration Resistance: 300 Pa	03/02/2025
-----------------------------	-------	--------------	--	---	------------

End of Record

Certificate No: PC10116

Originally Certified: 03/02/2025

Updated: 03/02/2025

Expires: 03/02/2030

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>