


FLASHINGS - RECOMMENDED INSTALLATION



Australian Made For An Australian Lifestyle

ENGINEER CERTIFICATION

Metal Flashings as outlined in this document, pages 1 to 72, that are installed in accordance with the recommendations in the Handling and Installation Manual and installed in conjunction with insulated roofing panels, DeltaTrim, DeltaOrb, DeltaCorroCorro, DeltaTrimTrim & DeltaTrimCorro, will comply and meet performance requirements in accordance with NCC 2022.

Volume One

Performance Requirements
BP1.1(a) & (b) (i) (ii) (iii)
Structural -Structural Reliability
FP1.4
Weatherproofing

J S George Meija
BE, B Com CPEng MIE Aust
Registered Professional Engineer Qld 742
Registered Builder Qld 2862
1/5 Golden Crest Place
Bellbowrie Qld 4070

Volume Two

Performance Requirements
P2.1.1 (a) & (b) (i) (ii) (iii)
Structural -Structural Stability & Resistance
P2.2.2
Weatherproofing for external walls & roofs
3.12.1.2
Building Fabric - Roofs

Signed:


George J S Meija

Delta Panels Pty. Ltd.

ABN: 11 147 861 292

Document No. 180520

Version Date: 2023-10-27

E: info@deltapanel.com
W: www.deltapanel.com

Head Office:
731 Boundary Road, Richlands, Qld 4077
P: +61 07 3271 2170

Sydney Depot:
11 The Old Northern Road, Narellan, NSW 2567
P: +61 02 4611 7712





In addition to the extensive range of standard flashings Delta Panels™ can also supply customised flashings to suit all particular project requirements. All flashings are available up to a maximum length of 8 meters.

Steel

Standard Flashings are made from prepainted steel, with a base metal thickness (BMT) of 0.55mm Those flashings that are deemed to serve a structural role are made from either 0.95mm or 1.2mm material. The flashing drawings are clearly marked with the designated metal thickness.

All flashings must be installed in accordance with Australian Standard AS 1562.1:2018.

Colour Range

Delta Panels™ range of roofing panels are available with an extensive range of colour options. All flashings are also available in the same colour range to ensure a perfect match. The colour range is continually expanding, to keep abreast of the current colour range please refer to www.deltapanel.com

DeltaMax™

For projects in highly corrosive environments we are able to offer flashings with the MagnaFlow paint finish offering extended warranties. These flashings can be used in conjunction with the DeltaMax™ range of roofing panels. For more details please refer to the DeltaMax™ section on our web page www.deltapanel.com

Fixings

Flashings are generally fastened using rivets or self-drilling screws. The spacing requirements of these fasteners are specified on the Engineer's Certified drawings.

Sealants

All sealants used on the flashings should be neutral cure and meet the recommendations as outlined in BlueScope TB-9 Sealants for Exterior Finish.

Cleaning & Ongoing Maintenance

When cleaning off any metal shavings, sealant, concrete splatter or general construction grime, extreme care must be taken not to scratch the painted finish of the flashings.

Do Not use solvents, wire brushes, steel wool or any other abrasive method to clean the painted surfaces of the flashings.

Touch up paint and colour coded pens are only suitable for minor scratches.

For ongoing general cleaning and maintenance, use a low pressure power washer, if necessary use car wash soap or a 5% mild laundry detergent.

DeltaSingle™

<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaSingle Receiver Channel	DPC5315	6
DeltaSingle Side Channel	DPC5315-A	7

DeltaTrim™

<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaTrim Receiver Channel	DPC5340	8
DeltaTrim Scribe Flashing	DPC5341	9
DeltaTrim Apron Flashing	DPC5075	10
DeltaTrim Apron Flashing-B	DPC5078	11
DeltaTrim Ridge Cap	DPC5050	12
DeltaTrim Side Barge	DPC5015	13
DeltaTrim Side Barge with Drip Guard	DPC5316	14
DeltaTrim Side Barge with Drip Guard - 50mm only	DPC5344	15
DeltaTrim Rear Barge Capping	DPC5021	16
DeltaTrim Rear Barge Capping with Drip Guard	DPC5339	17
DeltaTrim Rear Barge Capping with Drip Guard - 50mm only	DPC5336	18
DeltaTrim Fascia Flashing	DPC5338	19
DeltaTrim Fascia Flashing - 50mm only	DPC5335	20
DeltaTrim Fascia "BAL" Flashing	DPC5350	21
DeltaTrim "Z" Flashing	DPC5351	22

DeltaOrb™

<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaOrb Receiver Channel	DPC5045	23
DeltaOrb Scribe Flashing	DPC5345	24
DeltaOrb Apron Flashing	DPC5070	25
DeltaOrb Apron Flashing-B	DPC5077	26
DeltaOrb Ridge Cap	DPC5055	27
DeltaOrb Side Barge	DPC5035	28
DeltaOrb Side Barge with Drip Guard	DPC5317	29
DeltaOrb Side Barge with Drip Guard - 50mm only	DPC5346	30
DeltaOrb Rear Barge Capping	DPC5347	31
DeltaOrb Rear Barge Capping with Drip Guard	DPC5040	32
DeltaOrb Rear Barge Capping with Drip Guard - 50mm only	DPC5348	33
DeltaOrb Fascia Flashing	DPC5010	34
DeltaOrb Fascia Flashing - 50mm only	DPC5349	35
DeltaOrb Fascia "BAL" Flashing	DPC5011	36
DeltaOrb "Z" Flashing	DPC5352	37

DeltaCorroCorro™

<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaCorroCorro Receiver Channel	DPC5205	38
DeltaCorroCorro Scribe Flashing	DPC5345-B	39
DeltaCorroCorro Apron Flashing	DPC5225	40
DeltaCorroCorro Apron Flashing-B	DPC5077-B	41
DeltaCorroCorro Ridge Cap	DPC5230	42
DeltaCorroCorro Side Barge	DPC5221	43
DeltaCorroCorro Side Barge with Drip Guard	DPC5318	44
DeltaCorroCorro Rear Barge Capping	DPC5342	45
DeltaCorroCorro Rear Barge Capping with Drip Guard	DPC5343	46
DeltaCorroCorro Fascia Flashing	DPC5211	47

DeltaTrimTrim™

<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaTrimTrim Receiver Channel	DPC5329	48
DeltaTrimTrim Scribe Flashing	DPC5341-B	49
DeltaTrimTrim Apron Flashing	DPC5075-A	50
DeltaTrimTrim Apron Flashing-B	DPC5078-B	51
DeltaTrimTrim Ridge Cap	DPC5050-B	52
DeltaTrimTrim Side Barge	DPC5326	53
DeltaTrimTrim Side Barge with Drip Guard	DPC5323	54
DeltaTrimTrim Rear Barge Capping	DPC5325	55
DeltaTrimTrim Rear Barge Capping with Drip Guard	DPC5324	56
DeltaTrimTrim Fascia Flashing	DPC5328	57
DeltaTrimTrim Fascia Flashing with Drip Guard	DPC5328	58

DeltaTrimCorro™


<u>Flashing Detail</u>	<u>Drawing No</u>	<u>Page</u>
DeltaTrimCorro Receiver Channel	DPC5330	59
DeltaTrimCorro Scribe Flashing	DPC5341-C	60
DeltaTrimCorro Apron Flashing	DPC5075-B	61
DeltaTrimCorro Apron Flashing-B	DPC5078-C	62
DeltaTrimCorro Ridge Cap - Trim	DPC5050-D	63
DeltaTrimCorro Ridge Cap - Corro	DPC5055-B	64
DeltaTrimCorro Side Barge	DPC5333	65
DeltaTrimCorro Side Barge with Drip Guard	DPC5322	66
DeltaTrimCorro Rear Barge Capping	DPC5332	67
DeltaTrimCorro Rear Barge Capping with Drip Guard	DPC5320	68
DeltaTrimCorro Fascia Flashing	DPC5331	69
DeltaTrimCorro Fascia Flashing with Drip Guard	DPC5321	70

DeltaSingle Receiver Channel

MATERIAL: 0.95MM BMT

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED




DESCRIPTION DeltaSingle - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5315	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaSingle Side Channel

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED



DESCRIPTION DeltaSingle - SIDE CHANNEL		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5315 - A	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrim Receiver Channel

MATERIAL: 1.2MM

COLOUR: SURFMIST



L=NUMBER OF PANELS +50mm

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	87
75mm	112
100mm	137
125mm	162
150mm	187
175mm	212
200mm	237

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Receiver Channel Assembly Detail

DESCRIPTION DeltaTrim - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5340	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrim Scribe Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$



Receiver Channel Assembly Detail

DESCRIPTION DeltaTrim - SCRIBE FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5341	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		


DeltaTrim Apron Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	15°°
B	2°°



Apron Flashing Assembly

DESCRIPTION DeltaTrim - APRONG FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5075	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		


DeltaTrim Apron Flashing-B

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	90°°



Apron Flashing-B Assembly Detail

DESCRIPTION DeltaTrim - APRON FLASHING-B		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5078	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrim Ridge Cap

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	4°°



Ridge Cap Fixing Assembly Detail

DESCRIPTION DeltaTrim - RIDGE CAP		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5050	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrim Side Barge Capping


MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED



THICKNESS	D
50mm	87
75mm	112
100mm	137
125mm	162
150mm	187
175mm	212
200mm	237




DESCRIPTION DeltaTrim - SIDE BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5015	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrim Side Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED




DESCRIPTION DeltaTrim - SIDE BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5316	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrim Side Barge with Drip Guard - 50mm Only

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED



Side Barge Assembly Detail

DESCRIPTION DeltaTrim - SIDE BARGE WITH DRIP GUARD - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5344	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrim Rear Barge Capping

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	87
75mm	112
100mm	137
125mm	162
150mm	187
175mm	212
200mm	237



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrim - REAR BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5021	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrim Rear Barge Capping with Drip Guard



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 100\text{mm}$

THICKNESS	D
75mm	137
100mm	162
125mm	187
150mm	212
175mm	237
200mm	262



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrim - REAR BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5339	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		


DeltaTrim Rear Barge Capping - 50mm Only

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED


$L = \text{NUMBER OF PANELS} + 100\text{mm}$



TURN UP SKIN
TO WEATHER PROOF

FIT POLY INFILL

FIXING



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrim - REAR BARGE CAPPING - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5336	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrim Fascia Flashing



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 100\text{mm}$

THICKNESS	D
75mm	101
100mm	126
125mm	151
150mm	176
175mm	201
200mm	226



Flashing Assembly Detail

DESCRIPTION DeltaTrim - FASCIA FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5338	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrim Fascia Flashing - 50mm Only



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 100\text{mm}$

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Flashing Assembly Detail

DESCRIPTION DeltaTrim - FASCIA FLASHING - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5335	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrim Fascia “BAL” Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	100
75mm	125
100mm	150
125mm	175
150mm	200
175mm	225
200mm	250



DESCRIPTION DeltaTrim - FASCIA “BAL” FLASHING		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5350	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrim “Z” Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	51
75mm	76
100mm	101
125mm	126
150mm	151
175mm	176
200mm	201



“Z” Flashing Assembly Detail

DESCRIPTION DeltaTrim - “Z” FLASHING		DESIGNED BY DP	VERSION DATE 10/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5351	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaOrb Receiver Channel

MATERIAL: 1.2MM BMT

COLOUR:



SURFMIST / OFFWHITE ONLY

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
50mm	72
75mm	97
100mm	122
125mm	147
150mm	172
175mm	197
200mm	222

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Receiver Channel Assembly Detail



DESCRIPTION DeltaOrb - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5045	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaOrb Scribe Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED



Receiver Channel Flashing Assembly Detail

DESCRIPTION DeltaOrb - CRIBE FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5345	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaOrb Apron Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	15°°
B	3°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaOrb - APRON FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5070	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		


DeltaOrb Apron Flashing-B

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	90°°



Apron Flashing-B Assembly Detail

DESCRIPTION DeltaOrb - APRON FLASHING-B		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5077	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaOrb Ridge Cap

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	6°°



Ridge Cap Fixing Assembly Detail

DESCRIPTION DeltaOrb - RIDGE CAP		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5055	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaOrb Side Barge Capping

MATERIAL: 0.55MM G300


NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
50mm	72
75mm	97
100mm	122
125mm	147
150mm	172
175mm	197
200mm	222



Side Barge Assembly Detail (Female Side)



Side Barge Assembly Detail (Male Side)

DESCRIPTION DeltaOrb - SIDE BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5035	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaOrb Side Barge with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	122
100mm	147
125mm	172
150mm	197
175mm	222
200mm	247




Side Barge Assembly Detail

DESCRIPTION DeltaOrb - SIDE BARGE WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5317	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaOrb Side Barge with Drip Guard - 50mm Only

MATERIAL: 0.55MM G300





Side Barge Assembly Detail

DESCRIPTION DeltaOrb - SIDE BARGE WITH DRIP GUARD - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5346	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaOrb Rear Barge Capping

MATERIAL: 0.55MM G300

THICKNESS	D
50mm	72
75mm	97
100mm	122
125mm	147
150mm	172
175mm	197
200mm	222



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaOrb - REAR BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5347	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaOrb Rear Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	122
100mm	147
125mm	172
150mm	197
175mm	222
200mm	247



Rear Barge Capping Assembly Detail



DESCRIPTION DeltaOrb - REAR BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5040	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaOrb Rear Barge Capping with Dripguard - 50mm Only

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaOrb - REAR BARGE CAPPING WITH DRIP GUARD - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5348	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaOrb Fascia Flashing



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	101
100mm	126
125mm	151
150mm	176
175mm	201
200mm	226

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaOrb - FASCIA FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5010	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaOrb Fascia Flashing - 50mm Only

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaOrb - FASCIA FLASHING - 50MM ONLY		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5349	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaOrb Fascia “BAL” Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	80
75mm	105
100mm	130
125mm	155
150mm	180
175mm	205
200mm	230



Fascia Flashing Assembly Detail

DESCRIPTION DeltaOrb - FASCIA “BAL” FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5011	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: D	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaOrb “Z” Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
50mm	51
75mm	76
100mm	101
125mm	126
150mm	151
175mm	176
200mm	201



“Z” Flashing Assembly Detail

DESCRIPTION DeltaOrb - “Z” FLASHING		DESIGNED BY DP	VERSION DATE 10/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5352	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaCorroCorro Receiver Channel

MATERIAL: 1.2MM BMT



COLOUR: SURFMIST / OFFWHITE ONLY

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	80
100mm	105
125mm	130
150mm	155
175mm	180
200mm	205
225mm	230
250mm	255

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Receiver Channel Assembly Detail

DESCRIPTION DeltaCorroCorro - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5205	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		


DeltaCorroCorro Scribe Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$



Receiver Channel Flashing Assembly Detail

DESCRIPTION DeltaCorroCorro - SCRIBE FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5345 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		


DeltaCorroCorro Apron Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	15°°
B	3°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaCorroCorro - APRON FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5225	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaCorroCorro Apron Flashing - B


MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	90°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaCorroCorro - APRON FLASHING - B		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5077 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaCorroCorro Ridge Cap

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	6°°





Ridge Cap Fixing Assembly Detail

DESCRIPTION DeltaCorroCorro - RIDGE CAP		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5230	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaCorroCorro Side Barge Capping

MATERIAL: 0.55MM G300

THICKNESS	D
75mm	78
100mm	103
125mm	128
150mm	153
175mm	178
200mm	203
225mm	228
250mm	253





Side Barge Capping Assembly Detail

DESCRIPTION DeltaCorroCorro - SIDE BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5221	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaCorroCorro Side Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

THICKNESS	D
75mm	103
100mm	128
125mm	153
150mm	178
175mm	203
200mm	228
225mm	253
250mm	278



Side Barge with Drip Guard Assembly Detail

DESCRIPTION DeltaCorroCorro - SIDE BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5318	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaCorroCorro Rear Barge Capping

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	78
100mm	103
125mm	128
150mm	153
175mm	178
200mm	203
225mm	228
250mm	253



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaCorroCorro - REAR BARGE CAPPING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5342	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaCorroCorro Rear Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	103
100mm	128
125mm	153
150mm	178
175mm	203
200mm	228
225mm	253
250mm	278



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaCorroCorro - REAR BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5343	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaCorroCorro Fascia Flashing



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	82
100mm	107
125mm	132
150mm	157
175mm	182
200mm	207
225mm	232
250mm	257

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaCorroCorro - FASCIA FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5211	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimTrim Receiver Channel

MATERIAL: 1.2MM BMT

COLOUR:



SURFMIST / OFFWHITE ONLY

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	146
100mm	171
125mm	197
150mm	222
175mm	247
200mm	271

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Receiver Channel Assembly Detail

DESCRIPTION DeltaTrimTrim - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5329	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		


DeltaTrimTrim Scribe Flashing

MATERIAL: 0.55MM 300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$



Apron Receiver Channel Flashing Assembly Detail

DESCRIPTION DeltaTrimTrim - SCRIBE FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5341 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrimTrim Apron Flashing

MATERIAL: 0.55MM 300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	15°°
B	2°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaTrimTrim - APRON FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5075 - A	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimTrim Apron Flashing - B

MATERIAL: 0.55MM 300



NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER

ANGLE	STD	REQD
A	90°°

$L = \text{NUMBER OF PANELS} + 50\text{mm}$



Apron Flashing Assembly Detail

DESCRIPTION DeltaTrimTrim - APRON FLASHING - B		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5078 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrimTrim Ridge Cap



MATERIAL: 0.55MM 300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

ROOF PITCH FOR THIS ORDER

ANGLE	STD	REQD
A	4°°



Ridge Cap Assembly Detail

DESCRIPTION DeltaTrimTrim - RIDGE CAP		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5050 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimTrim Side Barge

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	143
100mm	168
125mm	193
150mm	218
175mm	243
200mm	268



Side Barge Assembly Detail

DESCRIPTION DeltaTrimTrim - SIDE BARGE		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5326	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		


DeltaTrimTrim Side Barge with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	161
100mm	186
125mm	211
150mm	236
175mm	261
200mm	286



Side Barge Assembly Detail

DESCRIPTION DeltaTrimTrim - SIDE BARGE WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5323	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimTrim Rear Barge Capping



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	144
100mm	169
125mm	194
150mm	219
175mm	244
200mm	269

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrimTrim - REAR BARGE CAPPING		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5325	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimTrim Rear Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	161
100mm	186
125mm	211
150mm	236
175mm	261
200mm	286



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrimTrim - REAR BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5324	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrimTrim Fascia Flashing



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	107
100mm	132
125mm	157
150mm	182
175mm	207
200mm	232

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaTrimTrim - FASCIA FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5328	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimTrim Fascia Flashing with Drip Guard



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	126
100mm	151
125mm	176
150mm	201
175mm	226
200mm	251

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	2°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaTrimTrim - FASCIA FLASHING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5327	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimCorro Receiver Channel

MATERIAL: 1.2MM BMT

COLOUR:



SURFMIST / OFFWHITE ONLY

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	130
100mm	155
125mm	180
150mm	205
175mm	230
200mm	255

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Receiver Channel Assembly Detail

DESCRIPTION DeltaTrimCorro - RECEIVER CHANNEL		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5330	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimCorro Scribe Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$



Receiver Channel Flashing Assembly Detail

DESCRIPTION DeltaTrimCorro - SCRIBE FLASHING		DESIGNED BY DP	VERSION DATE 07/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5341 - C	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrimCorro Apron Flashing

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	15°°
B	2°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaTrimCorro - APRON FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5075 - B	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimCorro Apron Flashing - B



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

$L = \text{NUMBER OF PANELS} + 50\text{mm}$

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	90°°



Apron Flashing Assembly Detail

DESCRIPTION DeltaTrimCorro - APRON FLASHING - B		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5078 - C	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		


DeltaTrimCorro Ridge Cap - Trim

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	4°°



Ridge Cap - Trim Assembly Detail

DESCRIPTION DeltaTrimCorro - RIDGE CAP - TRIM		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5050 - D	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		

DeltaTrimCorro Ridge Cap - Corro



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

ROOF PITCH FOR THIS ORDER

ANGLE	STD	REQD
A	4°°



Ridge Cap - Corro Assembly Detail

DESCRIPTION DeltaTrimCorro - RIDGE CAP - CORRO		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5050 - D	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimCorro Side Barge

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	127
100mm	152
125mm	177
150mm	202
175mm	227
200mm	252



Side Barge Assembly Detail

DESCRIPTION DeltaTrimCorro - SIDE BARGE		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5333	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimCorro Side Barge with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	152
100mm	177
125mm	202
150mm	227
175mm	252
200mm	277



Side Barge Assembly Detail

DESCRIPTION DeltaTrimCorro - SIDE BARGE WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5322	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimCorro Rear Barge Capping

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	127
100mm	152
125mm	177
150mm	202
175mm	227
200mm	252



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrimCorro - REAR BARGE CAPPING		DESIGNED BY DP	VERSION DATE 08/03/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5332	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		



DeltaTrimCorro Rear Barge Capping with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	152
100mm	177
125mm	202
150mm	227
175mm	252
200mm	277



Rear Barge Capping Assembly Detail

DESCRIPTION DeltaTrimCorro - REAR BARGE CAPPING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 14/04/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5320	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		

DeltaTrimCorro Fascia Flashing



MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE AND CHARGED FOR, UNLESS OTHERWISE STATED

THICKNESS	D
75mm	92
100mm	117
125mm	142
150mm	167
175mm	192
200mm	217

ROOF PITCH FOR THIS ORDER		
ANGLE	STD	REQD
A	3°°



Fascia Flashing Assembly Detail

DESCRIPTION DeltaTrimCorro - FASCIA FLASHING		DESIGNED BY DP	VERSION DATE 05/06/2019
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5331	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: A	SHEET 1/1
	LENGTH TOLERANCE: ± 15.0-0.0		



DeltaTrimCorro Fascia Flashing with Drip Guard

MATERIAL: 0.55MM G300

NOTE:

STANDARD ANGLES WILL BE MADE
AND CHARGED FOR, UNLESS
OTHERWISE STATED

THICKNESS	D
75mm	123
100mm	148
125mm	173
150mm	198
175mm	223
200mm	248



Fascia Flashing Assembly Detail

DESCRIPTION DeltaTrimCorro - FASCIA FLASHING WITH DRIP GUARD		DESIGNED BY DP	VERSION DATE 14/04/2023
DELTA PANELS RESERVES THE RIGHT AT ANY TIME TO SUPPLY GOODS WITH MINOR MODIFICATIONS FROM ITS DRAWINGS AND FROM ITS SPECIFICATIONS AS IT SEES FIT.			
DRAWING NO. DPC5321	FOLDING TOLERANCE: ± 2.0 U.N.O	REV: B	SHEET 1/1
	LENGTH TOLERANCE: $\pm 15.0-0.0$		





Delta Panels™ Pty Ltd is committed to an ongoing programme of product research and development and reserves the right to update and amend information without prior notice. Reasonable care has been taken to ensure that all published information is correct and accurately reflects the properties of our products and their design applications at the time of publication. However these are a general guide only, it is the customers responsibility to ensure that all products and their stated applications are fit for purpose and complies with all relevant statutory requirements. To ensure that you keep abreast of all updates in our product range, all current reference material are available on our web page for downloading.

All information contained within this document is subject to Copyright and may not be copied without the express permission of Delta Panels™ Pty Ltd.

Delta Panels™, DeltaSpan™, DeltaTrim™, DeltaOrb™, DeltaCorroCorro™, DeltaTrimTrim™, DeltaTrimCorro™, DeltaLowProfile™, DeltaPanelLight™ & DeltaDualCore™ are registered trademarks of Delta Panels™ Pty Ltd.