



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Dexter Laundry, Inc.
2211 W. Grimes Ave,
Fairfield, IA 52556, United States of America

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555,
Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: www.cmicert.com.au
E: office@cmicert.com.au



080057	16/06/2022	14/03/2025	16/06/2027	WMTS-101:2021 Appliance (low hazard rating)
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Dexter Laundry, Inc.

APPLICABLE STANDARD/SPECIFICATION

WMTS-101:2021 Appliances (low hazard rating)



Brand Name	Model Name	Model Identification	Product Description	Inlet/Outlet	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
Dexter Laundry	S-475	WS0475XA-39XO3X-SSKCS-VRX	Commercial Washer – Vended T-Series Control – Blue Graphics, 113.3L, 13.6 kg capacity, Coin-op w/o Coin Drop, 400G (1061RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	14/03/2025
Dexter Laundry	S-675	WS0675XA-39XO3X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 400G (1061RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	S-975	WS0975XA-39XO3X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 400G (969RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-300	WC0300XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 100G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-300	WC0300XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 100G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350	WC0350XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350	WC0350XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-400	WC0400XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-400	WC0400XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450	WC0450XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 107.6L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450	WC0450XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 107.6L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-600	WC0600XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-600	WC0600XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-650	WC0650XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase & front supply dispenser, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-650	WC0650XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase & front supply dispenser, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-750	WC0750XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase & front supply dispenser, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750	WC0750XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase & front supply dispenser, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-900	WC0900XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-900	WC0900XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-950	WC0950XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-950	WC0950XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1200	WC1200XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1200	WC1200XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-1450	WC1450XB-39XC4X-SSBCS-VRX	Commercial Washer - Vended C-Series Control - Blue Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1450	WC1450XB-39XC4X-SSKCS-VRX	Commercial Washer - Vended C-Series Control - Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase & front supply dispenser, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	WCS350XC-39XC4X-SWBCS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	WCS350XC-39XC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWBCG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWBCS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWKCG-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWBMG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWBMS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWKMG-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SC0350NE-39AC4X-SWKMS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-450 SWD	WCS450XC-39XC4X-SWBCS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	WCS450XC-39XC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWBCG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWBCS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWKCG-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWBMG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWBMS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWKMG-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SC0450NE-39AC4X-SWKMS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	WCS750XC-39XC4X-SWBCS-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	WCS750XC-39XC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-750 SWD	SC0750NE-39AC4X-SWBCG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	SC0750NE-39AC4X-SWKCG-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	SC0750NE-39AC4X-SWKCS-VRX	Commercial Stack Washer - Vended C-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	SC0750NE-39AC4X-SWBMG-VRX	Commercial Stack Washer - Vended C-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-300	WN0300XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 100G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350	WN0350XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-400	WN0400XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450	WN0450XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-600	WN0600XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-650	WN0650XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750	WN0750XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-900	WN0900XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-950	WN0950XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1200	WN1200XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1200	WN1200XB-39XV4C-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1450	WN1450XB-39XV4X-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-1450	WN1450XB-39XV4C-SSKCS-VRX	Industrial Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	WNS350XB-39XV4X-SWKCS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SN0350ND-39AP4X-SWKCG-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350 SWD	SN0350ND-39AP4X-SWKCS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-450 SWD	WNS450XB-39XV4X-SWKCS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SN0450ND-39AP4X-SWKCG-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450 SWD	SN0450ND-39AP4X-SWKMS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	WNS750XB-39XV4X-SWKCS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-750 SWD	SN0750ND-39AP4R-SWKCG-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750 SWD	SN0750ND-39AP4R-SWKMS-VRX	Industrial Stack Washer - On-Premise V-Series 6 Cycle Control - OPL, w/6-Cycle Micro, Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-350	WN0350XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-450	WN0450XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 107.6L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-650	WN0650XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-650	WN0650EB-68XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-750	WN0750XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-950	WN0950XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	16/06/2022

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-950	WN0950EB-68XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1450	WN1450XB-39XO2X-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-1450	WN1450XB-39XO2C-SSKCS-VRX	Industrial Washer - On-Premise O-Series Control - OPL, w/O-Series Micro, LCD Display, Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	16/06/2022
Dexter Laundry	T-300	WC0300XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 100G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-300	WC0300XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 100G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-350	WC0350XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-350	WC0350XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (819RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-400	WC0400XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-400	WC0400XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-450	WC0450XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 107.6L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-450	WC0450XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 107.6L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-600	WC0600XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-600	WC0600XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 100G (532RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-650	WC0650XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-650	WC0650XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 170L, 18.1kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-750	WC0750XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-750	WC0750XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-900	WC0900XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-900	WC0900XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-950	WC0950XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-950	WC0950XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 254.9L, 27.2kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-1200	WC1200XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-1200	WC1200XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 325.6L, 36.3kg capacity, Coin-op w/o Coin Drop, 100G (485RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-1450	WC1450XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-1450	WC1450XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 388L, 40.8kg capacity, Coin-op w/o Coin Drop, 200G (617RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-1800	WC1800XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 492.7L, 54.4kg capacity, Coin-op w/o Coin Drop, 100G (436RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-1800	WC1800XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 492.7L, 54.4kg capacity, Coin-op w/o Coin Drop, 100G (436RPM), 230V/50Hz/Single-Phase, 4 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016, 9990-027-017, 9990-027-018) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-350 SWD	SC0350XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-350 SWD	SC0350XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-350 SWD	WCS350XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-350 SWD	WCS350XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 76.5L, 9.1kg capacity, Coin-op w/o Coin Drop, 200G (579RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/57mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-450 SWD	SC0450XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-450 SWD	SC0450XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-450 SWD	WCS450XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-450 SWD	WCS450XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 113.3L, 13.6kg capacity, Coin-op w/o Coin Drop, 200G (750RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-750 SWD	SC0750XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C	N/A	29/06/2023

					Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C		
Dexter Laundry	T-750 SWD	SC0750XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-750 SWD	WCS750XB-39XT1X-SSBCS-VRX	Commercial Washer - Vended T-Series Control - Blue Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023
Dexter Laundry	T-750 SWD	WCS750XB-39XT1X-SSKCS-VRX	Commercial Washer - Vended T-Series Control - Black Graphics, 184.1L, 22.7kg capacity, Coin-op w/o Coin Drop, 200G (685RPM), 230V/50Hz/Single-Phase, 2 WaterMark Certified AS/NZS 2845.1:2010 Dual Check Valve Kit (Part 9379-203-001) plus Hose Set (Part 9990-027-015, 9990-027-016) compliant to IEC 61770	19mm/76mm	Washing Machine Pressure: 207-827kPa Water: Cold/Hot Temp: Max 82°C Dual Check Valve Configuration: M x F Dia: 20mm Max Working Pressure: 1200kPa Max Temp: 82°C Hose Set Max Working Pressure: 1378kPa Temp: -40°C to 88°C	N/A	29/06/2023

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record