

# CERTIFICATE OF CONFORMITY

This is to certify that

**Ferno Australia Pty Ltd**

Is certified to manufacture products to:

**AS 1891.5:2020 Personal equipment for work at height  
Part 5: Manufacturing requirements for lanyard assemblies and pole straps**



CMI ProdCert  
**PC10159**

## Certificate Holder

**Ferno Australia Pty Ltd**  
11 Johnstone Road, Brendale QLD 4500  
Australia  
ABN: 88 009 927 137  
Ph: +61 7 3881 4999  
W: <https://www.ferno.com.au/>

## Certification Body



**CMI Certification Pty Ltd**  
ABN: 81 663 250 815  
JASANZ Accreditation No. Z4450210AK  
PO Box 273, Palmwoods Qld 4555,  
Australia  
Ph: +61 7 5445 2199  
E: [office@cmicert.com.au](mailto:office@cmicert.com.au)  
W: <https://cmicert.com.au/>

## Product Description

Lanyard Assemblies and Pole Straps

## Product Purpose or Use

Lanyard Assemblies and Pole Straps

## Subject to the following Conditions & Limitations:

Nil

**Certificate No:** PC10159

**Originally Certified:** 27/03/2026

**Updated:** 27/03/2026

**Expires:** 27/03/2031

**Talissa Ireland**  
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





# CERTIFICATE OF CONFORMITY

This is to certify that

**Ferno Australia Pty Ltd**

Is certified to manufacture products to:

**AS 1891.5:2020 Personal equipment for work at height  
Part 5: Manufacturing requirements for lanyard assemblies and pole straps**

Brand	Group	Code	Description	Specifications	Date Endorsed
Ferno	VAIPOLEEN2 HD	VAI POLE EN2 3 NZ	Adjustable Pole Strap with alloy hooks and leather wear protection	3.0m Length, Black 48mm Webbing, Adjuster, Alloy Hooks, Leather Wear Protection	27/03/2026
		VAIPOLEEN21.9NZ	Adjustable Pole Strap with alloy hooks and leather wear protection	1.9m Length, Black 48mm Webbing, Adjuster, Alloy Hooks, Leather Wear Protection	27/03/2026
		VAIPOLEEN23.5NZBLU	Adjustable Pole Strap with alloy hooks and leather wear protection	3.5m Length, Blue 48mm Webbing, Adjuster, Alloy Hooks, Leather Wear Protection	27/03/2026
		VAIPOLEEN21.6NZGRN	Adjustable Pole Strap with alloy hooks and leather wear protection	1.6m Length, Green 48mm Webbing, Adjuster, Alloy Hooks, Leather Wear Protection	27/03/2026
Ferno	VAIPOLEEN2 D	VAIPOLEEN25.0NZD	Adjustable Pole Strap with alloy hooks and polyester wear protection	5.0m Length, Black 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection, Steel D-Ring for Gear	27/03/2026
		VAIPOLEEN22.8NZBLD	Adjustable Pole Strap with alloy hooks and polyester wear protection	2.8m Length, Blue 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection, Steel D-Ring for Gear	27/03/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



		VAIPOLEEN22.8NZGND	Adjustable Pole Strap with alloy hooks and polyester wear protection	2.8m Length, Green 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection, Steel D-Ring	27/03/2026
		VAIPOLEEN24.0NZBLD	Adjustable Pole Strap with alloy hooks and polyester wear protection	4.0m Length, Blue 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection, Steel D-Ring	27/03/2026
Ferno	VAIPOLE EN2 K HK	VAIPOLEEN27NZGRN	Adjustable Pole Strap with alloy hook and triple action karabiner with Polyester wear protection	2.7m Length, Green 48mm Webbing, Adjuster, Alloy Hook and Steel Triple Action Karabiner, Polyester Tube Wear Protection	27/03/2026
		VAIPOLEEN27NZORA	Adjustable Pole Strap with alloy hook and triple action karabiner with Polyester wear protection	2.7m Length, Orange 48mm Webbing, Adjuster, Alloy Hook and Steel Triple Action Karabiner, Polyester Tube Wear Protection	27/03/2026
		VAIPOLEEN24NZANSI	Adjustable Pole Strap with alloy hook and triple action karabiner with Polyester wear protection	4.0m Length, Green 48mm Webbing, Adjuster, Alloy Hook and Steel Triple Action Karabiner, Polyester Tube Wear Protection	27/03/2026
		VAIPOLEEN21.8NZPWK	Adjustable Pole Strap with alloy hook and triple action karabiner with Polyester wear protection	1.8m Length, Green 48mm Webbing, Adjuster, Alloy Hook and Steel Triple Action Karabiner, Polyester Tube Wear Protection	27/03/2026
Ferno	VAIPOLEEN2	VAIPOLEEN23NZBLU	Adjustable Pole Strap with alloy hooks and polyester wear protection Pole Strap	3.0m Length, Blue 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection	27/03/2026
		VAIPOLEEN23NZGRN	Adjustable Pole Strap with alloy hooks and polyester wear protection Pole Strap	3.0m Length, Green 48mm Webbing, Adjuster, Alloy Hooks, Polyester Tube Wear Protection	27/03/2026
Ferno	VAIEA S EL CSHS	VAIEAS1.2ELCSHS	Elasticated Energy Absorbing Lanyard with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorbing Lanyard + Hook – 1.2m - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



		VWPEAS1.2ELCSHS	Elasticated Energy Absorbing Lanyard with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorbing Lanyard + Hook – 1.2m - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VAIEA ELANSI	VAIEA1.6ELANSI	Elasticated Energy Absorbing Lanyard with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorbing Webbing Lanyard + Hook – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VFM-LYS300	VFM-LYS300	Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Energy Absorber + D-Ring + Webbing Lanyard + Triple Action Karabiner – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT300	Twin Tail Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Energy Absorber + D-Ring + 2 x Webbing Lanyard + Triple Action Karabiner – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VFM-LYS320EL	VFM-LYS320EL	Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Hook – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYS320EL1.7	Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Hook – 1.7m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT320EL	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiner and Hook	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Hook – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



Ferno	VFM-LYS300EL	VFM-LYS300EL	Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Triple Action Karabiner – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT300EL	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Triple Action Karabiner – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT300EL1.2	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Triple Action Karabiner – 1.2m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT300EL1.5	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Triple Action Karabiner – 1.5m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT300EL2.0	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Triple Action Karabiners	Triple Action Karabiner + Elasticated Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Triple Action Karabiner – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



Ferno	VFM-LYS230EL	VFM-LYS230EL	Elasticated Energy Absorbing Lanyard, D-Ring with Double Action Hook and Triple Action Karabiner	Hook + Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Triple Action Karabiner – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT230EL	Twin Tail Elasticated Energy Absorbing Lanyard, D-Ring with Double Action Hook and Triple Action Karabiner	Hook + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Triple Action Karabiner – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VFM-LYS220EL	VFM-LYS220EL	Energy Absorbing Lanyard, D-Ring with Double Action Hook and Scaffold Hook	Hook + Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Scaffold Hook - 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT220EL	Twin Tail Energy Absorbing Lanyard, D-Ring with Double Action Hook and Scaffold Hook	Hook + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Scaffold Hook - 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VFM-LYS200	VFM-LYS200	Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + Webbing Lanyard + Hook – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYS2001.5	Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + Webbing Lanyard + Hook – 1.5m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT200	Twin Tail Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + 2x (Webbing Lanyard + Hook – 1.5m Length) - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



Ferno	VFM-LYS200 EL	VFM-LYS200EL	Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Hook – 2.0m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYS200EL1.5	Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + Elasticated Webbing Lanyard + Hook – 1.5m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT200EL	Twin Tail Energy Absorbing Lanyard, D-Ring with Double Action Hooks	Hook + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Hook – 1.6m Length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
Ferno	VFM-LYS330EL	VFM-LYSTT330EL	Twin Tail Energy Absorbing Lanyard, Elasticated with Triple Action Karabiners and Scaffold Hooks	Triple Action Karabiner + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Scaffold Hook - 1.6m length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT330EL1.2	Twin Tail Energy Absorbing Lanyard, Elasticated with Triple Action Karabiners and Scaffold Hooks	Triple Action Karabiner + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Scaffold Hook - 1.2m length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026
		VFM-LYSTT330EL2M	Twin Tail Energy Absorbing Lanyard, Elasticated with Triple Action Karabiners and Scaffold Hooks	Triple Action Karabiner + Energy Absorber + D-Ring + 2 x Elasticated Webbing Lanyard + Scaffold Hook - 2.0m length - Minimum Weight – 50kg - Maximum Weight – 140kg	27/03/2026

### End of Record

**Certificate No:** PC10159

**Originally Certified:** 27/03/2026

**Updated:** 27/03/2026

**Expires:** 27/03/2031

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

