



CMI ProdCert
PC10117

CERTIFICATE OF CONFORMITY

This is to certify that

Foshan Qi'an Fireproof Shutter Doors Co.,Ltd

Is certified to manufacture products to:

**AS 1530.4:2014 Methods for fire tests on building materials, components and structures Fire-resistance tests for elements of construction
(Section 3 compliance to AS 1905.1:2015)**

Certificate Holder

Foshan Qi'an Fireproof Shutter Doors
Co.,Ltd
NO.13 Rong Er Road,
Rongxing Industrial Zone, Wuzhuang,
Luocun, Shishan Town, Nanhai District
Foshan City, Guangdong Province
528200 China

Product Description

Fire Resistant Door & Doorframe

Product Purpose or Use

Fire Resistant Door & Doorframe

Subject to the following Conditions & Limitations:

All hardware and fixings are to be used as identified in the attached Schedule.

Certificate No: PC10117

Originally Certified: 13/05/2025

Updated: 13/05/2025

Expires: 12/05/2030

Talissa Ireland
CMI Certification Pty Ltd



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



CERTIFICATE OF CONFORMITY

This is to certify that

Foshan Qi'an Fireproof Shutter Doors Co.,Ltd

Is certified to manufacture products to:

**AS 1530.4:2014 Methods for fire tests on building materials, components and structures Fire-resistance tests for elements of construction
(Section 3 compliance to AS 1905.1:2015)**

Brand	Model	Description	Installation / Fixings	FRL	Date Endorsed
QIAN	GMFM-1125-d5 A1.00-1 (47mm)	Door Frame - Galvanised Steel Frame (1.2 mm thick) with infilled Perlite - Door Frame Size: 1087 mm(W) x 2448 mm(H) x 100 mm(T)	Installed to Dry Wall with M5 x 65 mm Screws	-/60/30	13/05/2025
		Door Leaf - Single Wooden Leaf (3 mm MDF + 5 mm Fireproof Calcium Silicate Board + 31 mm Perlite + 5 mm Fireproof Calcium Silicate Board + 3 mm MDF, Fire Resistant Door & Doorframe - Door Leaf Size: 1000 mm(W) x 2400 mm(H) x 47 mm(T)	Installed to Door Frame utilising 4 x SSA002 – 4" x 4" x 3.0 mm - Stainless Steel SUS304 Hinges with M5 x 16 mm Screws fixed on Door Frame and by M5 x 30 mm Screws fixed on Door Leaf		
		Rebate 20 mm	-		
		Intumescent Seal - FQ-C5-2004 - 4 x 20 mm	Glued - 1 on each Jamb and Head of Door Frame		
		Intumescent Material – Ironmongeries - FQ-C3-1008 - 1 mm	Package Lock Body		
		Drop Seal - FQ-E-006 - 14 mm x 34 mm - Aluminium Alloy + Silicone Sealing Strip	Screws at bottom of Door Leaf		
		Lockset - QA72-60A - 24 mm x 235 mm x 90 mm	1000 mm above from bottom of Door Leaf with M5 x 25 mm Screws		
		Lever Handle - QA10101 - Ø19 mm x 135 mm	M4 x 20 mm & M5 x 55 mm Screws		
		Cylinder - QA-D01 - 17 mm x 32 mm x 80 mm	M5 x 65 mm Screws		

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



		Door Closer - BBM10303 - 175 mm x 40 mm x 62 mm - Aluminium Alloy	On the pull side of each Door Leaf with M5 x 30 mm & M5 x 20 mm Screws		
		Hinges - SSA002 – 4" x 4" x 3.0 mm x 4 - Stainless Steel SUS304	M5 x 16 mm Screws fixed on Door Frame and by M5 x 30 mm Screws fixed on Door Leaf		
		Fire sealant - BG SIDUN – Fireproof High Temperature Adhesive	-		
		Glue - Zhuoxin – Acrylic Acid	-		

End of Record

Certificate No: PC10117

Originally Certified: 13/05/2025

Updated: 13/05/2025

Expires: 12/05/2030

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>