

CERTIFICATE OF COMPLIANCE

This is to verify that

Fuzhou Lexfit Plastic Co., Ltd.

complies to

Vinyl Council of Australia

Best Environmental Practice PVC v2.0 Guidelines

for

PVC & PVC-U Pipes, Conduit and Fittings

Certificate Holder

Fuzhou Lexfit Plastic Co., Ltd.
Chikeng Industrial Zone, Longtian Town,
Fuqing City, Fujian Province,
350311, China
W: www.xlpvcpipefittings.com
T: +86 18617380184

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
PO Box 273, Palmwoods Qld 4555
Australia
P: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

CMI Certification Pty Ltd (CMI) has issued this Certificate of Compliance (CoC) covering the products detailed in the attached Schedule and remain valid until the expiry date or when there are any changes to the supply chain, material specifications or manufacturing processes. This CoC was assessed and issued in accordance with the requirements of the Best Environmental Practice PVC v2.0 dated May 2023 as issued by the Vinyl Council of Australia. Annual audits occur for the products listed in this CoC by a qualified auditor from CMI which is a JASANZ accredited certification body.

Compliance Pathway: 1. Environmental Management System; 2. Manufacturer's Declaration; 3. Product Certification (JASANZ accredited Type 5 Product Certification)

Optional Credit Compliance: 1.2 Responsible Sourcing Policy; 1.3 Quality Management System

Certificate No: CMI-BEP10001

Originally Verified: 16/12/2025

Updated: 16/12/2025

Expires: 16/12/2028

Talissa Ireland
CMI Certification Pty Ltd

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

CERTIFICATE OF COMPLIANCE

SCHEDULE



CMI-BEP10001

This is to certify that

Fuzhou Lexfit Plastic Co., Ltd.

Is verified to manufacture the following products against the requirements below:

Vinyl Council of Australia
Best Environmental Practice PVC v2.0 Guidelines
for
PVC & PVC-U Pipes, Conduit and Fittings

AS/NZS 1254:2010 PVC-pipes and fittings for stormwater and surface water applications

Model Identification	Brand Name	Model Description	Product Type	Colour	Date Endorsed
70075	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 75.0-75.3	SW Pipe	Grey or White	16/12/2025
70090	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 90.0-90.3	SW Pipe	Grey or White	16/12/2025
700100	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 100.0-100.4	SW Pipe	Grey or White	16/12/2025
700150	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 160.0-160.5	SW Pipe	Grey or White	16/12/2025
700175	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 200.0-200.6	SW Pipe	Grey or White	16/12/2025
700225	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 250.0-250.7	SW Pipe	Grey or White	16/12/2025
700300	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 315.0-315.9	SW Pipe	Grey or White	16/12/2025
700375	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 400.0-401.0	SW Pipe	Grey or White	16/12/2025
700475	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Pipe 500.0-501.0	SW Pipe	Grey or White	16/12/2025
7019090/220020	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 90°Bend F/F DN90	SW Fitting	Grey or White	16/12/2025
7019045/220021	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 45°Bend F/F DN90	SW Fitting	Grey or White	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

7019015/220023	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 15°Bend F/F DN90	SW Fitting	Grey or White	16/12/2025
7019022/220022	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 22°Bend F/F DN90	SW Fitting	Grey or White	16/12/2025
7049045/220037	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 45°Junction DN90	SW Fitting	Grey or White	16/12/2025
7049088/220038	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater 88°Threaded Tee DN90	SW Fitting	Grey or White	16/12/2025
7719090/220025	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 90°Bend M/F DN90	SW Fitting	Grey or White	16/12/2025
7719045/220024	LEXFIT/PLUMFIT/CHS/UPEC/ER PVC	BEP PVC Stormwater Plain 45°Bend M/F DN90	SW Fitting	Grey or White	16/12/2025

AS/NZS 61386.21:2015 Conduit systems for cable management - Part 21: Particular requirements - Rigid conduit systems

Model Identification	Brand Name	Model Description	Product Type	Colour	Date Endorsed
01.20.4HDGY	LEXFIT/ER PVC/Plumfit	BEP PVC Electrical Conduit 19.7-20.0	DN20	Grey	16/12/2025
01.25.4HDGY	LEXFIT/ER PVC/Plumfit	BEP PVC Electrical Conduit 24.7-25.0	DN25	Grey	16/12/2025
01.32.4HDGY	LEXFIT/ER PVC/Plumfit	BEP PVC Electrical Conduit 31.7-32.0	DN32	Grey	16/12/2025
01.40.4HDGY	LEXFIT/ER PVC/Plumfit	BEP PVC Electrical Conduit 39.7-40.0	DN40	Grey	16/12/2025
01.50.4HDGY	LEXFIT/ER PVC/Plumfit	BEP PVC Electrical Conduit 49.7-50.0	DN50	Grey	16/12/2025
01.20.4HD.OR	LEXFIT/ER PVC	BEP PVC Electrical Conduit 19.7-20.0	DN20	Orange	16/12/2025
01.25.4HD.OR	LEXFIT/ER PVC	BEP PVC Electrical Conduit 24.7-25.0	DN25	Orange	16/12/2025
01.32.4HD.OR	LEXFIT/ER PVC	BEP PVC Electrical Conduit 31.7-32.0	DN32	Orange	16/12/2025
01.40.4HD.OR	LEXFIT/ER PVC	BEP PVC Electrical Conduit 39.7-40.0	DN40	Orange	16/12/2025
01.50.4HD.OR	LEXFIT/ER PVC	BEP PVC Electrical Conduit 49.7-50.0	DN50	Orange	16/12/2025
2700.32.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 36.2-36.5	DN32	Orange	16/12/2025
2700.40.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 42.8-43.1	DN40	Orange	16/12/2025
2700.50.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 55.7-56.0	DN50	Orange	16/12/2025
2700.65.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 68.7-69.1	DN65	Orange	16/12/2025
2700.80.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 82.3-82.7	DN80	Orange	16/12/2025
2700.100.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 110.0-110.4	DN100	Orange	16/12/2025
2700.150.6MD	LEXFIT/ER PVC	BEP PVC MD Electrical Duct 160.0-160.5	DN150	Orange	16/12/2025
2700.80.6HD	LEXFIT/ER PVC	BEP PVC HD Electrical Duct 82.3-82.7	DN80	Orange	16/12/2025
2700.100.6HD	LEXFIT/ER PVC	BEP PVC HD Electrical Duct 110.0-110.4	DN100	Orange	16/12/2025
2700.150.6HD	LEXFIT/ER PVC	BEP PVC HD Electrical Cable Duct 160.0-160.5	DN150	Orange	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

2800.20.6	LEXFIT/ER PVC	BEP PVC GREEN CHORUS DUCT 26.6-26.9	DN20	Green	16/12/2025
2800.50.6	LEXFIT/ER PVC	BEP PVC GREEN CHORUS DUCT 60.2-60.5	DN50	Green	16/12/2025
2800.100.6	LEXFIT/ER PVC	BEP PVC GREEN CHORUS DUCT 110.0-110.4	DN100	Green	16/12/2025
AS05020	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN20	Grey	16/12/2025
AS05025	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN25	Grey	16/12/2025
AS05032	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN32	Grey	16/12/2025
AS05040	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN40	Grey	16/12/2025
AS05050	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN50	Grey	16/12/2025
AS05063	LEXFIT	BEP PVC ELECTRICAL Solid Coupling	DN63	Grey	16/12/2025
AS10020	LEXFIT	BEP PVC ELECTRICAL Solid Elbow	DN20	Grey	16/12/2025
AS10025	LEXFIT	BEP PVC ELECTRICAL Solid Elbow	DN25	Grey	16/12/2025
AS11020	LEXFIT	BEP PVC ELECTRICAL Inspection Elbow	DN20	Grey	16/12/2025
AS11025	LEXFIT	BEP PVC ELECTRICAL Inspection Elbow	DN25	Grey	16/12/2025
AS11032	LEXFIT	BEP PVC ELECTRICAL Inspection Elbow	DN32	Grey	16/12/2025
AS12020	LEXFIT	BEP PVC ELECTRICAL Straight Tee	DN20	Grey	16/12/2025
AS12025	LEXFIT	BEP PVC ELECTRICAL Straight Tee	DN25	Grey	16/12/2025
AS13020	LEXFIT	BEP PVC ELECTRICAL Inspection Tee	DN20	Grey	16/12/2025
AS13025	LEXFIT	BEP PVC ELECTRICAL Inspection Tee	DN25	Grey	16/12/2025
AS13032	LEXFIT	BEP PVC ELECTRICAL Inspection Tee	DN32	Grey	16/12/2025
AS14020	LEXFIT	BEP PVC ELECTRICAL Plain to Screwed Adaptor	DN20	Grey	16/12/2025
AS14025	LEXFIT	BEP PVC ELECTRICAL Plain to Screwed Adaptor	DN25	Grey	16/12/2025
AS14032	LEXFIT	BEP PVC ELECTRICAL Plain to Screwed Adaptor	DN32	Grey	16/12/2025
AS14040	LEXFIT	BEP PVC ELECTRICAL Plain to Screwed Adaptor	DN40	Grey	16/12/2025
AS14050	LEXFIT	BEP PVC ELECTRICAL Plain to Screwed Adaptor	DN50	Grey	16/12/2025
AS15020	LEXFIT	BEP PVC ELECTRICAL One-Way Shallow J/B	DN20	Grey	16/12/2025
AS15025	LEXFIT	BEP PVC ELECTRICAL One-Way Shallow J/B	DN25	Grey	16/12/2025
AS16020	LEXFIT	BEP PVC ELECTRICAL Two-Way Shallow J/B	DN20	Grey	16/12/2025
AS16025	LEXFIT	BEP PVC ELECTRICAL Two-Way Shallow J/B	DN25	Grey	16/12/2025
AS17020	LEXFIT	BEP PVC ELECTRICAL Right Angle Shallow J/B	DN20	Grey	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

AS17025	LEXFIT	BEP PVC ELECTRICAL Right Angle Shallow J/B	DN25	Grey	16/12/2025
AS17020-U	LEXFIT	BEP PVC ELECTRICAL U-type Shallow J/B	DN20	Grey	16/12/2025
AS17025-U	LEXFIT	BEP PVC ELECTRICAL U-type Shallow J/B	DN25	Grey	16/12/2025
AS18020	LEXFIT	BEP PVC ELECTRICAL Three-Way Shallow J/B	DN20	Grey	16/12/2025
AS18025	LEXFIT	BEP PVC ELECTRICAL Three-Way Shallow J/B	DN25	Grey	16/12/2025
AS19020	LEXFIT	BEP PVC ELECTRICAL Four Way Shallow J/B	DN20	Grey	16/12/2025
AS19025	LEXFIT	BEP PVC ELECTRICAL Four Way Shallow J/B	DN25	Grey	16/12/2025
AS26020	LEXFIT	BEP PVC ELECTRICAL Saddle Grey	DN20	Grey	16/12/2025
AS26025	LEXFIT	BEP PVC ELECTRICAL Saddle Grey	DN25	Grey	16/12/2025
AS26032	LEXFIT	BEP PVC ELECTRICAL Saddle Grey	DN32	Grey	16/12/2025
AS29020	LEXFIT	BEP PVC ELECTRICAL Corrugated Gland	DN20	Grey	16/12/2025
AS29025	LEXFIT	BEP PVC ELECTRICAL Corrugated Gland	DN25	Grey	16/12/2025
AS29032	LEXFIT	BEP PVC ELECTRICAL Corrugated Gland	DN32	Grey	16/12/2025
AS29040	LEXFIT	BEP PVC ELECTRICAL Corrugated Gland	DN40	Grey	16/12/2025
AS29050	LEXFIT	BEP PVC ELECTRICAL Corrugated Gland	DN50	Grey	16/12/2025
AS36000	LEXFIT	BEP PVC ELECTRICAL Adaptable Box	77*77*54mm	Grey	16/12/2025
AS36001	LEXFIT	BEP PVC ELECTRICAL Adaptable Box	108*108*76mm	Grey	16/12/2025
AS36002	LEXFIT	BEP PVC ELECTRICAL Adaptable Box	211*108*81mm	Grey	16/12/2025
AS40020	LEXFIT	BEP PVC ELECTRICAL Conduit Clip	DN20	Grey	16/12/2025
AS40025	LEXFIT	BEP PVC ELECTRICAL Conduit Clip	DN25	Grey	16/12/2025
AS40032	LEXFIT	BEP PVC ELECTRICAL Conduit Clip	DN32	Grey	16/12/2025
AS25020	LEXFIT	BEP PVC ELECTRICAL Standard Bend	DN20	Grey	16/12/2025
AS25025	LEXFIT	BEP PVC ELECTRICAL Standard Bend	DN25	Grey	16/12/2025
AS25032	LEXFIT	BEP PVC ELECTRICAL Standard Bend	DN32	Grey	16/12/2025
AS25040	LEXFIT	BEP PVC ELECTRICAL Standard Bend	DN40	Grey	16/12/2025
AS25050	LEXFIT	BEP PVC ELECTRICAL Standard Bend	DN50	Grey	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	159100100	Floor waste gully fitting - DN100*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	15910050	Floor waste gully fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	15910065	Floor waste gully fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	1598050	Floor waste gully fitting - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	1598065	Floor waste gully fitting - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	45° Side access bend F/F (small cap)	10310045	45° Side access bend F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	88° Side access bend F/F (small cap)	10310088	88° Side access bend F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	45° Side access plain junction LH (small cap)	10710045LH	45° Side access plain junction LH (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	45° Side access plain junction RH (small cap)	10710045RH	45° Side access plain junction RH (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	174805444	88° Four-way riser junction M/F - DN80*50*40*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	1741005544	88° Four-way riser junction M/F - DN100*50*50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	1741005554	88° Four-way riser junction M/F - DN100*50*50*50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/AQUALINE PVC	DWV Trap Adaptor	AQ-4040ADP	DWV Trap Adaptor 40mm - DN40 - Thread - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Female connector	11232	Female connector - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Female connector	11240	Female connector - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Female connector	11250	Female connector - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Male connector	11332	Male connector - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.

- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Male connector	11340	Male connector - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Male connector	11350	Male connector - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/AQUALINE PVC	DWV Pan Connector Concentric M/F	AQ-PCW80	DWV Pan Connector Concentric M/F - DN80 - Joint Type Solvent Cement - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector 20mm offset	AQ-FF100/20	Flexi Fin Pan Connector 20mm offset 100mm - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector 40mm offset	AQ-FF100/40	Flexi Fin Pan Connector 40mm offset 100mm - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector Straight	AQ-FF100	Flexi Fin Pan Connector Straight - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Pan connector concentric M/F	127100	Pan connector concentric M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Pan connector offset M/F	128100	Pan connector offset M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810040	In-pipe reducing bush fitting - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810050	In-pipe reducing bush fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810065	In-pipe reducing bush fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810080	In-pipe reducing bush fitting - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/HORIZON PIPELINE/ER PVC	In-pipe reducing bush M/F	1986540	In-pipe reducing bush fitting - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/HORIZON PIPELINE/ER PVC	In-pipe reducing bush M/F	1986550	In-pipe reducing bush fitting - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Inspection pipe F/F (small cap)	132100F	Inspection pipe F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Inspection pipe M/F (large cap)	129100L	Inspection pipe M/F (large cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Inspection pipe M/F (small cap)	132100	Inspection pipe M/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1234032	Level invert taper M/F - DN40*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1235032	Level invert taper M/F - DN50*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1235040	Level invert taper M/F - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1236540	Level invert taper M/F - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1236550	Level invert taper M/F - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238040	Level invert taper M/F - DN80*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238050	Level invert taper M/F - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238065	Level invert taper M/F - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310040	Level invert taper M/F - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310050	Level invert taper M/F - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310065	Level invert taper M/F - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310080	Level invert taper M/F - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	123150100	Level invert taper M/F - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Pipe saddle clip	140100	Pipe saddle clip - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110045	450 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110088	880 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10115045	450 Bend fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10115088	880 Bend fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1013245	450 Bend fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1013288	880 Bend fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014045	450 Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014088	880 Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015045	450 Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015088	880 Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1016545	450 Bend fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1016588	880 Bend fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1018045	450 Bend fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1018088	880 Bend fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014015	150 Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015015	150 Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1011005	50 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110011	110 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110022	220 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110015	150 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110030	300 Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1711005	50 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110011	110 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110015	150 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110022	220 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110030	300 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ HORIZON PIPELINE/ER PVC	Plain bend M/F	171504045	450 Bend fitting M/F - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmcert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714045	450 Bend fitting M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1715045	450 Bend fitting M/F - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1716545	450 Bend fitting M/F - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1718045	450 Bend fitting M/F - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110045	450 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714088	880 Bend fitting M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1715088	880 Bend fitting M/F - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1716588	880 Bend fitting M/F - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110088	880 Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714088P	880 Bend fitting in pipe M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10410045	450 Plain junction fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041005045	450 Reducing junction fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041005088	880 Reducing junction fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041006545	450 Reducing junction fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10410088	880 Plain junction fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415010045	450 Reducing junction fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415010088	880 Reducing junction fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415045	450 Plain junction fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415088	880 Plain junction fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1043245	450 Plain junction fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1043288	880 Plain junction fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1044045	450 Plain junction fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1044088	880 Plain junction fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1045045	450 Plain junction fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1045088	880 Plain junction fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1046545	450 Plain junction fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1046588	880 Plain junction fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1048045	450 Plain junction fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1048088	880 Plain junction fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	13732	Push on cap - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	13740	Push on cap - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	13750	Push on cap - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	13765	Push on cap - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	13780	Push on cap - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	137100	Push on cap - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Push on cap	137150	Push on cap - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770451	Floor/Wall Flange 40mm - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770452	Floor/Wall Flange 50mm - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770453	Floor/Wall Flange 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770454	Floor/Wall Flange 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Connector In Pipe	4770462	Leak Control Connector In Pipe 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Connector In Pipe	4770466	Leak Control Connector In Pipe 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770456	Leak Control Brass Waste Adaptor 50/40mm - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770460	Leak Control Brass Waste Adaptor 80/50mm - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770463	Leak Control Brass Waste Adaptor 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770467	Leak Control Brass Waste Adaptor 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770458	Leak Control cap 50mm - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770461	Leak Control cap 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770468	Leak Control cap 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Leak Control Socket Connector	4770455	Leak Control Socket Connector 50/40mm - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	PVC Leak Control Socket Connector	4770459	Leak Control Socket Connector 80/50mm - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Rear access junction	10510088W	Rear access junction - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Screw cap & base socket end	179100	Screw cap & base socket end fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Screw cap & base socket end	179150	Screw cap & base socket end fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Slab repair coupler	178100	Slab repair coupler - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410040	Socket reducing bush fitting - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410050	Socket reducing bush fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410065	Socket reducing bush fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410080	Socket reducing bush fitting - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	124150100	Socket reducing bush fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1244032	Socket reducing bush fitting - DN40*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1245032	Socket reducing bush fitting - DN50*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1245040	Socket reducing bush fitting - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1246540	Socket reducing bush fitting - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1246550	Socket reducing bush fitting - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1248050	Socket reducing bush fitting - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1248065	Socket reducing bush fitting - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler (Threaded)	110150T	Straight coupler (Threaded) - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler (Threaded)	110100T	Straight coupler (Threaded) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	110150	Straight coupler fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	110100	Straight coupler fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11032	Straight coupler fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11040	Straight coupler fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11050	Straight coupler fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11065	Straight coupler fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11080	Straight coupler fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	Vent cowl	150100	Vent cowl fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/PLUMFIT/ER PVC	Vent cowl	150150	Vent cowl fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10032	DWV Pipe - DN32 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10040	DWV Pipe - DN40 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10050	DWV Pipe - DN50 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10065	DWV Pipe - DN65 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10080	DWV Pipe - DN80 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100100	DWV Pipe - DN100 - SN6 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100150	DWV Pipe - DN150 - SN6 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100175	DWV Pipe - DN175 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100225	DWV Pipe - DN225 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100300	DWV Pipe - DN300 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100375	DWV Pipe - DN375 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100475	DWV Pipe - DN475 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.100.SN10	DWV Pipe - DN100 - SN10 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.100.SN16	DWV Pipe - DN100 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.150.SN16	DWV Pipe - DN150 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.175.SN16	DWV Pipe - DN175 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.225.SN16	DWV Pipe - DN225 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.300.SN16	DWV Pipe - DN300 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/ER PVC	DWV Pipe	100.375.SN16	DWV Pipe - DN375 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Pipe	100.475.SN16	DWV Pipe - DN475 - SN16 - Joint Type Solvent Cement or Rubber Ring - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Plain Junction M/F SN16 RRJ	Z1504H.150.100.45	45° Plain Junction M/F SN16 - DN150*100 - Joint Type Rubber Ring - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Plain Junction F/F SN16 RRJ	Z1504H.150.100.45 F/F	45° Plain Junction F/F SN16 - DN150*100 - Joint Type Rubber Ring - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Plain Bend M/F RRJ	Z1501H.100.45	45° Plain Bend M/F SN16-DN100 - Joint Type Rubber Ring - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Gully Box with Lid	1575100	Gully Box with Lid - DN100 - Joint Type Solvent Cement - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Junction With Threaded	10410045T	45° Plain Junction with threaded - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Junction With Threaded	10410088T	88° Plain Junction with threaded-DN100-Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Four Way Junction	10410045FW	45° Plain Four Way Junction F/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	Four Way Junction	10410088FW	88° Plain Four Way Junction F/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025
LEXFIT/ER PVC	DWV Gully Dish	138100	DWV Gully Dish - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	16/12/2025

AS/NZS 1477:2017 PVC pipes and fittings for pressure applications

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
LEXFIT/ER PVC	PVC Pressure Pipe	800.15.PN15	PVC Pressure Pipe DN15 PN15 S1 White or Grey	For Water Supply, Drain, Waste and Vent Use Only Suitable for Indoor and Outdoor Use Max Temp Continuous 30°C Max temp Intermediate: 60°C<100 hrs within 49yrs Operating Pressure: 10bar Max Velocity: 0.7m/s	N/A	16/12/2025
LEXFIT/ER PVC	PVC Pressure Pipe	800.20.PN15	PVC Pressure Pipe DN20 PN15 S1 White or Grey	For Water Supply, Drain, Waste and Vent Use Only Suitable for Indoor and Outdoor Use Max Temp Continuous 30°C Max temp Intermediate: 60°C<100 hrs within 49yrs Operating Pressure: 10bar Max Velocity: 0.7m/s	N/A	16/12/2025

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>

LEXFIT/ER PVC	PVC Pressure Pipe	800.25.PN15	PVC Pressure Pipe DN25 PN15 S1 White or Grey	For Water Supply, Drain, Waste and Vent Use Only Suitable for Indoor and Outdoor Use Max Temp Continuous 30°C Max temp Intermediate: 60°C<100 hrs within 49yrs Operating Pressure: 10bar Max Velocity: 0.7m/s	N/A	16/12/2025
LEXFIT/ER PVC	PVC Pressure Pipe	800.32.PN12	PVC Pressure Pipe DN32 PN12 S1 White or Grey	For Water Supply, Drain, Waste and Vent Use Only Suitable for Indoor and Outdoor Use Max Temp Continuous 30°C Max temp Intermediate: 60°C<100 hrs within 49yrs Operating Pressure: 10bar Max Velocity: 0.7m/s	N/A	16/12/2025

End of Record

Certificate No: CMI-BEP10001

Originally Verified: 16/12/2025

Updated: 16/12/2025

Expires: 16/12/2028

- This Verification is issued to and relates to the Verification of the described product(s) to the requirements of the described details as listed and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) undertakes this compliance in accordance with ISO/IEC 17065. The CMI BEP Scheme is based on ISO/IEC 17065 & ISO/IEC 17067 Type 5 Scheme requirements applicable to products seeking to show compliance to the listed Standard(s) and Clause(s). This compliance including the Schedule is to be read, considered and used as a whole document. For further information contact the certificate holder. Nothing in this compliance should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this compliance shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this compliance is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/> and Vinyl Council of Australia register: <https://www.vinyl.org.au/in-greenstar/best-practice-pvc-product-register>