



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Fuzhou Lexfit Plastic Co., Ltd.  
Chikeng Industrial Zone, Longtian Town  
Fuqing City, Fujian Province, 350311, China  
W: [www.xlpvcpipefittings.com](http://www.xlpvcpipefittings.com)  
T: +86 18617380184

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland  
CMI Certification Pty Ltd  
PO Box 273, Palmwoods, Qld 4555, Australia  
ABN: 81 663 250 815  
T: + 61 7 5445 2199  
W: [www.cmicert.com.au](http://www.cmicert.com.au)  
E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



080055	08/12/2021	02/09/2024	08/12/2026	AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications. (Including Best Environmental Practice PVC compliance)
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## Fuzhou Lexfit Plastic Co., Ltd.



APPLICABLE STANDARD/SPECIFICATION

AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications  
(Including Best Environmental Practice PVC compliance)

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	159100100	Floor waste gully fitting - DN100*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	15910050	Floor waste gully fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	15910065	Floor waste gully fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	1598050	Floor waste gully fitting - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor waste gully	1598065	Floor waste gully fitting - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	45° Side access bend F/F (small cap)	10310045	45° Side access bend F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	88° Side access bend F/F (small cap)	10310088	88° Side access bend F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	45° Side access plain junction LH (small cap)	10710045LH	45° Side access plain junction LH (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	45° Side access plain junction RH (small cap)	10710045RH	45° Side access plain junction RH (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	174805444	88° Four-way riser junction M/F - DN80*50*40*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	1741005544	88° Four-way riser junction M/F - DN100*50*50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	88° Four-way riser junction M/F	1741005554	88° Four-way riser junction M/F - DN100*50*50*50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/AQUALINE PVC	DWV Trap Adaptor	AQ-4040ADP	DWV Trap Adaptor 40mm - DN40 - Thread - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Female connector	11232	Female connector - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Female connector	11240	Female connector - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

LEXFIT/PLUMFIT/ER PVC	Female connector	11250	Female connector - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Male connector	11332	Male connector - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Male connector	11340	Male connector - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Male connector	11350	Male connector - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/AQUALINE PVC	DWV Pan Connector Concentric M/F	AQ-PCW80	DWV Pan Connector Concentric M/F - DN80 - Joint Type Solvent Cement - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector 20mm offset	AQ-FF100/20	Flexi Fin Pan Connector 20mm offset 100mm - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector 40mm offset	AQ-FF100/40	Flexi Fin Pan Connector 40mm offset 100mm - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/AQUALINE PVC	Flexi Fin Pan Connector Straight	AQ-FF100	Flexi Fin Pan Connector Straight - DN100 - Rubber Ring Joint - Colour White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Pan connector concentric M/F	127100	Pan connector concentric M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Pan connector offset M/F	128100	Pan connector offset M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810040	In-pipe reducing bush fitting - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810050	In-pipe reducing bush fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810065	In-pipe reducing bush fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	In-pipe reducing bush M/F	19810080	In-pipe reducing bush fitting - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/HORIZON PIPELINE/ER PVC	In-pipe reducing bush M/F	1986540	In-pipe reducing bush fitting - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/HORIZON PIPELINE/ER PVC	In-pipe reducing bush M/F	1986550	In-pipe reducing bush fitting - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Inspection pipe F/F (small cap)	132100F	Inspection pipe F/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Inspection pipe M/F (large cap)	129100L	Inspection pipe M/F (large cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Inspection pipe M/F (small cap)	132100	Inspection pipe M/F (small cap) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1234032	Level invert taper M/F - DN40*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1235032	Level invert taper M/F - DN50*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1235040	Level invert taper M/F - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1236540	Level invert taper M/F - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1236550	Level invert taper M/F - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238040	Level invert taper M/F - DN80*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238050	Level invert taper M/F - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	1238065	Level invert taper M/F - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310040	Level invert taper M/F - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310050	Level invert taper M/F - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310065	Level invert taper M/F - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	12310080	Level invert taper M/F - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Level invert taper M/F	123150100	Level invert taper M/F - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Pipe saddle clip	140100	Pipe saddle clip - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110045	45° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110088	88° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10115045	45° Bend fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10115088	88° Bend fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1013245	45° Bend fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1013288	88° Bend fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014045	45° Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014088	88° Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015045	45° Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015088	88° Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1016545	45° Bend fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1016588	88° Bend fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1018045	45° Bend fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021



LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1018088	88° Bend fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1014015	15° Bend fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1015015	15° Bend fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	1011005	5° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110011	11° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110022	22° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110015	15° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend F/F	10110030	30° Bend fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1711005	5° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110011	11° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110015	15° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110022	22° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110030	30° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/HORIZON PIPELINE/ER PVC	Plain bend M/F	171504045	45° Bend fitting M/F - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714045	45° Bend fitting M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1715045	45° Bend fitting M/F - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1716545	45° Bend fitting M/F - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1718045	45° Bend fitting M/F - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110045	45° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714088	88° Bend fitting M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1715088	88° Bend fitting M/F - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1716588	88° Bend fitting M/F - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	17110088	88° Bend fitting M/F - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

LEXFIT/PLUMFIT/ER PVC	Plain bend M/F	1714088P	88° Bend fitting in pipe M/F - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10410045	45° Plain junction fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041005045	45° Reducing junction fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041005088	88° Reducing junction fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1041006545	45° Reducing junction fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10410088	88° Plain junction fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415010045	45° Reducing junction fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415010088	88° Reducing junction fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415045	45° Plain junction fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	10415088	88° Plain junction fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1043245	45° Plain junction fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1043288	88° Plain junction fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1044045	45° Plain junction fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1044088	88° Plain junction fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1045045	45° Plain junction fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1045088	88° Plain junction fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1046545	45° Plain junction fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1046588	88° Plain junction fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1048045	45° Plain junction fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Plain junction F/F	1048088	88° Plain junction fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	13732	Push on cap - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	13740	Push on cap - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	13750	Push on cap - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

LEXFIT/PLUMFIT/ER PVC	Push on cap	13765	Push on cap - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	13780	Push on cap - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	137100	Push on cap - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Push on cap	137150	Push on cap - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770451	Floor/Wall Flange 40mm - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770452	Floor/Wall Flange 50mm - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770453	Floor/Wall Flange 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Floor/Wall Flange	4770454	Floor/Wall Flange 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Connector In Pipe	4770462	Leak Control Connector In Pipe 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Connector In Pipe	4770466	Leak Control Connector In Pipe 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770456	Leak Control Brass Waste Adaptor 50/40mm - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770460	Leak Control Brass Waste Adaptor 80/50mm - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770463	Leak Control Brass Waste Adaptor 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Brass Waste Adaptor	4770467	Leak Control Brass Waste Adaptor 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770458	Leak Control cap 50mm - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770461	Leak Control cap 80mm - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control cap	4770468	Leak Control cap 100mm - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Leak Control Socket Connector	4770455	Leak Control Socket Connector 50/40mm - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	PVC Leak Control Socket Connector	4770459	Leak Control Socket Connector 80/50mm - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Rear access junction	10510088W	Rear access junction - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Screw cap & base socket end	179100	Screw cap & base socket end fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Screw cap & base socket end	179150	Screw cap & base socket end fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Slab repair coupler	178100	Slab repair coupler - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410040	Socket reducing bush fitting - DN100*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410050	Socket reducing bush fitting - DN100*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410065	Socket reducing bush fitting - DN100*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	12410080	Socket reducing bush fitting - DN100*80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	124150100	Socket reducing bush fitting - DN150*100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1244032	Socket reducing bush fitting - DN40*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1245032	Socket reducing bush fitting - DN50*32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1245040	Socket reducing bush fitting - DN50*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1246540	Socket reducing bush fitting - DN65*40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1246550	Socket reducing bush fitting - DN65*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1248050	Socket reducing bush fitting - DN80*50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Socket reducing bush	1248065	Socket reducing bush fitting - DN80*65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler (Threaded)	110150T	Straight coupler (Threaded) - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler (Threaded)	110100T	Straight coupler (Threaded) - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	110150	Straight coupler fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	110100	Straight coupler fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11032	Straight coupler fitting - DN32 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11040	Straight coupler fitting - DN40 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11050	Straight coupler fitting - DN50 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11065	Straight coupler fitting - DN65 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Straight coupler F/F	11080	Straight coupler fitting - DN80 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Vent cowl	150100	Vent cowl fitting - DN100 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	Vent cowl	150150	Vent cowl fitting - DN150 - Joint Type Solvent Cement - Colour N12 Grey - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021



LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10032	DWV Pipe - DN32 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10040	DWV Pipe - DN40 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10050	DWV Pipe - DN50 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10065	DWV Pipe - DN65 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	10080	DWV Pipe - DN80 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100100	DWV Pipe - DN100 - SN6 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100150	DWV Pipe - DN150 - SN6 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100175	DWV Pipe - DN175 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100225	DWV Pipe - DN225 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100300	DWV Pipe - DN300 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100375	DWV Pipe - DN375 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021
LEXFIT/PLUMFIT/ER PVC	DWV Pipe	100475	DWV Pipe - DN475 - SN8 - Joint Type Solvent Cement - Colour N12 Grey or White - BEP PVC	Suitable for Drain, Waste and Vent Applications	N/A	08/12/2021

\*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

**End of Record**