



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Guangdong Liansu Technology Industrial Co., Ltd.

Liansu Industrial Estate, Longjiang Town,  
Shunde Zone, Foshan, Guangdong 528318, China

W: [www.lesso.com](http://www.lesso.com)

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

CMI Certification Pty Ltd

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: [www.cmicert.com.au](http://www.cmicert.com.au)

E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



025540	06/04/2023	06/04/2023	06/04/2028	AS/NZS 4130:2018 Polyethylene (PE) pipes for pressure applications
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## Guangdong Liansu Technology Industrial Co., Ltd.



APPLICABLE STANDARD/SPECIFICATION

AS/NZS 4130:2018 Polyethylene (PE) pipes for pressure applications

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Date Endorsed
LIANSU	SDR 26	PE-13210	Polyethylene Pipe, Classification: Series 1, Size: DN110, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13211	Polyethylene Pipe, Classification: Series 1, Size: DN125, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13213	Polyethylene Pipe, Classification: Series 1, Size: DN160, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13214	Polyethylene Pipe, Classification: Series 1, Size: DN180, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13215	Polyethylene Pipe, Classification: Series 1, Size: DN200, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13216	Polyethylene Pipe, Classification: Series 1, Size: DN225, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13217	Polyethylene Pipe, Classification: Series 1, Size: DN250, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13218	Polyethylene Pipe, Classification: Series 1, Size: DN280, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13219	Polyethylene Pipe, Classification: Series 1, Size: DN315, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13220	Polyethylene Pipe, Classification: Series 1, Size: DN355, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13221	Polyethylene Pipe, Classification: Series 1, Size: DN400, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13222	Polyethylene Pipe, Classification: Series 1, Size: DN450, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13223	Polyethylene Pipe, Classification: Series 1, Size: DN500, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13224	Polyethylene Pipe, Classification: Series 1, Size: DN560, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 26	PE-13225	Polyethylene Pipe, Classification: Series 1, Size: DN630, Material: PE100, Pressure: PN6.3, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023











LIANSU	SDR 11	PE-13620	Polyethylene Pipe, Classification: Series 1, Size: DN355, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 11	PE-13621	Polyethylene Pipe, Classification: Series 1, Size: DN400, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 11	PE-13622	Polyethylene Pipe, Classification: Series 1, Size: DN450, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 11	PE-13623	Polyethylene Pipe, Classification: Series 1, Size: DN500, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 11	PE-13624	Polyethylene Pipe, Classification: Series 1, Size: DN560, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	SDR 11	PE-13625	Polyethylene Pipe, Classification: Series 1, Size: DN630, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 13.6	PE-14507	Polyethylene Pipe, Classification: Series 1, Size: DN63, Material: PE100, Pressure: PN12.5, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14602	Polyethylene Pipe, Classification: Series 1, Size: DN20, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14603	Polyethylene Pipe, Classification: Series 1, Size: DN25, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14604	Polyethylene Pipe, Classification: Series 1, Size: DN32, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14605	Polyethylene Pipe, Classification: Series 1, Size: DN40, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14606	Polyethylene Pipe, Classification: Series 1, Size: DN50, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023
LIANSU	Coil SDR 11	PE-14607	Polyethylene Pipe, Classification: Series 1, Size: DN63, Material: PE100, Pressure: PN16, Colour: Black with Blue Stripe	Conveyance of fluids under pressure, including but not restricted to water & wastewater - Nominal Temp: 20°C, Maximum Temp: 60°C	06/04/2023

End of Record