



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

HEBEI PHOENIX ENTERPRISES CO., LTD

Floor 15, Tower A2, Times Ark Bldg. No.342 Heping E. Rd.
Shijiazhuang, Hebei 050010 China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: <https://cmicert.com.au>
E: office@cmicert.com.au



080104	01/08/2025	19/03/2026	31/07/2030	AS 3688:2016 Water supply and gas systems - metallic fittings and end connectors
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

HEBEI PHOENIX ENTERPRISES CO., LTD



APPLICABLE
STANDARD/SPECIFICATION
AS 3688:2016 Water supply and gas systems - metallic fittings and end connectors

Brand Name	Model Name	Model Identification	Product Description	Nominal Size (DN)	End Connection	Size	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
PHP	ELBOW 90 FF	LB DN6	ELBOW 90 FF – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN8	ELBOW 90 FF – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN10	ELBOW 90 FF – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN15	ELBOW 90 FF – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN20	ELBOW 90 FF – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN25	ELBOW 90 FF – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN32	ELBOW 90 FF – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN40	ELBOW 90 FF – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN50	ELBOW 90 FF – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN65	ELBOW 90 FF – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN80	ELBOW 90 FF – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 90 FF	LB DN100	ELBOW 90 FF – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN6	STREET ELBOW 90 MF – CF8M Stainless Steel	DN6	R1/8"*RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN8	STREET ELBOW 90 MF – CF8M Stainless Steel	DN8	R1/4"*RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	STREET ELBOW 90 MF	SLB DN10	STREET ELBOW 90 MF – CF8M Stainless Steel	DN10	R3/8**RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN15	STREET ELBOW 90 MF – CF8M Stainless Steel	DN15	R1/2**RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN20	STREET ELBOW 90 MF – CF8M Stainless Steel	DN20	R3/4**RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN25	STREET ELBOW 90 MF – CF8M Stainless Steel	DN25	R1**RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN32	STREET ELBOW 90 MF – CF8M Stainless Steel	DN32	R1-1/4**RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN40	STREET ELBOW 90 MF – CF8M Stainless Steel	DN40	R1-1/2**RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN50	STREET ELBOW 90 MF – CF8M Stainless Steel	DN50	R2**RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN65	STREET ELBOW 90 MF – CF8M Stainless Steel	DN65	R2-1/2**RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN80	STREET ELBOW 90 MF – CF8M Stainless Steel	DN80	R3**RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 90 MF	SLB DN100	STREET ELBOW 90 MF – CF8M Stainless Steel	DN100	R4**RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN6	ELBOW 45 FF – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN8	ELBOW 45 FF – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN10	ELBOW 45 FF – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN15	ELBOW 45 FF – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN20	ELBOW 45 FF – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN25	ELBOW 45 FF – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN32	ELBOW 45 FF – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN40	ELBOW 45 FF – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN50	ELBOW 45 FF – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN65	ELBOW 45 FF – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN80	ELBOW 45 FF – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	ELBOW 45 FF	45LB DN100	ELBOW 45 FF – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	STREET ELBOW 45 MF	45SLB DN6	STREET ELBOW 45 MF – CF8M Stainless Steel	DN6	R1/8**RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN8	STREET ELBOW 45 MF – CF8M Stainless Steel	DN8	R1/4**RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN10	STREET ELBOW 45 MF – CF8M Stainless Steel	DN10	R3/8**RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN15	STREET ELBOW 45 MF – CF8M Stainless Steel	DN15	R1/2**RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN20	STREET ELBOW 45 MF – CF8M Stainless Steel	DN20	R3/4**RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN25	STREET ELBOW 45 MF – CF8M Stainless Steel	DN25	R1**RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN32	STREET ELBOW 45 MF – CF8M Stainless Steel	DN32	R1-1/4**RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN40	STREET ELBOW 45 MF – CF8M Stainless Steel	DN40	R1-1/2**RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN50	STREET ELBOW 45 MF – CF8M Stainless Steel	DN50	R2**RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN65	STREET ELBOW 45 MF – CF8M Stainless Steel	DN65	R2-1/2**RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	STREET ELBOW 45 MF	45SLB DN80	STREET ELBOW 45 MF – CF8M Stainless Steel	DN80	R3**RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN6	TEE – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN8	TEE – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN10	TEE – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN15	TEE – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN20	TEE – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN25	TEE – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN32	TEE – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN40	TEE – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN50	TEE – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN65	TEE – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	TEE	TB DN80	TEE – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	TEE	TB DN100	TEE – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN6	CROSS – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN8	CROSS – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN10	CROSS – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN15	CROSS – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN20	CROSS – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN25	CROSS – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN32	CROSS – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN40	CROSS – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN50	CROSS – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN65	CROSS – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN80	CROSS – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	CROSS	+B DN100	CROSS – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN6	HEX NIPPLE – CF8M Stainless Steel	DN6	R1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN8	HEX NIPPLE – CF8M Stainless Steel	DN8	R1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN10	HEX NIPPLE – CF8M Stainless Steel	DN10	R3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN15	HEX NIPPLE – CF8M Stainless Steel	DN15	R1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN20	HEX NIPPLE – CF8M Stainless Steel	DN20	R3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN25	HEX NIPPLE – CF8M Stainless Steel	DN25	R1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN32	HEX NIPPLE – CF8M Stainless Steel	DN32	R1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN40	HEX NIPPLE – CF8M Stainless Steel	DN40	R1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN50	HEX NIPPLE – CF8M Stainless Steel	DN50	R2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HEX NIPPLE	HN DN65	HEX NIPPLE – CF8M Stainless Steel	DN65	R2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN80	HEX NIPPLE – CF8M Stainless Steel	DN80	R3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX NIPPLE	HN DN100	HEX NIPPLE – CF8M Stainless Steel	DN100	R4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN6	HEX PLUG – CF8M Stainless Steel	DN6	R1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN8	HEX PLUG – CF8M Stainless Steel	DN8	R1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN10	HEX PLUG – CF8M Stainless Steel	DN10	R3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN15	HEX PLUG – CF8M Stainless Steel	DN15	R1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN20	HEX PLUG – CF8M Stainless Steel	DN20	R3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN25	HEX PLUG – CF8M Stainless Steel	DN25	R1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN32	HEX PLUG – CF8M Stainless Steel	DN32	R1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN40	HEX PLUG – CF8M Stainless Steel	DN40	R1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN50	HEX PLUG – CF8M Stainless Steel	DN50	R2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN65	HEX PLUG – CF8M Stainless Steel	DN65	R2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN80	HEX PLUG – CF8M Stainless Steel	DN80	R3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX PLUG	HP DN100	HEX PLUG – CF8M Stainless Steel	DN100	R4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN6	HEX CAP – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN8	HEX CAP – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN10	HEX CAP – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN15	HEX CAP – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN20	HEX CAP – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN25	HEX CAP – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN32	HEX CAP – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HEX CAP	HCB DN40	HEX CAP – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN50	HEX CAP – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN65	HEX CAP – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN80	HEX CAP – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX CAP	HCB DN100	HEX CAP – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN6	UNION FF – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN8	UNION FF – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN10	UNION FF – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN15	UNION FF – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN20	UNION FF – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN25	UNION FF – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN32	UNION FF – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN40	UNION FF – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN50	UNION FF – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN65	UNION FF – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN80	UNION FF – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION FF	CUFF DN100	UNION FF – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN6	UNION MF – CF8M Stainless Steel	DN6	R1/8**RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN8	UNION MF – CF8M Stainless Steel	DN8	R1/4**RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN10	UNION MF – CF8M Stainless Steel	DN10	R3/8**RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN15	UNION MF – CF8M Stainless Steel	DN15	R1/2**RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN20	UNION MF – CF8M Stainless Steel	DN20	R3/4**RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	UNION MF	CUMF DN25	UNION MF – CF8M Stainless Steel	DN25	R1**RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN32	UNION MF – CF8M Stainless Steel	DN32	R1-1/4**RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN40	UNION MF – CF8M Stainless Steel	DN40	R1-1/2**RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN50	UNION MF – CF8M Stainless Steel	DN50	R2**RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN65	UNION MF – CF8M Stainless Steel	DN65	R2-1/2**RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN80	UNION MF – CF8M Stainless Steel	DN80	R3**RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	UNION MF	CUMF DN100	UNION MF – CF8M Stainless Steel	DN100	R4**RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN6	WELDING NIPPLE – CF8M Stainless Steel	DN6	R1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN8	WELDING NIPPLE – CF8M Stainless Steel	DN8	R1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN10	WELDING NIPPLE – CF8M Stainless Steel	DN10	R3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN15	WELDING NIPPLE – CF8M Stainless Steel	DN15	R1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN20	WELDING NIPPLE – CF8M Stainless Steel	DN20	R3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN25	WELDING NIPPLE – CF8M Stainless Steel	DN25	R1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN32	WELDING NIPPLE – CF8M Stainless Steel	DN32	R1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN40	WELDING NIPPLE – CF8M Stainless Steel	DN40	R1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN50	WELDING NIPPLE – CF8M Stainless Steel	DN50	R2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN65	WELDING NIPPLE – CF8M Stainless Steel	DN65	R2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN80	WELDING NIPPLE – CF8M Stainless Steel	DN80	R3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	WELDING NIPPLE	WN DN100	WELDING NIPPLE – CF8M Stainless Steel	DN100	R4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN6	BARREL NIPPLE – CF8M Stainless Steel	DN6	R1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN8	BARREL NIPPLE – CF8M Stainless Steel	DN8	R1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN10	BARREL NIPPLE – CF8M Stainless Steel	DN10	R3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	BARREL NIPPLE	BN DN15	BARREL NIPPLE – CF8M Stainless Steel	DN15	R1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN20	BARREL NIPPLE – CF8M Stainless Steel	DN20	R3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN25	BARREL NIPPLE – CF8M Stainless Steel	DN25	R1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN32	BARREL NIPPLE – CF8M Stainless Steel	DN32	R1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN40	BARREL NIPPLE – CF8M Stainless Steel	DN40	R1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN50	BARREL NIPPLE – CF8M Stainless Steel	DN50	R2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN65	BARREL NIPPLE – CF8M Stainless Steel	DN65	R2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN80	BARREL NIPPLE – CF8M Stainless Steel	DN80	R3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	BARREL NIPPLE	BN DN100	BARREL NIPPLE – CF8M Stainless Steel	DN100	R4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN6	COUPLING DIN2986 – CF8M Stainless Steel	DN6	RP1/8"	1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN8	COUPLING DIN2986 – CF8M Stainless Steel	DN8	RP1/4"	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN10	COUPLING DIN2986 – CF8M Stainless Steel	DN10	RP3/8"	3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN15	COUPLING DIN2986 – CF8M Stainless Steel	DN15	RP1/2"	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN20	COUPLING DIN2986 – CF8M Stainless Steel	DN20	RP3/4"	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN25	COUPLING DIN2986 – CF8M Stainless Steel	DN25	RP1"	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN32	COUPLING DIN2986 – CF8M Stainless Steel	DN32	RP1-1/4"	1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN40	COUPLING DIN2986 – CF8M Stainless Steel	DN40	RP1-1/2"	1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN50	COUPLING DIN2986 – CF8M Stainless Steel	DN50	RP2"	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN65	COUPLING DIN2986 – CF8M Stainless Steel	DN65	RP2-1/2"	2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN80	COUPLING DIN2986 – CF8M Stainless Steel	DN80	RP3"	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	COUPLING DIN2986	SPE DN100	COUPLING DIN2986 – CF8M Stainless Steel	DN100	RP4"	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN6*7	HOSE NIPPLE – CF8M Stainless Steel	DN6*7	R1/8*7	1/8*7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HOSE NIPPLE	HON DN6*6	HOSE NIPPLE – CF8M Stainless Steel	DN6*6	R1/8*6	1/8*6	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN6*8	HOSE NIPPLE – CF8M Stainless Steel	DN6*8	R1/8*8	1/8*8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN6*9	HOSE NIPPLE – CF8M Stainless Steel	DN6*9	R1/8*9	1/8*9	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*6	HOSE NIPPLE – CF8M Stainless Steel	DN8*6	R1/4*6	1/4*6	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*6.3	HOSE NIPPLE – CF8M Stainless Steel	DN8*6.3	R1/4*6.3	1/4*6.3	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*6.5	HOSE NIPPLE – CF8M Stainless Steel	DN8*6.5	R1/4*6.5	1/4*6.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*7	HOSE NIPPLE – CF8M Stainless Steel	DN8*7	R1/4*7	1/4*7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*8	HOSE NIPPLE – CF8M Stainless Steel	DN8*8	R1/4*8	1/4*8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*9	HOSE NIPPLE – CF8M Stainless Steel	DN8*9	R1/4*9	1/4*9	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*9.5	HOSE NIPPLE – CF8M Stainless Steel	DN8*9.5	R1/4*9.5	1/4*9.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*10	HOSE NIPPLE – CF8M Stainless Steel	DN8*10	R1/4*10	1/4*10	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*11	HOSE NIPPLE – CF8M Stainless Steel	DN8*11	R1/4*11	1/4*11	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*12	HOSE NIPPLE – CF8M Stainless Steel	DN8*12	R1/4*12	1/4*12	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*12.7	HOSE NIPPLE – CF8M Stainless Steel	DN8*12.7	R1/4*12.7	1/4*12.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*13	HOSE NIPPLE – CF8M Stainless Steel	DN8*13	R1/4*13	1/4*13	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN8*15	HOSE NIPPLE – CF8M Stainless Steel	DN8*15	R1/4*15	1/4*15	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*7	HOSE NIPPLE – CF8M Stainless Steel	DN10*7	R3/8*7	3/8*7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*9	HOSE NIPPLE – CF8M Stainless Steel	DN10*9	R3/8*9	3/8*9	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*9.5	HOSE NIPPLE – CF8M Stainless Steel	DN10*9.5	R3/8*9.5	3/8*9.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*11	HOSE NIPPLE – CF8M Stainless Steel	DN10*11	R3/8*11	3/8*11	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*12	HOSE NIPPLE – CF8M Stainless Steel	DN10*12	R3/8*12	3/8*12	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*13	HOSE NIPPLE – CF8M Stainless Steel	DN10*13	R3/8*13	3/8*13	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HOSE NIPPLE	HON DN10*15	HOSE NIPPLE – CF8M Stainless Steel	DN10*15	R3/8*15	3/8*15	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*16	HOSE NIPPLE – CF8M Stainless Steel	DN10*16	R3/8*16	3/8*16	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN10*20	HOSE NIPPLE – CF8M Stainless Steel	DN10*20	R3/8*20	3/8*20	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*6	HOSE NIPPLE – CF8M Stainless Steel	DN15*6	R1/2*6	1/2*6	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*8	HOSE NIPPLE – CF8M Stainless Steel	DN15*8	R1/2*8	1/2*8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*9	HOSE NIPPLE – CF8M Stainless Steel	DN15*9	R1/2*9	1/2*9	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*9.5	HOSE NIPPLE – CF8M Stainless Steel	DN15*9.5	R1/2*9.5	1/2*9.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*9.7	HOSE NIPPLE – CF8M Stainless Steel	DN15*9.7	R1/2*9.7	1/2*9.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*10	HOSE NIPPLE – CF8M Stainless Steel	DN15*10	R1/2*10	1/2*10	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*11	HOSE NIPPLE – CF8M Stainless Steel	DN15*11	R1/2*11	1/2*11	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15.12.7	HOSE NIPPLE – CF8M Stainless Steel	DN15.12.7	R1/2*12.7	1/2*12.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*13	HOSE NIPPLE – CF8M Stainless Steel	DN15*13	R1/2*13	1/2*13	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*14	HOSE NIPPLE – CF8M Stainless Steel	DN15*14	R1/2*14	1/2*14	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*15	HOSE NIPPLE – CF8M Stainless Steel	DN15*15	R1/2*15	1/2*15	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*16	HOSE NIPPLE – CF8M Stainless Steel	DN15*16	R1/2*16	1/2*16	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*19	HOSE NIPPLE – CF8M Stainless Steel	DN15*19	R1/2*19	1/2*19	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*20	HOSE NIPPLE – CF8M Stainless Steel	DN15*20	R1/2*20	1/2*20	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN15*25	HOSE NIPPLE – CF8M Stainless Steel	DN15*25	R1/2*25	1/2*25	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*13	HOSE NIPPLE – CF8M Stainless Steel	DN20*13	R3/4*13	3/4*13	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*15	HOSE NIPPLE – CF8M Stainless Steel	DN20*15	R3/4*15	3/4*15	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*16	HOSE NIPPLE – CF8M Stainless Steel	DN20*16	R3/4*16	3/4*16	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*20	HOSE NIPPLE – CF8M Stainless Steel	DN20*20	R3/4*20	3/4*20	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HOSE NIPPLE	HON DN20*20.5	HOSE NIPPLE – CF8M Stainless Steel	DN20*20.5	R3/4*20.5	3/4*20.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*24	HOSE NIPPLE – CF8M Stainless Steel	DN20*24	R3/4*24	3/4*24	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*25	HOSE NIPPLE – CF8M Stainless Steel	DN20*25	R3/4*25	3/4*25	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*25.4	HOSE NIPPLE – CF8M Stainless Steel	DN20*25.4	R3/4*25.4	3/4*25.4	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*26	HOSE NIPPLE – CF8M Stainless Steel	DN20*26	R3/4*26	3/4*26	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*9.5	HOSE NIPPLE – CF8M Stainless Steel	DN20*9.5	R3/4*9.5	3/4*9.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*6	HOSE NIPPLE – CF8M Stainless Steel	DN20*6	R3/4*6	3/4*6	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*12.7	HOSE NIPPLE – CF8M Stainless Steel	DN20*12.7	R3/4*12.7	3/4*12.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN20*19	HOSE NIPPLE – CF8M Stainless Steel	DN20*19	R3/4*19	3/4*19	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*12.7	HOSE NIPPLE – CF8M Stainless Steel	DN25*12.7	R1*12.7	1*12.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*16	HOSE NIPPLE – CF8M Stainless Steel	DN25*16	R1*16	1*16	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*19	HOSE NIPPLE – CF8M Stainless Steel	DN25*19	R1*19	1*19	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*20	HOSE NIPPLE – CF8M Stainless Steel	DN25*20	R1*20	1*20	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*26	HOSE NIPPLE – CF8M Stainless Steel	DN25*26	R1*26	1*26	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*25.4	HOSE NIPPLE – CF8M Stainless Steel	DN25*25.4	R1*25.4	1*25.4	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*27	HOSE NIPPLE – CF8M Stainless Steel	DN25*27	R1*27	1*27	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*30	HOSE NIPPLE – CF8M Stainless Steel	DN25*30	R1*30	1*30	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*31.8	HOSE NIPPLE – CF8M Stainless Steel	DN25*31.8	R1*31.8	1*31.8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN25*32	HOSE NIPPLE – CF8M Stainless Steel	DN25*32	R1*32	1*32	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*25.4	HOSE NIPPLE – CF8M Stainless Steel	DN32*25.4	R1-1/4*25.4	1-1/4*25.4	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*26	HOSE NIPPLE – CF8M Stainless Steel	DN32*26	R1-1/4*26	1-1/4*26	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*31.8	HOSE NIPPLE – CF8M Stainless Steel	DN32*31.8	R1-1/4*31.8	1-1/4*31.8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HOSE NIPPLE	HON DN32*38.1	HOSE NIPPLE – CF8M Stainless Steel	DN32*38.1	R1-1/4*38.1	1-1/4*38.1	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*33	HOSE NIPPLE – CF8M Stainless Steel	DN32*33	R1-1/4*33	1-1/4*33	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*34	HOSE NIPPLE – CF8M Stainless Steel	DN32*34	R1-1/4*34	1-1/4*34	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*39	HOSE NIPPLE – CF8M Stainless Steel	DN32*39	R1-1/4*39	1-1/4*39	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN32*40	HOSE NIPPLE – CF8M Stainless Steel	DN32*40	R1-1/4*40	1-1/4*40	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*25.4	HOSE NIPPLE – CF8M Stainless Steel	DN40*25.4	R1-1/2*25.4	1-1/2*25.4	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*31.7	HOSE NIPPLE – CF8M Stainless Steel	DN40*31.7	R1-1/2*31.7	1-1/2*31.7	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*32	HOSE NIPPLE – CF8M Stainless Steel	DN40*32	R1-1/2*32	1-1/2*32	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*33	HOSE NIPPLE – CF8M Stainless Steel	DN40*33	R1-1/2*33	1-1/2*33	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*38.1	HOSE NIPPLE – CF8M Stainless Steel	DN40*38.1	R1-1/2*38.1	1-1/2*38.1	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*39	HOSE NIPPLE – CF8M Stainless Steel	DN40*39	R1-1/2*39	1-1/2*39	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*40	HOSE NIPPLE – CF8M Stainless Steel	DN40*40	R1-1/2*40	1-1/2*40	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*40.34	HOSE NIPPLE – CF8M Stainless Steel	DN40*40.34	R1-1/2*40.34	1-1/2*40.34	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*46	HOSE NIPPLE – CF8M Stainless Steel	DN40*46	R1-1/2*46	1-1/2*46	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*50	HOSE NIPPLE – CF8M Stainless Steel	DN40*50	R1-1/2*50	1-1/2*50	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN40*50.8	HOSE NIPPLE – CF8M Stainless Steel	DN40*50.8	R1-1/2*50.8	1-1/2*50.8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN50*38.1	HOSE NIPPLE – CF8M Stainless Steel	DN50*38.1	R2*38.1	2*38.1	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN50*40	HOSE NIPPLE – CF8M Stainless Steel	DN50*40	R2*40	2*40	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN50*50.8	HOSE NIPPLE – CF8M Stainless Steel	DN50*50.8	R2*50.8	2*50.8	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN50*51	HOSE NIPPLE – CF8M Stainless Steel	DN50*51	R2*51	2*51	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN50*52.5	HOSE NIPPLE – CF8M Stainless Steel	DN50*52.5	R2*52.5	2*52.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN65*63.5	HOSE NIPPLE – CF8M Stainless Steel	DN65*63.5	R2-1/2*63.5	2-1/2*63.5	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HOSE NIPPLE	HON DN65*64	HOSE NIPPLE – CF8M Stainless Steel	DN65*64	R2-1/2*64	2-1/2*64	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN65*65	HOSE NIPPLE – CF8M Stainless Steel	DN65*65	R2-1/2*65	2-1/2*65	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN80*76.1	HOSE NIPPLE – CF8M Stainless Steel	DN80*76.1	R3*76.1	3*76.1	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN80*77	HOSE NIPPLE – CF8M Stainless Steel	DN80*77	R3*77	3*77	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN100*102	HOSE NIPPLE – CF8M Stainless Steel	DN100*102	R4*102	4*102	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HOSE NIPPLE	HON DN100*103	HOSE NIPPLE – CF8M Stainless Steel	DN100*103	R4*103	4*103	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN8*DN6	RED. HEX NIPPLE – CF8M Stainless Steel	DN8*DN6	R1/4*R1/8"	1/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN10*DN6	RED. HEX NIPPLE – CF8M Stainless Steel	DN10*DN6	R3/8*R1/8"	3/8*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN10*DN8	RED. HEX NIPPLE – CF8M Stainless Steel	DN10*DN8	R3/8*R1/4"	3/8*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN15*DN6	RED. HEX NIPPLE – CF8M Stainless Steel	DN15*DN6	R1/2*R1/8"	1/2*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN15*DN8	RED. HEX NIPPLE – CF8M Stainless Steel	DN15*DN8	R1/2*R1/4"	1/2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN15*DN10	RED. HEX NIPPLE – CF8M Stainless Steel	DN15*DN10	R1/2*R3/8"	1/2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN20*DN6	RED. HEX NIPPLE – CF8M Stainless Steel	DN20*DN6	R3/4*R1/8"	3/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN20*DN8	RED. HEX NIPPLE – CF8M Stainless Steel	DN20*DN8	R3/4*R1/4"	3/4*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN20*DN10	RED. HEX NIPPLE – CF8M Stainless Steel	DN20*DN10	R3/4*R3/8"	3/4*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN20*DN15	RED. HEX NIPPLE – CF8M Stainless Steel	DN20*DN15	R3/4*R1/2"	3/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN25*DN6	RED. HEX NIPPLE – CF8M Stainless Steel	DN25*DN6	R1*R1/8"	1*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN25*DN8	RED. HEX NIPPLE – CF8M Stainless Steel	DN25*DN8	R1*R1/4"	1*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN25*DN10	RED. HEX NIPPLE – CF8M Stainless Steel	DN25*DN10	R1*R3/8"	1*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN25*DN15	RED. HEX NIPPLE – CF8M Stainless Steel	DN25*DN15	R1*R1/2"	1*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN25*DN20	RED. HEX NIPPLE – CF8M Stainless Steel	DN25*DN20	R1*R3/4"	1*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN32*DN10	RED. HEX NIPPLE – CF8M Stainless Steel	DN32*DN10	R1-1/4*R3/8"	1-1/4*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	RED. HEX NIPPLE	RHN DN32*DN15	RED. HEX NIPPLE – CF8M Stainless Steel	DN32*DN15	R1-1/4*R1/2"	1- 1/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN32*DN20	RED. HEX NIPPLE – CF8M Stainless Steel	DN32*DN20	R1-1/4*R3/4"	1- 1/4*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN32*DN25	RED. HEX NIPPLE – CF8M Stainless Steel	DN32*DN25	R1-1/4*R1"	1-1/4*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN40*DN15	RED. HEX NIPPLE – CF8M Stainless Steel	DN40*DN15	R1-1/2*R1/2"	1- 1/2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN40*DN20	RED. HEX NIPPLE – CF8M Stainless Steel	DN40*DN20	R1-1/2*R3/4"	1- 1/2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN40*DN25	RED. HEX NIPPLE – CF8M Stainless Steel	DN40*DN25	R1-1/2*R1"	1-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN40*DN32	RED. HEX NIPPLE – CF8M Stainless Steel	DN40*DN32	R1-1/2*R1- 1/4"	1-1/2*1- 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN50*DN15	RED. HEX NIPPLE – CF8M Stainless Steel	DN50*DN15	R2*R1/2"	2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN50*DN20	RED. HEX NIPPLE – CF8M Stainless Steel	DN50*DN20	R2*R3/4"	2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN50*DN25	RED. HEX NIPPLE – CF8M Stainless Steel	DN50*DN25	R2*R1"	2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN50*DN32	RED. HEX NIPPLE – CF8M Stainless Steel	DN50*DN32	R2*R1-1/4"	2*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN50*DN40	RED. HEX NIPPLE – CF8M Stainless Steel	DN50*DN40	R2*R1-1/2"	2*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN65*DN25	RED. HEX NIPPLE – CF8M Stainless Steel	DN65*DN25	R2-1/2*R1"	2-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN65*DN32	RED. HEX NIPPLE – CF8M Stainless Steel	DN65*DN32	R2-1/2*R1- 1/4"	2-1/2*1- 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN65*DN40	RED. HEX NIPPLE – CF8M Stainless Steel	DN65*DN40	R2-1/2*R1- 1/2"	2-1/2*1- 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN65*DN50	RED. HEX NIPPLE – CF8M Stainless Steel	DN65*DN50	R2-1/2*R2"	2-1/2*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN80*DN25	RED. HEX NIPPLE – CF8M Stainless Steel	DN80*DN25	R3*R1"	3*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN80*DN40	RED. HEX NIPPLE – CF8M Stainless Steel	DN80*DN40	R3*R1-1/2"	3*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN80*DN50	RED. HEX NIPPLE – CF8M Stainless Steel	DN80*DN50	R3*R2"	3*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN80*DN65	RED. HEX NIPPLE – CF8M Stainless Steel	DN80*DN65	R3*R2-1/2"	3*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN100*DN50	RED. HEX NIPPLE – CF8M Stainless Steel	DN100*DN50	R4*R2"	4*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. HEX NIPPLE	RHN DN100*DN65	RED. HEX NIPPLE – CF8M Stainless Steel	DN100*DN65	R4*R2-1/2"	4*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	RED. HEX NIPPLE	RHN DN100*DN80	RED. HEX NIPPLE – CF8M Stainless Steel	DN100*DN80	R4*R3"	4*3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN8*DN6	RED. SOCKET – CF8M Stainless Steel	DN8*DN6	RP1/4*RP1/8"	1/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN10*DN6	RED. SOCKET – CF8M Stainless Steel	DN10*DN6	RP3/8*RP1/8"	3/8*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN10*DN8	RED. SOCKET – CF8M Stainless Steel	DN10*DN8	RP3/8*RP1/4"	3/8*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN15*DN6	RED. SOCKET – CF8M Stainless Steel	DN15*DN6	RP1/2*RP1/8"	1/2*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN15*DN8	RED. SOCKET – CF8M Stainless Steel	DN15*DN8	RP1/2*RP1/4"	1/2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN15*DN10	RED. SOCKET – CF8M Stainless Steel	DN15*DN10	RP1/2*RP3/8"	1/2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN20*DN6	RED. SOCKET – CF8M Stainless Steel	DN20*DN6	RP3/4*RP1/8"	3/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN20*DN8	RED. SOCKET – CF8M Stainless Steel	DN20*DN8	RP3/4*RP1/4"	3/4*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN20*DN10	RED. SOCKET – CF8M Stainless Steel	DN20*DN10	RP3/4*RP3/8"	3/4*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN20*DN15	RED. SOCKET – CF8M Stainless Steel	DN20*DN15	RP3/4*RP1/2"	3/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN25*DN8	RED. SOCKET – CF8M Stainless Steel	DN25*DN8	RP1*RP1/4"	1*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN25*DN10	RED. SOCKET – CF8M Stainless Steel	DN25*DN10	RP1*RP3/8"	1*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN25*DN15	RED. SOCKET – CF8M Stainless Steel	DN25*DN15	RP1*RP1/2"	1*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN25*DN20	RED. SOCKET – CF8M Stainless Steel	DN25*DN20	RP1*RP3/4"	1*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN32*DN15	RED. SOCKET – CF8M Stainless Steel	DN32*DN15	RP1- 1/4*RP1/2"	1- 1/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN32*DN20	RED. SOCKET – CF8M Stainless Steel	DN32*DN20	RP1- 1/4*RP3/4"	1- 1/4*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN32*DN25	RED. SOCKET – CF8M Stainless Steel	DN32*DN25	RP1-1/4*RP1"	1-1/4*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN40*DN8	RED. SOCKET – CF8M Stainless Steel	DN40*DN8	RP1- 1/2*RP1/4"	1- 1/2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN40*DN15	RED. SOCKET – CF8M Stainless Steel	DN40*DN15	RP1- 1/2*RP1/2"	1- 1/2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN40*DN20	RED. SOCKET – CF8M Stainless Steel	DN40*DN20	RP1- 1/2*RP3/4"	1- 1/2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN40*DN25	RED. SOCKET – CF8M Stainless Steel	DN40*DN25	RP1-1/2*RP1"	1-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	RED. SOCKET	RSB DN40*DN32	RED. SOCKET – CF8M Stainless Steel	DN40*DN32	RP1-1/2*RP1- 1/4"	1-1/2*1- 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN8	RED. SOCKET – CF8M Stainless Steel	DN50*DN8	RP2*RP1/4"	2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN10	RED. SOCKET – CF8M Stainless Steel	DN50*DN10	RP2*RP3/8"	2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN15	RED. SOCKET – CF8M Stainless Steel	DN50*DN15	RP2*RP1/2"	2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN20	RED. SOCKET – CF8M Stainless Steel	DN50*DN20	RP2*RP3/4"	2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN25	RED. SOCKET – CF8M Stainless Steel	DN50*DN25	RP2*RP1"	2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN32	RED. SOCKET – CF8M Stainless Steel	DN50*DN32	RP2*RP1-1/4"	2*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN50*DN40	RED. SOCKET – CF8M Stainless Steel	DN50*DN40	RP2*RP1-1/2"	2*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN65*DN25	RED. SOCKET – CF8M Stainless Steel	DN65*DN25	RP2-1/2*RP1"	2-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN65*DN32	RED. SOCKET – CF8M Stainless Steel	DN65*DN32	RP2-1/2*RP1- 1/4"	2-1/2*1- 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN65*DN40	RED. SOCKET – CF8M Stainless Steel	DN65*DN40	RP2-1/2*RP1- 1/2"	2-1/2*1- 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN65*DN50	RED. SOCKET – CF8M Stainless Steel	DN65*DN50	RP2-1/2*RP2"	2-1/2*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN80*DN25	RED. SOCKET – CF8M Stainless Steel	DN80*DN25	RP3*RP1"	3*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN80*DN40	RED. SOCKET – CF8M Stainless Steel	DN80*DN40	RP3*RP1-1/2"	3*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN80*DN50	RED. SOCKET – CF8M Stainless Steel	DN80*DN50	RP3*RP2"	3*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN80*DN65	RED. SOCKET – CF8M Stainless Steel	DN80*DN65	RP3*RP2-1/2"	3*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN100*DN40	RED. SOCKET – CF8M Stainless Steel	DN100*DN40	RP4*RP1-1/2"	4*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN100*DN50	RED. SOCKET – CF8M Stainless Steel	DN100*DN50	RP4*RP2"	4*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN100*DN65	RED. SOCKET – CF8M Stainless Steel	DN100*DN65	RP4*RP2-1/2"	4*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	RED. SOCKET	RSB DN100*DN80	RED. SOCKET – CF8M Stainless Steel	DN100*DN80	RP4*RP3"	4*3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN8*DN6	HEX BUSHING – CF8M Stainless Steel	DN8*DN6	R1/4*RP1/8"	1/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN10*DN6	HEX BUSHING – CF8M Stainless Steel	DN10*DN6	R3/8*RP1/8"	3/8*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HEX BUSHING	HB DN10*DN8	HEX BUSHING – CF8M Stainless Steel	DN10*DN8	R3/8*RP1/4"	3/8*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN15*DN6	HEX BUSHING – CF8M Stainless Steel	DN15*DN6	R1/2*RP1/8"	1/2*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN15*DN8	HEX BUSHING – CF8M Stainless Steel	DN15*DN8	R1/2*RP1/4"	1/2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN15*DN10	HEX BUSHING – CF8M Stainless Steel	DN15*DN10	R1/2*RP3/8"	1/2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN20*DN6	HEX BUSHING – CF8M Stainless Steel	DN20*DN6	R3/4*RP1/8"	3/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN20*DN8	HEX BUSHING – CF8M Stainless Steel	DN20*DN8	R3/4*RP1/4"	3/4*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN20*DN10	HEX BUSHING – CF8M Stainless Steel	DN20*DN10	R3/4*RP3/8"	3/4*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN20*DN15	HEX BUSHING – CF8M Stainless Steel	DN20*DN15	R3/4*RP1/2"	3/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN25*DN6	HEX BUSHING – CF8M Stainless Steel	DN25*DN6	R1*RP1/8"	1*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN25*DN8	HEX BUSHING – CF8M Stainless Steel	DN25*DN8	R1*RP1/4"	1*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN25*DN10	HEX BUSHING – CF8M Stainless Steel	DN25*DN10	R1*RP3/8"	1*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN25*DN15	HEX BUSHING – CF8M Stainless Steel	DN25*DN15	R1*RP1/2"	1*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN25*DN20	HEX BUSHING – CF8M Stainless Steel	DN25*DN20	R1*RP3/4"	1*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN6	HEX BUSHING – CF8M Stainless Steel	DN32*DN6	R1-1/4*RP1/8"	1-1/4*1/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN8	HEX BUSHING – CF8M Stainless Steel	DN32*DN8	R1-1/4*RP1/4"	1-1/4*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN10	HEX BUSHING – CF8M Stainless Steel	DN32*DN10	R1-1/4*RP3/8"	1-1/4*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN15	HEX BUSHING – CF8M Stainless Steel	DN32*DN15	R1-1/4*RP1/2"	1-1/4*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN20	HEX BUSHING – CF8M Stainless Steel	DN32*DN20	R1-1/4*RP3/4"	1-1/4*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN32*DN25	HEX BUSHING – CF8M Stainless Steel	DN32*DN25	R1-1/4*RP1"	1-1/4*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN40*DN8	HEX BUSHING – CF8M Stainless Steel	DN40*DN8	R1-1/2*RP1/4"	1-1/2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN40*DN10	HEX BUSHING – CF8M Stainless Steel	DN40*DN10	R1-1/2*RP3/8"	1-1/2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN40*DN15	HEX BUSHING – CF8M Stainless Steel	DN40*DN15	R1-1/2*RP1/2"	1-1/2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HEX BUSHING	HB DN40*DN20	HEX BUSHING – CF8M Stainless Steel	DN40*DN20	R1-1/2*RP3/4"	1-1/2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN40*DN25	HEX BUSHING – CF8M Stainless Steel	DN40*DN25	R1-1/2*RP1"	1-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN40*DN32	HEX BUSHING – CF8M Stainless Steel	DN40*DN32	R1-1/2*RP1-1/4"	1-1/2*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN8	HEX BUSHING – CF8M Stainless Steel	DN50*DN8	R2*RP1/4"	2*1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN10	HEX BUSHING – CF8M Stainless Steel	DN50*DN10	R2*RP3/8"	2*3/8"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN15	HEX BUSHING – CF8M Stainless Steel	DN50*DN15	R2*RP1/2"	2*1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN20	HEX BUSHING – CF8M Stainless Steel	DN50*DN20	R2*RP3/4"	2*3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN25	HEX BUSHING – CF8M Stainless Steel	DN50*DN25	R2*RP1"	2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN32	HEX BUSHING – CF8M Stainless Steel	DN50*DN32	R2*RP1-1/4"	2*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN50*DN40	HEX BUSHING – CF8M Stainless Steel	DN50*DN40	R2*RP1-1/2"	2*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN65*DN25	HEX BUSHING – CF8M Stainless Steel	DN65*DN25	R2-1/2*RP1"	2-1/2*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN65*DN32	HEX BUSHING – CF8M Stainless Steel	DN65*DN32	R2-1/2*RP1-1/4"	2-1/2*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN65*DN40	HEX BUSHING – CF8M Stainless Steel	DN65*DN40	R2-1/2*RP1-1/2"	2-1/2*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN65*DN50	HEX BUSHING – CF8M Stainless Steel	DN65*DN50	R2-1/2*RP2"	2-1/2*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN80*DN25	HEX BUSHING – CF8M Stainless Steel	DN80*DN25	R3*RP1"	3*1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN80*DN32	HEX BUSHING – CF8M Stainless Steel	DN80*DN32	R3*RP1-1/4"	3*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN80*DN40	HEX BUSHING – CF8M Stainless Steel	DN80*DN40	R3*RP1-1/2"	3*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN80*DN50	HEX BUSHING – CF8M Stainless Steel	DN80*DN50	R3*RP2"	3*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN80*DN65	HEX BUSHING – CF8M Stainless Steel	DN80*DN65	R3*RP2-1/2"	3*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN100*DN32	HEX BUSHING – CF8M Stainless Steel	DN100*DN32	R4*RP1-1/4"	4*1-1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN100*DN40	HEX BUSHING – CF8M Stainless Steel	DN100*DN40	R4*RP1-1/2"	4*1-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN100*DN50	HEX BUSHING – CF8M Stainless Steel	DN100*DN50	R4*RP2"	4*2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	HEX BUSHING	HB DN100*DN65	HEX BUSHING – CF8M Stainless Steel	DN100*DN65	R4*RP2-1/2"	4*2-1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	HEX BUSHING	HB DN100*DN80	HEX BUSHING – CF8M Stainless Steel	DN100*DN80	R4*RP3"	4*3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN8	Y STRAINER – CF8M Stainless Steel	DN6	Rp1/4 x Rp1/4	1/4"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN10	Y STRAINER – CF8M Stainless Steel	DN8	Rp3/8 x Rp3/8	3/8"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN15	Y STRAINER – CF8M Stainless Steel	DN10	Rp1/2 x Rp1/2	1/2"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN20	Y STRAINER – CF8M Stainless Steel	DN15	Rp3/4 x Rp3/4	3/4"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN25	Y STRAINER – CF8M Stainless Steel	DN20	Rp1 x Rp1	1"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN32	Y STRAINER – CF8M Stainless Steel	DN25	Rp1 1/4 x Rp1 1/4	1 1/4"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN40	Y STRAINER – CF8M Stainless Steel	DN32	Rp1 1/2 x Rp1 1/2	1 1/2"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN50	Y STRAINER – CF8M Stainless Steel	DN40	Rp2 x Rp2	2"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN65	Y STRAINER – CF8M Stainless Steel	DN50	Rp2 1/2 x Rp2 1/2	2 1/2"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN80	Y STRAINER – CF8M Stainless Steel	DN65	Rp3 x Rp3	3"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	Y STRAINER	T-Y DN100	Y STRAINER – CF8M Stainless Steel	DN80	Rp4 x Rp4	4"	Temperature: -20°C to 160°C Max Pressure: 4.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*100	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*150	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*200	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*250	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*300	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	8mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*450	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	PIPE RISER	8mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN8*600	R1/4 x R1/4	1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*100	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*150	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*200	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*250	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*300	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*450	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	15mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN15*600	R1/2 x R1/2	1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*100	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*150	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*200	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*250	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*300	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	20mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*450	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	PIPE RISER	20mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN20*600	R3/4 x R3/4	3/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*100	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*150	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*200	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*250	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*300	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*450	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	25mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN25*600	R1 x R1	1"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*100	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*150	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*200	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*250	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*300	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	32mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*450	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	PIPE RISER	32mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN32*600	R1 1/4 x R1 1/4	1 1/4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*100	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*150	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*200	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*250	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*300	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*450	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	40mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN40*600	R1 1/2 x R1 1/2	1 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*100	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*150	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*200	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*250	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*300	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	50mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*450	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	PIPE RISER	50mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN50*600	R2 x R2	2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*100	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*150	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*200	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*250	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*300	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*450	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	65mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN65*600	R2 1/2 x R2 1/2	2 1/2"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*100	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*150	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*200	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*250	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*300	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	80mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*450	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

PHP	PIPE RISER	80mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN80*600	R3 x R3	3"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 100mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*100	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 150mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*150	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 200mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*200	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 250mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*250	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 300mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*300	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 450mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*450	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026
PHP	PIPE RISER	100mm x 600mm 316 Stainless Steel Pipe Riser	PIPE RISER – 316L Stainless Steel	DN100*600	R4 x R4	4"	Temperature: -20°C to 180°C Max Pressure: 2.0MPa	Y	19/03/2026

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record