



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

**HEBEI PHOENIX ENTERPRISES CO., LTD**

Floor 15, Tower A2, Times Ark Bldg. No.342 Heping E. Rd.  
Shijiazhuang, Hebei 050010 China

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland  
**CMI Certification Pty Ltd**  
PO Box 273, Palmwoods, Qld 4555, Australia  
ABN: 81 663 250 815  
T: + 61 7 5445 2199  
W: <https://cmicert.com.au>  
E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



080126	08/04/2026	08/04/2026	08/04/2031	AS 1628:1999 Water supply - Metallic gate, globe and non-return valve
--------	------------	------------	------------	---

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
--------------------	----------------------------	----------------------------	---------------------------	-----------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## HEBEI PHOENIX ENTERPRISES CO., LTD



APPLICABLE  
STANDARD/SPECIFICATION  
AS 1628:1999 Water supply - Metallic gate, globe and non-return valve

Brand Name	Model Name	Model Identification	Product Description	Nominal Size (DN)	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
PHP	SWING CHECK VALVE	T-C DN8	SWING CHECK VALVE	DN8	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN10	SWING CHECK VALVE	DN10	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN15	SWING CHECK VALVE	DN15	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN20	SWING CHECK VALVE	DN20	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN25	SWING CHECK VALVE	DN25	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN32	SWING CHECK VALVE	DN32	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN40	SWING CHECK VALVE	DN40	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN50	SWING CHECK VALVE	DN50	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026

PHP	SWING CHECK VALVE	T-C DN65	SWING CHECK VALVE	DN65	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN80	SWING CHECK VALVE	DN80	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	SWING CHECK VALVE	T-C DN100	SWING CHECK VALVE	DN100	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN8	2PC SPRING CHECK VALVE	DN8	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN10	2PC SPRING CHECK VALVE	DN10	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN15	2PC SPRING CHECK VALVE	DN15	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN20	2PC SPRING CHECK VALVE	DN20	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN25	2PC SPRING CHECK VALVE	DN25	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN32	2PC SPRING CHECK VALVE	DN32	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN40	2PC SPRING CHECK VALVE	DN40	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN50	2PC SPRING CHECK VALVE	DN50	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	2PC SPRING CHECK VALVE	T-2WC DN65	2PC SPRING CHECK VALVE	DN65	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN8	3PC SPRING CHECK VALVE	DN8	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026

PHP	3PC SPRING CHECK VALVE	T-3WC DN10	3PC SPRING CHECK VALVE	DN10	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN15	3PC SPRING CHECK VALVE	DN15	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN20	3PC SPRING CHECK VALVE	DN20	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN25	3PC SPRING CHECK VALVE	DN25	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN32	3PC SPRING CHECK VALVE	DN32	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN40	3PC SPRING CHECK VALVE	DN40	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN50	3PC SPRING CHECK VALVE	DN50	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN65	3PC SPRING CHECK VALVE	DN65	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN80	3PC SPRING CHECK VALVE	DN80	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	3PC SPRING CHECK VALVE	T-3WC DN100	3PC SPRING CHECK VALVE	DN100	Min Temp: -20°C Max Temp:160°C Max Pressure: 4.0MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN15	GATE VALVE	DN15	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN20	GATE VALVE	DN20	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN25	GATE VALVE	DN25	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026

PHP	GATE VALVE	T-GA DN32	GATE VALVE	DN32	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN40	GATE VALVE	DN40	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN50	GATE VALVE	DN50	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN65	GATE VALVE	DN65	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GATE VALVE	T-GA DN80	GATE VALVE	DN80	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN15	GLOBE VALVE	DN15	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN20	GLOBE VALVE	DN20	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN25	GLOBE VALVE	DN25	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN32	GLOBE VALVE	DN32	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN40	GLOBE VALVE	DN40	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026
PHP	GLOBE VALVE	T-GL DN50	GLOBE VALVE	DN50	Min Temp: -20°C Max Temp:160°C Max Pressure: 1.6MPa	Y	08/04/2026

\*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

**End of Record**