



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Jiangmen Anmei Industrial Co., Ltd

Building 3, No 23. Yexing 1st Road, Xinhui District,
Jiangmen, Guangdong, China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
 2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
 3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: www.cmicert.com.au
E: office@cmicert.com.au



080078	20/10/2023	28/01/2026	19/10/2028	AS 3718:2021 Water supply – tap ware
--------	------------	------------	------------	--------------------------------------

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
--------------------	----------------------------	----------------------------	---------------------------	-----------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Jiangmen Anmei Industrial Co., Ltd.



APPLICABLE
STANDARD/SPECIFICATION
AS 3718:2021 Water supply – tap ware

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B204 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B204 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B205 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B205 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B206 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B206 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B231C 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B231 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B987 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B988 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B726 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B546 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B990 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B990 02	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B205G 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min – 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B703B 01	Basin Faucet & Mixer – Stainless Steel SUS304 - with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025

JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K672 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K672C 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K639 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K640 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K638 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Kitchen Mixer	K712 01	Sink Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 6.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Shower Mixer	SO050 11	Shower Mixer – Brass - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	20/10/2023
JAI/ANMEI/CATHAY SUPPLY	Shower Mixer	SO050 12	Shower Mixer – Brass - 35mm Flat Seat Ceramic & Plastic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	20/10/2023
JAI/ANMEI/CATHAY SUPPLY	Bath Spout	C100 02	Bath Spout - Stainless Steel SUS304 & Brass with Aerator	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Bath Spout	C116 02	Bath Spout - Stainless Steel SUS304 with Aerator	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Bath Spout	C121 02	Bath Spout - Stainless Steel SUS304 & Brass with Aerator	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Bath Spout	C118 02	Bath Spout - Brass with Aerator	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Bath Spout	C050 02	Bath Spout - Brass with Aerator	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Spout	BC100 02	Basin Spout - Stainless Steel SUS304 with Aerator Flow Controller 1.75gpm	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Spout	BC116 02	Basin Spout - Stainless Steel SUS304 with Aerator Flow Controller 1.75gpm	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Spout	BC121 02	Basin Spout - Stainless Steel SUS304 & Brass with Aerator Flow Controller 1.75gpm	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Spout	BC118 02	Basin Spout - Brass with Aerator Flow Controller 1.75gpm	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Spout	BC050 02	Basin Spout - Brass with Aerator Flow Controller 1.75gpm	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Sink Mixer	K163A 01-6	Sink Mixer - Stainless Steel SUS304 with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.2gpm & Check Valve– 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B710 28-6	Basin Mixer - Stainless Steel SUS304 - Aerator Flow Controller 1.2gpm & Check Valve– 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B712 01	Basin Mixer - Stainless Steel SUS304 with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B712 02	Basin Mixer - Stainless Steel SUS304 with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B703A 01	Basin Mixer - Stainless Steel SUS304 with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI/CATHAY SUPPLY	Basin Mixer	B703A 02	Basin Mixer - Stainless Steel SUS304 with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Basin Mixer	B205L 01	Basin Mixer - Brass with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Basin Mixer	B205L 02	Basin Mixer - Brass with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025

JAI/ANMEI	Basin Mixer	B205L 28	Basin Mixer – Brass - Aerator Flow Controller 1.75gpm – 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Basin Mixer	B064 01	Basin Mixer - Brass with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Basin Mixer	B064 02	Basin Mixer - Brass with Flexible Braided Stainless Steel DN6 Hose - Aerator Flow Controller 1.75gpm – 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Basin Mixer	B064 28	Basin Mixer – Brass - Aerator Flow Controller 1.75gpm - 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	Yes	17/04/2025
JAI/ANMEI	Shower Mixer	SO205L 21	Shower Mixer – Brass - 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025
JAI/ANMEI	Shower Mixer	SO064 21	Shower Mixer – Brass - 35mm Ceramic Cartridge Controller	Working Pressure: 0.05Mpa to 1Mpa Working Temperature: 0 °C to 55 °C	N/A	17/04/2025

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record