



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Jiangmen Mega Casa Co., Ltd

12/F, Block 1, Link Park, No. 898 Jiangmen Blvd,
Jiangmen City, Guangdong Province 529000 China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
 2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
 3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: www.cmicert.com.au
E: office@cmicert.com.au



080065	09/08/2023	02/12/2024	08/08/2028	AS 3718:2021 Water supply – tap ware
--------	------------	------------	------------	--------------------------------------

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
-----------------------	-------------------------------	-------------------------------	------------------------------	--------------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Jiangmen Mega Casa Co., Ltd.



APPLICABLE
STANDARD/SPECIFICATION
AS 3718:2021 Water supply – tap ware

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
MEGA CASA	Angle Valve	IN-C1801WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1802WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1803WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1804WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1805WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1806WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1807WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1808WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Angle Valve	IN-C1809WM	Angle Valve – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Basin Mixer	IN-H2023WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Side-Outlet Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2023-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Side-Outlet Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S2032WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Side-Outlet Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S2032-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Side-Outlet Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2022WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Combined Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2022-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Combined Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2018WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 30mm High Pressure Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2018-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 30mm High Pressure Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Basin Mixer	IN-S2034WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 30mm High Pressure Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S2034-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 30mm High Pressure Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2017WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2017-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2020WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2020-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2015WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 26mm Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2015-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 26mm Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H2008WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Basin Mixer	IN-H2008-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4023WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4038WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Low Torque Flat-Open Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4032WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4022WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-36S4022WM	Basin Faucet & Mixer – Stainless Steel SUS316 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4034WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4017AWM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4018WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4034WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4020WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Basin Mixer	IN-S4045A-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Low Torque Flat-Open Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4045B-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Low Torque Flat-Open Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4043WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4043AWM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-H4066WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4045BWM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin Mixer	IN-S4045AWM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – DN15 DR Brass & Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Bathtub Spout	IN-AF001-1WM	Bathtub Spout - Stainless Steel SUS304 – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Bathtub Spout	IN-AF002-1WM	Bathtub Spout - Stainless Steel SUS304 – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Bathtub Spout	IN-AF004-1WM	Bathtub Spout - Stainless Steel SUS304 – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Concealed Mixer	IN-H11023WM	Concealed Mixer – Stainless Steel SUS304 – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Concealed Mixer	IN-36S12015WM	Concealed Mixer – Stainless Steel SUS316 – with 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Concealed Mixer	IN-S11043WM	Concealed Mixer – Stainless Steel SUS304 – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Concealed Mixer	IN-S12043WM	Concealed Mixer – Stainless Steel SUS304 – with 35mm Low Torque Flat-Open Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Hand Shower Bath Set	IN-S12038BWM	Hand Shower, Faucet, Concealed Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel & PU Shower Hose G1/2 G1/2 – Flow Controller PCW 1/2 9.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Hand Shower Bath Set	IN-S13038BWM	Hand Shower, Faucet, Concealed Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel & PU Shower Hose G1/2 G1/2 – Flow Controller PCW 1/2 9.0L/min - 35mm Flat Seat Ceramic & Plastic Cartridge Controller & 26mm Diverter Ceramic Cartridge – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Faucet Spout	IN-AF001WM	Faucet Spout - Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Faucet Spout	IN-AF002WM	Faucet Spout - Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Faucet Spout	IN-AF004WM	Faucet Spout - Stainless Steel SUS304 – with Aerator Flow Controller 1.5gpm – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5031AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5031APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Flow Controller 1.5gpm - 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Kitchen Mixer	IN-H5032AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Aerator Flow Controller 1.5gpm - 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5032APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Flow Controller 1.5gpm - 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5033AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5033APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5034AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Aerator Flow Controller 1.5gpm - 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5034APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 – Flow Controller 1.5gpm - 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5035AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 – Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H5036AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 – Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Kitchen Mixer	IN-S5043AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 – Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H4085WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 – Aerator Flow Controller 1.5gpm – 25mm Flat-Open Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H4083WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 – Aerator Flow Controller 1.5gpm – 25mm Flat-Open Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3008AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3008AWM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3008BWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3023WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-S3032BWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3017AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Kitchen Mixer	IN-H3017BWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-S3033APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3015GWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3015GWM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3070AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3142WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3142WM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3246AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat-Open Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Kitchen Mixer	IN-H3156AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3156AWM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3156BWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3095WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3157BWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3157AWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3157AWM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3093WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 25mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023

MEGA CASA	Kitchen Mixer	IN-H3181WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3136WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3259WM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-36S3259WM	Kitchen Faucet & Mixer – Stainless Steel SUS316 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M8*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Kitchen Mixer	IN-H3281APWM	Kitchen Faucet & Mixer – Stainless Steel SUS304 with Flexible Braided Stainless Steel SS304 & PEX Hose DN6 G1/2 M10*1 and Flexible Braided Stainless Steel SS304 & PEX Hose DN8 G1/2 - Aerator Flow Controller 1.5gpm – 35mm Flat Seat Ceramic & Plastic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	09/08/2023
MEGA CASA	Basin mixer	IN-S2044WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 5.0L/min – 25mm Flat Seat Ceramic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2044-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 5.0L/min – 25mm Flat Seat Ceramic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024

MEGA CASA	Basin mixer	IN-H1023WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Side-Outlet Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2060WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 26mm Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2060-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 26mm Side-Outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2045WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm side-outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2045-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm side-outlet Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2097WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2097-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-Z2007WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Side-Outlet Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-Z2007-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 35mm Side-Outlet Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024

MEGA CASA	Basin mixer	IN-H2100WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2100-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2101WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-H2101-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Ceramic Cartridge Controller without Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2046-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2046WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2055WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S2055-1WM	Basin Faucet & Mixer – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PEX Hose DN G1/2 M10*1– Aerator Flow Controller 1.5gpm – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Basin mixer	IN-S4044BWM	Basin Faucet & Mixer – Stainless Steel SUS304 – Aerator Flow Controller 5.0L/min – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024

MEGA CASA	Concealed Mixer	IN-S12046WM	Concealed Mixer – Stainless Steel SUS304 – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Concealed Mixer	IN-S11055WM	Concealed Mixer – Stainless Steel SUS304 – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Concealed Mixer	IN-S12055WM	Concealed Mixer – Stainless Steel SUS304 – 25mm Low Torque Cartridge Controller with Distributor – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Shower set	IN-C6046WM	Shower Set – Stainless Steel SUS304 – with Flexible Braided Stainless Steel SUS304 & PU Hose G1/2, G1/2, DN8– Aerator Flow Controller 9.0L/min – Ceramic Mixer Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 – 0.5Mpa Maximum Hot water Temperature: 80°C Recommended Hot Water Temperature: 65°C	N/A	02/12/2024
MEGA CASA	Pure Water Faucet	IN-C2516A-1WM	Pure Water Faucet – Stainless Steel SUS304 – DN15 DR Brass & Ceramic Cartridge Controller – SS-Bushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Recommended Working Pressure: 35kpa – 150kpa Working Temperature: 1°C - 55°C	No	02/12/2024

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

** Product is required to be Lead Free compliant by 01/05/2026

End of Record