



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Jiangmen Mega Casa Co., Ltd

12/F, Block 1, Link Park, No. 898 Jiangmen Blvd,
Jiangmen City, Guangdong Province 529000 China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: www.cmicert.com.au
E: office@cmicert.com.au



080066	09/08/2023	30/09/2025	08/08/2028	AS/NZS 3662:2005 Performance of showers for bathing
--------	------------	------------	------------	---

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
-----------------------	-------------------------------	-------------------------------	------------------------------	--------------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Jiangmen Mega Casa Co., Ltd.



APPLICABLE
STANDARD/SPECIFICATION
AS/NZS 3662:2005 Performance of showers for bathing

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
MEGA CASA	Shower Set	IN-S6031WM	Hand Shower & Shower – Stainless Steel SUS304 – with Flexible Braided Stainless Steel Shower Hose PU DN8 G1/2 G 1/2– Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Set	IN-36S6031WM	Hand Shower & Shower – Stainless Steel SUS316 – with Flexible Braided Stainless Steel Shower Hose PU DN8 G1/2 G 1/2– Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA01WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA02WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA03WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA05WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA330WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-36SAA330WM	Hand Shower – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel,	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa	N/A	09/08/2023

			BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Hot Water Temperature: 49°C		
MEGA CASA	Hand Shower	IN-AA06WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA08WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-AA12WM	Hand Shower – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Hand Shower	IN-36SAA12WM	Hand Shower – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-AB15WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-36SAB15WM	Shower Head – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-AB13WM	Shower Head – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-36SAB13WM	Shower Head – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-AB02WM	Shower Head – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-36SAB02WM	Shower Head – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-AB03WM	Shower Head – Stainless Steel SUS304 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023

			Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White			
MEGA CASA	Shower Head	IN-36SAB03WM	Shower Head – Stainless Steel SUS316 – with Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Hose	IN-AE001WM	Flexible Braided Stainless Steel Shower Hose EDPM DN8 G1/2 G 1/2 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Hose	IN-AE002WM	Flexible Braided Stainless Steel Shower Hose EDPM DN8 G1/2 G 1/2 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Set	IN-A05S2-1WM	Hand Shower – Stainless Steel SUS304 – with Flexible Braided Stainless Steel Shower Hose PU DN8 G1/2 G 1/2 – Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Set	IN-A06S2WM	Hand Shower – Stainless Steel SUS304 – with Flexible Braided Stainless Steel Shower Hose PU DN8 G1/2 G 1/2 – Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	09/08/2023
MEGA CASA	Shower Head	IN-AB13-8WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB14-10WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB14-12WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB02-8WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB02-10WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB02-12WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024

			BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White			
MEGA CASA	Shower Head	IN-AB16-10WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB16-12WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB03-8WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB03-10WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8649.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head	IN-AB03-12WM	Shower Head – Stainless Steel SUS304 - Aerator Flow Controller Neoperl 58.8639.1 WMKA21177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	21/11/2024
MEGA CASA	Shower Head Set	IN-AC15	Shower Head – Stainless Steel SUS304 with Flexible Braided Stainless Steel SUS304 Shower Hose DN14 G1/2 G1/2 EPDM Inner Hose - Aerator Flow Controller Neoperl 58.8649.1 WM-021177 – SS-Brushed Steel, PN-Polished Nickel, BC-Brushed Champaign, BRG-Brushed Rose Gold, BGM-Brushed Gunmetal, BG-Brushed Gold, MB-Matte Black, CP-Chrome Plating, ORB-Oil, Rubbed Bronze, WHT-White	Maximum Working Pressure: 1Mpa Recommended Working Pressure: 0.1 - 0.5Mpa Maximum Hot Water Temperature: 49°C	N/A	30/09/2025

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record