



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

KSH Shopfitting Equipment Pty Ltd

23A Nyrang Street, Lidcombe, New South Wales 2141, Australia

ABN: 63 131 356 986

T: + 61 2 9642 3688

W: www.kshequipment.com

E: sales@kshequipment.com

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

CMI Certification Pty Ltd

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: www.cmicert.com.au

E: office@cmicert.com.au



080062	21/04/2023	21/04/2023	21/04/2028	WMTS-040:2022 Waste pipe connection outlets and gratings, separate or integral
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

KSH Shopfitting Equipment Pty Ltd



APPLICABLE STANDARD/SPECIFICATION
WMTS-040:2022 Waste pipe connection outlets and gratings, separate or integral

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Date Endorsed
KSH	Floor Waste	RF150-100	Floor Waste, Round DN128 x DN100, SUS304 Stainless Steel Grate, Removeable Primary Strainer & Fixed Secondary Housing & Strainer. Rubber Ring Seal. Suits DN100 PVC Pipe Connection	Floor Drain Water temperature: $\leq 95^{\circ}\text{C}$ Wastewater Drainage Suits DN100 Pipe Connection	21/04/2023
KSH	Floor Waste	RW100	Floor Waste, Round DN128 x DN100, SUS304 Stainless Steel Grate, Removeable Primary Strainer & Fixed Secondary Housing & Strainer. Rubber Ring Seal. Suits DN100 PVC Pipe Connection	Floor Drain Water temperature: $\leq 95^{\circ}\text{C}$ Wastewater Drainage Suits DN100 Pipe Connection	21/04/2023
KSH	Sink Waste Arrestor	SW0001	Sink Waste, Round DN80 x DN50, SUS304 Stainless Steel Plug, Removeable Primary Strainer & Fixed Secondary Strainer. Polypropylene (PP) Bowl & Outlet. Rubber Gasket. Suits DN80 Outlet & DN50 Thread Connection.	Waste Outlet Water temperature: $\leq 95^{\circ}\text{C}$ Wastewater Drainage Suits DN80 Outlet & DN50 Thread Connection	21/04/2023
KSH	Floor Waste	SW150	Floor Waste, Square 150mm x 150mm x DN100, SUS304 Stainless Steel Grate & Base, Removeable Primary Strainer & Fixed Secondary Strainer. Rubber Ring Seal. Suits DN100 PVC Pipe Connection.	Floor Drain Water temperature: $\leq 95^{\circ}\text{C}$ Wastewater Drainage Suits DN100 Pipe Connection	21/04/2023
KSH	Floor Waste	VFW100	Floor Waste, Round DN150 x DN100, SUS304 Stainless Steel Grate, Removeable Primary Strainer & Fixed Secondary Housing & Strainer. Rubber Ring Seal. Suits DN100 PVC Pipe Connection	Floor Drain Water temperature: $\leq 95^{\circ}\text{C}$ Wastewater Drainage Suits DN100 Pipe Connection	21/04/2023

End of Record