



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Kaiping Enqi Metal Products Co., Ltd

No. 27 Tongfu Road, Jiaxing Industrial Zone, Shuikou Town, Kaiping,
Jiangmen City, Guangdong, 529300 China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

CMI Certification Pty Ltd

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: www.cmicert.com.au

E: office@cmicert.com.au



080081	28/11/2024	28/11/2024	27/11/2029	AS 3718:2021 Water supply – Tap ware
--------	------------	------------	------------	--------------------------------------

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
-----------------------	-------------------------------	-------------------------------	------------------------------	--------------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Kaiping Enqi Metal Products Co., Ltd



APPLICABLE
STANDARD/SPECIFICATION
AS 3718:2021 Water supply – Tap ware

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
Eunki	Outdoor Public Button Drinking Faucet	HWB-001	Outdoor Public Button Drinking Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa, Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Outdoor Public Rocker Drinking Faucet	HWB-002	Outdoor Public Rocker Drinking Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Stainless Steel Push Rob Faucet	HWB-006	Push Rob Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Spherical Time Delay Valve	HWB-007	Spherical Time Delay Valve – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Outdoor Public Button Drinking Faucet	HWB-004	Outdoor Public Button Drinking Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Outdoor Public Rocker Drinking Faucet	HWB-003	Outdoor Public Rocker Drinking Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Stainless Steel Press Faucet	KSQB-001	Press Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Stainless Steel Press Faucet	KSQB-002	Press Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Vertical Mixer Faucet	XPTF-409	Vertical Mixer Faucet – Stainless Steel SS304 – 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Vertical Single Cooled Faucet	XPTF-101	Vertical Single Cooled Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Vertical Single Hole Double Temperature Faucet	XPTF-201	Vertical Single Hole Double Temperature Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller – DN 6 SS304 Braided & PEX Hose G1/2 M8*1	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024

Eunki	Vertical Single Hole Double Temperature Faucet	XPTF-202	Vertical Single Hole Double Temperature Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller - DN 6 SS304 Braided & PEX Hose G1/2 M8*1	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Into the Wall Double Warm Faucet	XPTF-804	Wall Mounted Double Warm Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Into the Wall Double Warm Faucet	XPTF-803	Wall Mounted Double Warm Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Vertical Double Warm Faucet	XPTF-802	Vertical Double Warm Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Vertical Double Warm Faucet	XPTF-801	Vertical Double Warm Faucet – Stainless Steel SS304 - 1.25gpm Flow Controller	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Double Warm Faucet for Wall Mounted Dishwasher	HSF-201	Double Warm Faucet for Wall Mounted Dishwasher – Stainless Steel SS304 - DN 6 SS304 Braided & PEX Hose G1/2 M8*1 - DN 8 SS304 Braided & PEX Hose G1/2 G1/2	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Wall Dishwasher Double Warm Faucet with Bent Pipe	HSF-202	Wall Dishwasher Double Warm Faucet with Bent Pipe – Stainless Steel SS304 - 1.25gpm Flow Controller - DN 6 SS304 Braided & PEX Hose G1/2 M8*1 - DN 8 SS304 Braided & PEX Hose G1/2 G1/2	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Single Hole Double Temperature Dishwasher Faucet	HSK-203	Single Hole Double Temperature Dishwasher Faucet – Stainless Steel SS304 - DN 6 SS304 Braided & PEX Hose G1/2 M8*1 - DN 8 SS304 Braided & PEX Hose G1/2 G1/2	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Single Hole Double Temperature Dishwasher Faucet with Bent Pipe	HSK-204	Single Hole Double Temperature Dishwasher Faucet with Bent Pipe – Stainless Steel SS304 - 1.25gpm Flow Controller - DN 6 SS304 Braided & PEX Hose G1/2 M8*1 - DN 8 SS304 Braided & PEX Hose G1/2 G1/2	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024
Eunki	Outdoor Public Button Drinking Faucet	HWB-017	Outdoor Public Button Drinking Faucet – Stainless Steel SS304	Working Pressure: 150 kPa – 1000 kPa Working Temp: 0°C - 65°C	N/A	28/11/2024

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

** Product is required to be Lead Free compliant by 01/05/2026

End of Record