



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Kaiping Thun Sanitary Ware Co.,Ltd

No.48 Jiaxing South Road, Shuikou Town,
Kaiping City, Guangdong, 529321, China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: + 61 7 5445 2199
W: <https://cmicert.com.au>
E: office@cmicert.com.au



| | | | | |
|--------|------------|------------|------------|--------------------------------------|
| 080108 | 03/06/2026 | 03/06/2026 | 03/06/2031 | AS 3718:2021 Water supply - tap ware |
|--------|------------|------------|------------|--------------------------------------|

| CERTIFICATE NUMBER | INITIAL CERTIFICATION DATE | CURRENT CERTIFICATION DATE | CERTIFICATION EXPIRY DATE | APPLICABLE STANDARD/SPECIFICATION |
|--------------------|----------------------------|----------------------------|---------------------------|-----------------------------------|
|--------------------|----------------------------|----------------------------|---------------------------|-----------------------------------|

This Certificate is issued by a JASANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Kaiping Thun Sanitary Ware Co.,Ltd

APPLICABLE
STANDARD/SPECIFICATION
AS 3718:2021 Water supply - tap ware



| Brand Name | Model Name | Model Identification | Product Description | Scope of Use | Lead Free* Yes/No**/Not Applicable | Date Endorsed |
|------------|-------------------|----------------------|---|--|--|------------------|
| Thun | Basin Mixer | LJ-9072 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9015A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3261.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9016A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8060 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & C19-7L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9021A | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Bath Shower Mixer | LJ-6081 | Free standing Bathtub Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L WM 74669 for hand shower - Inlet hose WM8-04 WM-032189 - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6081H | Outdoor Free-standing Shower - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L WM 74669 for both showerhead and hand shower - Inlet hose WM8-04 WM-032189 - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8003 | Single Lever Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8003A | Single Lever Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8030D | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3261.010 WMKA21177 & C19-7L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8072 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4725.0 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |

| | | | | | | |
|------|---------------|----------|---|--|-----|------------|
| Thun | Kitchen Mixer | LJ-8015 | 2-in-1 Water Filter Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 for mixed water 24KK-3 WMKA21823 for filter water - Flow controller 42.2261.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9072A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9015 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3261.010 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9016 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8060A | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8060C | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8061 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9073 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9073A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9070 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9070A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 45.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9031 | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9031A | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9050 | Single Lever Basin Mixer - SUS304 - Cartridge 24KK-3 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9005B | Single Lever Basin Mixer - SUS304 - Cartridge 25D-7-1 WMKA21823 - Flow controller 42.3056.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Bath Mixer | LJ-6081B | Free standing Bathtub Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Inlet hose WM8-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8032 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8032A | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |

| | | | | | | |
|------|-------------------|----------|---|--|-----|------------|
| Thun | Kitchen Mixer | LJ-8062 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8031B | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8031F | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8031C | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8030C | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8090 | 2-in-1 Water Filter Kitchen Mixer - SUS304 - Cartridge 26H-11 WMKA21823 for mixed water D21KK-LF WMKA21823 for filter water - Flow controller 43.2251.010 WMKA21177 - Inlet hose WM6-03 WM-032189 for mixed water WM8-05 WM-032189 for filter water | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8057 | 2-in-1 Water Filter Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 for mixed water 24KK-3 WMKA21823 for filter water - Flow controller 43.2251.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8025A | 2-in-1 Water Filter Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 for mixed water 24KK-3 WMKA21823 for filter water - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-7006B | Filter Tap - SUS304 - Cartridge 24KK-3 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9022 | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 45.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9022A | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 45.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-677A | Shower Mixer Tap with Diverter - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-677B | Shower Mixer Tap - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Bath Shower Mixer | LJ-6078 | Single Lever Bath - Shower Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L WM 74669 for hand shower - Inlet hose WM6-04 WM-032189 - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-608A | Shower Mixer Tap with Diverter - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-608 | Shower Mixer Tap - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-675A | Shower Mixer Tap with Diverter - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |

| | | | | | | |
|------|-------------------|-------------|---|--|-----|------------|
| Thun | Shower Mixer | LJ-675B | Shower Mixer Tap - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-606A | Shower Mixer Tap with Diverter - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-606 | Built-in Shower Mixer Body Set - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8002 | Single Lever Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8002A | Single Lever Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8072C | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & C19-7L WM 74669 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8074 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8079 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 & 58.4723.0 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-6027C | Shower Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L for both showerhead and hand shower - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Bath Shower Mixer | LJ-6083 | Free standing Bathtub Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L WM 74669 for hand shower - Inlet hose WM8-04 WM-032189 - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Basin Mixer | LJ-9015(L) | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3261.010 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9015A(L) | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3261.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9016(L) | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9016A(L) | Single Lever Basin Mixer - SUS304 - Cartridge 26H-10 WMKA21823 - Flow controller 44.3061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-9060B | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller C19-9L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8091 | Single Lever Kitchen Mixer - SUS304 - Cartridge 26H-11 WMKA21823 - Flow controller 43.2251.010 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9025 | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9025A | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 45.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8078 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller C19-7L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |

| | | | | | | |
|------|---------------|----------|--|--|-----|------------|
| Thun | Basin Mixer | LJ-9010 | Single Lever Basin Mixer - SUS304 - Cartridge LT35H-10 WMKA21823 - Flow controller 43.2251.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9010A | Single Lever Basin Mixer - SUS304 - Cartridge LT35H-10 WMKA21823 - Flow controller 43.2251.010 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-607A | Shower Mixer Tap with Diverter - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-607 | Built-in Shower Mixer Body Set - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Basin Mixer | LJ-9005C | Single Lever Basin Mixer - SUS304 - Cartridge 25D-7-1 WMKA21823 - Flow controller 42.3056.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8066 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller C19-7L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8066A | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller C19-7L WM 74669 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9021 | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8072D | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge W25D WMKA21823 - Flow controller 44.3261.010 WMKA21177 & C19-7L WM 74669 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-6081L | Outdoor Free-standing Shower - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 - Inlet hose WM8-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Bath mixer | LJ-6083B | Free standing Bathtub Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Inlet hose WM8-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6083H | Outdoor Free-standing Shower - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-9L WM 74669 for both showerhead and hand shower - Inlet hose WM8-04 WM-032189 - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6083L | Outdoor Free-standing Shower - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 - Inlet hose WM8-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6077A | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 for both showerhead and hand shower - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6077B | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6075A | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 for showerhead C19-9L WM 74669 for hand shower - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6075B | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6015A | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 for both showerhead and hand shower - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |

| | | | | | | |
|------|---------------|-----------|---|--|-----|------------|
| Thun | Shower Mixer | LJ-6015B | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6012A | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 for both showerhead and hand shower - Shower hose WM14-01 WM-032190 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-6012B | Built-in Shower Mixer Set - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 58.8639.1 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-9065B | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 25D-7-1 WMKA21823 - Flow controller 44.3061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8068 | Single Lever Kitchen Mixer - SUS304 - Cartridge 25D-7-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-03 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9001 | Single Lever Basin Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2061.000 WMKA21177 - Inlet hose WM6-04 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Kitchen Mixer | LJ-8011 | Single Lever Pull-down Kitchen Mixer - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller C19-7L WM 74669- Inlet hose WM6-03 WM-032189 - Quick coupling hose WM6-08 WM-032189 - Pull out hose WM8-08 WM-032189 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9026A | Wall Basin Mixer - SUS304 - Cartridge HTG 5/8-LF WMK25870 - Flow controller 43.2256.010 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Basin Mixer | LJ-9026B | Wall Basin Mixer - SUS304 - Cartridge HTG 5/8-LF WMK25870 - Flow controller 43.2256.010 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-W606 | Wall Mixer - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-W606A | Wall Diverter Mixer - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Basin Mixer | LJ-W9021A | Single Handle Wall Mount Lavatory Faucet - SUS304 - Cartridge 35D-1 WMKA21823 - Flow controller 40.2056.000 WMKA21177 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | Yes | 03/06/2026 |
| Thun | Shower Mixer | LJ-677B02 | Wall Mixer - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |
| Thun | Shower Mixer | LJ-677A02 | Wall Diverter Mixer - SUS304 - Cartridge 35D-1 WMKA21823 | Working pressure: 0.15~0.5MPa Working temperature: 0~65°C | N/A | 03/06/2026 |

*Lead Free compliance in accordance with NCC 2025 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record