



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Kaiping Yingchuan Sanitary Ware Technology Co., Ltd
NO.172-178 Taihe Rd, Jiaying Industrial Zone, Shuikou Town,
Kaiping, Jiangmen, Guangdong 529321, China

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following, which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland
CMI Certification Pty Ltd
PO Box 273, Palmwoods, Qld 4555, Australia
ABN: 81 663 250 815
T: +61 7 5445 2199
W: www.cmicert.com.au
E: office@cmicert.com.au



080095	17/12/2024	09/04/2025	16/12/2029	AS/NZS 3662:2005 Performance of showers for bathing
CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

Kaiping Yingchuan Sanitary Ware Technology Co., Ltd

APPLICABLE
STANDARD/SPECIFICATION
AS/NZS 3662:2005 Performance of showers for bathing



Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
Yingchuan	Top Shower Head	YC-TH8064-10	Top Shower Head – Stainless Steel SUS304 – Flow Controller WMKA21177 58.8639.1 PCW 1/2" – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Ceiling Top Shower Head	YC-TS81110	Ceiling Top Shower Head – Stainless Steel SUS304 – Flow Controller WMKA21177 58.8639.1 PCW 1/2" – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Top Shower Head Set	YC-T8064-10	Top Shower Head Set – Stainless Steel SUS304 – Flow Controller WMKA21177 58.8639.1 PCW 1/2" – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Top Shower Head Set	YC-CT8064-10	Top Shower Head Set – Stainless Steel SUS304 – Flow Controller WMKA21177 58.8639.1 PCW 1/2" – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Slide Bar Shower Set	YC-090-2S1	Slide Bar Shower Set – Stainless Steel SUS304 – Flow Controller WMKA21177 31.4158.0 CV14-FR – WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024

Yingchuan	Slide Bar with Water Inlet Shower Set	YC-097S1	Slide Bar with Water Inlet Shower Set – Stainless Steel SUS304 – Flow Controller WMKA21177 31.4158.0 CV14-FR – WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Slide Bar with Water Inlet Shower Set	YC-SR0028S	Slide Bar with Water Inlet Shower Set – Stainless Steel SUS304 – Flow Controller WMKA21177 31.4158.0 CV14-FR – WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024
Yingchuan	Shower Column with Water Inlet Shower Set	YC-8001	Shower Column with Water Inlet Shower Set – Stainless Steel SUS304 – Flow Controller Showerhead WMKA21177 58.8639.1 PCW 1/2" – Hand Shower WMKA21177 31.4158.0 - WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	09/04/2025
Yingchuan	Shower Column with Water Inlet Shower Set	YC-SC0001S	Shower Column with Water Inlet Shower Set – Stainless Steel SUS304 – Flow Controller Showerhead WMKA21177 58.8639.1 PCW 1/2" – Hand Shower WMKA21177 31.4158.0 - WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	09/04/2025
Yingchuan	Shower Column with Water Inlet Shower Set	YC-SC0002S	Shower Column with Water Inlet Shower Set – Stainless Steel SUS304 – Flow Controller Showerhead WMKA21177 58.8639.1 PCW 1/2" – Hand Shower WMKA21177 31.4158.0 - WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	09/04/2025
Yingchuan	Water Outlet Handheld Set	YC-HSH8071S1	Water Outlet Handheld Set – Stainless Steel SUS304 – Flow Controller WMKA21177 58.8639.1 PCW 1/2" - WM032190 WM14-01 Shower Hose, DN14 G1/2, G1/2, EPDM Inner Hose – available in - Brushed / Silver, Mirror / Chrome, Chrome Matt Black, PVD Brushed Gold, PVD Gun Grey, PVD Brushed Rose Gold	Working Pressure: 0.15Mpa to 0.5Mpa Maximum Working Pressure: 1Mpa Maximum Temperature: 49°C High Pressure Use	N/A	17/12/2024

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record