

CERTIFICATE OF CONFORMITY

This is to certify that

Linyi Luju Leader Wood Co.,Ltd.

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork
AS/NZS 2269.0:2012 Plywood - Structural Specifications



CMI ProdCert
PC10232

Certificate Holder

Linyi Luju Leader Wood Co.,Ltd.
Hedong District, Linyi, Shandong
276000 China

Product Description

Formwork Plywood & Structural Plywood

Product Purpose or Use

Formwork Plywood & Structural Plywood

Subject to the following Conditions & Limitations:

Nil

Certificate No: PC10232

Originally Certified: 17/04/2026

Updated: 17/04/2026

Expires: 17/04/2031

Talissa Ireland
CMI Certification Pty Ltd



Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JASANZ Accreditation No. Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CERTIFICATE OF CONFORMITY

This is to certify that

Linyi Luju Leader Wood Co.,Ltd.

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork

Brand	Model	Description	Date Endorsed
LEADER®	F27/F17 Formply 17mm	17mm Formply Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , Class 2 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa	17/04/2026
LEADER®	F17 Formply 17mm	17mm Formply Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , Class 2 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa	17/04/2026
LEADER®	F14 Formply 17mm	17mm Formply Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , Class 2 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa	17/04/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



AS/NZS 2269.0:2012 Plywood - Structural Specifications

Brand	Model	Description	Date Endorsed
LEADER®	F27 Ply 4mm	4mm Structural Plywood – Eucalyptus – CD, A Bond, Super E ₀ , 4 (I 5.1 – Z 2.6 / I 0.4 – Z 0.4) Parallel: E 19505 MPa; f'_b 72.9 MPa; f'_s 6.4 MPa; f'_t 53.1 MPa; f'_c 56.5 MPa Perpendicular: E 19632 MPa; f'_b 86.8 MPa; f'_s 6.2 MPa; f'_t 50.1 MPa; f'_c 56.4 MPa	17/04/2026
LEADER®	F22 Ply 4mm	4mm Structural Plywood – Eucalyptus – CD, A Bond, Super E ₀ , 4 (I 5.1 – Z 2.6 / I 0.4 – Z 0.4) Parallel: E 19505 MPa; f'_b 72.9 MPa; f'_s 6.4 MPa; f'_t 53.1 MPa; f'_c 56.5 MPa Perpendicular: E 19632 MPa; f'_b 86.8 MPa; f'_s 6.2 MPa; f'_t 50.1 MPa; f'_c 56.4 MPa	17/04/2026
LEADER®	F14 Ply 7mm	7mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 7 (I 12.6 – Z 3.5 / I 16.9 – Z 5.6) Parallel: E 13710 MPa; f'_b 92.7 MPa; f'_s 7.1 MPa; f'_t 30.0 MPa; f'_c 29.9 MPa Perpendicular: E 15537 MPa; f'_b 66.8 MPa; f'_s 7.6 MPa; f'_t 36.8 MPa; f'_c 27.2 MPa	17/04/2026
LEADER®	F11 Ply 7mm	7mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 7 (I 12.6 – Z 3.5 / I 16.9 – Z 5.6) Parallel: E 13710 MPa; f'_b 92.7 MPa; f'_s 7.1 MPa; f'_t 30.0 MPa; f'_c 29.9 MPa Perpendicular: E 15537 MPa; f'_b 66.8 MPa; f'_s 7.6 MPa; f'_t 36.8 MPa; f'_c 27.2 MPa	17/04/2026
LEADER®	F8 Ply 7mm	7mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 7 (I 12.6 – Z 3.5 / I 16.9 – Z 5.6) Parallel: E 13710 MPa; f'_b 92.7 MPa; f'_s 7.1 MPa; f'_t 30.0 MPa; f'_c 29.9 MPa Perpendicular: E 15537 MPa; f'_b 66.8 MPa; f'_s 7.6 MPa; f'_t 36.8 MPa; f'_c 27.2 MPa	17/04/2026
LEADER®	F11 Ply 9mm	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 30.6 – Z 6.6 / I 32.0 – Z 7.8) Parallel: E 11455 MPa; f'_b 73.3 MPa; f'_s 6.4 MPa; f'_t 24.6 MPa; f'_c 24.6 MPa Perpendicular: E 12422 MPa; f'_b 60.7 MPa; f'_s 5.7 MPa; f'_t 25.6 MPa; f'_c 27.7 MPa	17/04/2026
LEADER®	F8 Ply 9mm	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 30.6 – Z 6.6 / I 32.0 – Z 7.8) Parallel: E 11455 MPa; f'_b 73.3 MPa; f'_s 6.4 MPa; f'_t 24.6 MPa; f'_c 24.6 MPa Perpendicular: E 12422 MPa; f'_b 60.7 MPa; f'_s 5.7 MPa; f'_t 25.6 MPa; f'_c 27.7 MPa	17/04/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



LEADER®	F11 Ply 12mm	12mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 12 (I 62.2 – Z 9.9 / I 86.9 – Z 15.5) Parallel: E 10607 MPa; f'_b 68.7 MPa; f'_s 4.8 MPa; f'_t 24.0 MPa; f'_c 23.8 MPa Perpendicular: E 10563 MPa; f'_b 47.2 MPa; f'_s 4.9 MPa; f'_t 21.7 MPa; f'_c 24.4 MPa	17/04/2026
LEADER®	F8 Ply 12mm	12mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 12 (I 62.2 – Z 9.9 / I 86.9 – Z 15.5) Parallel: E 10607 MPa; f'_b 68.7 MPa; f'_s 4.8 MPa; f'_t 24.0 MPa; f'_c 23.8 MPa Perpendicular: E 10563 MPa; f'_b 47.2 MPa; f'_s 4.9 MPa; f'_t 21.7 MPa; f'_c 24.4 MPa	17/04/2026
LEADER®	F14 Ply 15mm	15mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 15 (I 126.2 – Z 16.2 / I 162.9 – Z 22.9) Parallel: E 14698 MPa; f'_b 52.9 MPa; f'_s 5.8 MPa; f'_t 33.1 MPa; f'_c 37.4 MPa Perpendicular: E 14696 MPa; f'_b 42.2 MPa; f'_s 6.8 MPa; f'_t 39.2 MPa; f'_c 44.4 MPa	17/04/2026
LEADER®	F11 Ply 15mm	15mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 15 (I 126.2 – Z 16.2 / I 162.9 – Z 22.9) Parallel: E 14698 MPa; f'_b 52.9 MPa; f'_s 5.8 MPa; f'_t 33.1 MPa; f'_c 37.4 MPa Perpendicular: E 14696 MPa; f'_b 42.2 MPa; f'_s 6.8 MPa; f'_t 39.2 MPa; f'_c 44.4 MPa	17/04/2026
LEADER®	F8 Ply 15mm	15mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 15 (I 126.2 – Z 16.2 / I 162.9 – Z 22.9) Parallel: E 14698 MPa; f'_b 52.9 MPa; f'_s 5.8 MPa; f'_t 33.1 MPa; f'_c 37.4 MPa Perpendicular: E 14696 MPa; f'_b 42.2 MPa; f'_s 6.8 MPa; f'_t 39.2 MPa; f'_c 44.4 MPa	17/04/2026
LEADER®	F17 Ply 17mm	17mm Structural Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; f'_t 28.3 MPa; f'_c 43.9 MPa Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa; f'_t 36.9 MPa; f'_c 52.2 MPa	17/04/2026
LEADER®	F14 Ply 17mm	17mm Structural Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; f'_t 28.3 MPa; f'_c 43.9 MPa Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa; f'_t 36.9 MPa; f'_c 52.2 MPa	17/04/2026
LEADER®	F11 Ply 17mm	17mm Structural Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; f'_t 28.3 MPa; f'_c 43.9 MPa Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa; f'_t 36.9 MPa; f'_c 52.2 MPa	17/04/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

LEADER®	F8 Ply 17mm	17mm Structural Plywood – Eucalyptus & Birch – CC, A Bond, Super E ₀ , 17 (I 255.7 – Z 29.5 / I 166.0 – Z 22.0) Parallel: E 18949 MPa; f'_b 96.0 MPa; f'_s 7.6 MPa; f'_t 28.3 MPa; f'_c 43.9 MPa Perpendicular: E 15204 MPa; f'_b 53.0 MPa; f'_s 7.7 MPa; f'_t 36.9 MPa; f'_c 52.2 MPa	17/04/2026
LEADER®	F11 Ply 19mm	19mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 19 (I 285.0 – Z 29.1 / I 302.8 – Z 32.9) Parallel: E 14680 MPa; f'_b 63.9 MPa; f'_s 5.9 MPa; f'_t 26.4 MPa; f'_c 28.9 MPa Perpendicular: E 11201 MPa; f'_b 45.8 MPa; f'_s 6.0 MPa; f'_t 20.1 MPa; f'_c 27.3 MPa	17/04/2026
LEADER®	F8 Ply 19mm	19mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 19 (I 285.0 – Z 29.1 / I 302.8 – Z 32.9) Parallel: E 14680 MPa; f'_b 63.9 MPa; f'_s 5.9 MPa; f'_t 26.4 MPa; f'_c 28.9 MPa Perpendicular: E 11201 MPa; f'_b 45.8 MPa; f'_s 6.0 MPa; f'_t 20.1 MPa; f'_c 27.3 MPa	17/04/2026
LEADER®	F11 Ply 21mm	21mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 21 (I 349.2 – Z 32.0 / I 444.6 – Z 43.6) Parallel: E 10545 MPa; f'_b 42.1 MPa; f'_s 5.0 MPa; f'_t 38.4 MPa; f'_c 33.4 MPa Perpendicular: E 11396 MPa; f'_b 36.7 MPa; f'_s 5.4 MPa; f'_t 34.7 MPa; f'_c 35.2 MPa	17/04/2026
LEADER®	F8 Ply 21mm	21mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 21 (I 349.2 – Z 32.0 / I 444.6 – Z 43.6) Parallel: E 10545 MPa; f'_b 42.1 MPa; f'_s 5.0 MPa; f'_t 38.4 MPa; f'_c 33.4 MPa Perpendicular: E 11396 MPa; f'_b 36.7 MPa; f'_s 5.4 MPa; f'_t 34.7 MPa; f'_c 35.2 MPa	17/04/2026
LEADER®	F11 Ply 25mm	25mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 25 (I 602.4 – Z 46.4 / I 742.0 Z 60.5) Parallel: E 10695 MPa; f'_b 42.5 MPa; f'_s 7.9 MPa; f'_t 27.5 MPa; f'_c 36.0 MPa Perpendicular: E 10527 MPa; f'_b 33.7 MPa; f'_s 6.1 MPa; f'_t 31.2 MPa; f'_c 30.9 MPa	17/04/2026
LEADER®	F8 Ply 25mm	25mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 25 (I 602.4 – Z 46.4 / I 742.0 Z 60.5) Parallel: E 10695 MPa; f'_b 42.5 MPa; f'_s 7.9 MPa; f'_t 27.5 MPa; f'_c 36.0 MPa Perpendicular: E 10527 MPa; f'_b 33.7 MPa; f'_s 6.1 MPa; f'_t 31.2 MPa; f'_c 30.9 MPa	17/04/2026

End of Record

Certificate No: PC10232

Originally Certified: 17/04/2026

Updated: 17/04/2026

Expires: 17/04/2031

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

