



CMI ProdCert
PC10178

CERTIFICATE OF CONFORMITY

This is to certify that

Linyi Senhao Wood Industry

Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber, Part 0: Specifications

Certificate Holder

Linyi Senhao Wood Industry
Zhoujingpu Industrial Park, Yitang Town,
Lanshan District, Linyi, Shandong
276000 China

Product Description

Structural Laminated Veneer Lumber

Product Purpose or Use

Structural Laminated Veneer Lumber

Subject to the following Conditions & Limitations:

Nil

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Certificate No: PC10178

Originally Certified: 16/09/2025

Updated: 16/09/2025

Expires: 16/09/2030

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CMI ProdCert
PC10178

CERTIFICATE OF CONFORMITY

This is to certify that

Linyi Senhao Wood Industry

Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber, Part 0: Specifications

Wood Species: Spruce – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_p [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_p [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E10	General Beams Used on Edge Only	F8	A	Phenolic Formaldehyde Resin	-	Super E ₀	10000	54	4.5	10.2	-	-	-	-	-	-	-	-	16/09/2025

Wood Species: Spruce – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_p [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_p [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E11	General Structural Use	F11	A	Phenolic Formaldehyde Resin	-	Super E ₀	11000	55	4.0	8.7	-	11000	54.7	4.4	4.0	-	32.7	34.0	16/09/2025

Wood Species: Spruce – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_p [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_p [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E12	General Structural Use	F14	A	Phenolic Formaldehyde Resin	-	Super E ₀	12000	55	4.0	8.7	-	12000	54.7	4.4	4.0	-	32.7	34.0	16/09/2025

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



Wood Species: Spruce – Plies: ≥ 23 – Thickness: ≥ 45mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge $f'_{s'}$ [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat $f'_{s'}$ [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E13.2	General Beams Used on Edge Only	F14	A	Phenolic Formaldehyde Resin	-	Super E ₀	13200	61	4.4	9.6	-	-	-	-	-	-	-	-	16/09/2025

Wood Species: Larch – Plies: ≥ 23 – Thickness: ≥ 45mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge $f'_{s'}$ [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat $f'_{s'}$ [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E13.2	General Structural Use	F14	A	Phenolic Formaldehyde Resin	-	Super E ₀	13200	72.7	5.3	10.9	-	13200	67.8	5.3	8.7	-	35.8	41.8	16/09/2025

Wood Species: Larch – Plies: ≥ 23 – Thickness: ≥ 45mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge $f'_{s'}$ [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat $f'_{s'}$ [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E14	General Structural Use	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	14500	72.7	5.3	10.9	-	14500	67.8	5.3	8.7	-	35.8	41.8	16/09/2025

Wood Species: Spruce – Plies: ≥ 15 – Thickness: ≥ 45mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge $f'_{s'}$ [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat $f'_{s'}$ [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E14	General Beams Used on Edge Only	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	14000	54.5	4.5	10.1	-	-	-	-	-	-	-	-	16/09/2025

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmcert.com.au/>

Wood Species: Larch – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 70mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge $f'_{s'}$ [MPa]	On Edge f'_{ρ} [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat $f'_{s'}$ [MPa]	On Flat f'_{ρ} [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Senhao	E16	General Structural Use	F22	A	Phenolic Formaldehyde Resin	-	Super E ₀	16000	78.1	7.4	10.9	-	16000	74.2	6.5	8.7	-	43.6	48.6	16/09/2025

End of Record

Certificate No: PC10178

Originally Certified: 16/09/2025

Updated: 16/09/2025

Expires: 16/09/2030

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

