



CMI ProdCert
PC10156

CERTIFICATE OF CONFORMITY

This is to certify that

Longhai Yinfeng Industry & Trade Co., Ltd

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork
AS/NZS 2269.0:2012 Plywood - Structural Specifications

Certificate Holder

Longhai Yinfeng Industry & Trade
Co., Ltd
Shanbian Village, Baishui Town,
Longhai, Fujian 363100 China

Product Description

Formwork Plywood & Structural Plywood

Product Purpose or Use

Formwork Plywood & Structural Plywood

Subject to the following Conditions & Limitations:

Nil

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Certificate No: PC10156

Originally Certified: 28/10/2025

Updated: 28/10/2025

Expires: 28/10/2030

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CERTIFICATE OF CONFORMITY

This is to certify that

Longhai Yinfeng Industry & Trade Co., Ltd

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork

Brand	Model	Description	Date Endorsed
YF Formply 17mm	F14	17mm Formply Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , Class 2 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 12000 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; Perpendicular: E 12000 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa	28/10/2025
YF Formply 17mm	F17	17mm Formply Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , Class 2 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 14035 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; Perpendicular: E 16713 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa	28/10/2025

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



AS/NZS 2269.0:2012 Plywood - Structural Specifications

Brand	Model	Description	Date Endorsed
YF-Ply 9mm	F8	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 33.4 – Z 7.2 / I 29.4 – Z 7.5) Parallel: E 15420 MPa; f'_b 79.0 MPa; f'_s 6.5 MPa; f'_t 27.0 MPa; f'_c 44.5 MPa Perpendicular: E 16566 MPa; f'_b 64.5 MPa; f'_s 6.1 MPa; f'_t 29.2 MPa; f'_c 45.7 MPa	28/10/2025
YF-Ply 9mm	F11	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 33.4 – Z 7.2 / I 29.4 – Z 7.5) Parallel: E 15420 MPa; f'_b 79.0 MPa; f'_s 6.5 MPa; f'_t 27.0 MPa; f'_c 44.5 MPa Perpendicular: E 16566 MPa; f'_b 64.5 MPa; f'_s 6.1 MPa; f'_t 29.2 MPa; f'_c 45.7 MPa	28/10/2025
YF-Ply 9mm	F14	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 33.4 – Z 7.2 / I 29.4 – Z 7.5) Parallel: E 15420 MPa; f'_b 79.0 MPa; f'_s 6.5 MPa; f'_t 27.0 MPa; f'_c 44.5 MPa Perpendicular: E 16566 MPa; f'_b 64.5 MPa; f'_s 6.1 MPa; f'_t 29.2 MPa; f'_c 45.7 MPa	28/10/2025
YF-Ply 9mm	F17	9mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 9 (I 33.4 – Z 7.2 / I 29.4 – Z 7.5) Parallel: E 15420 MPa; f'_b 79.0 MPa; f'_s 6.5 MPa; f'_t 27.0 MPa; f'_c 44.5 MPa Perpendicular: E 16566 MPa; f'_b 64.5 MPa; f'_s 6.1 MPa; f'_t 29.2 MPa; f'_c 45.7 MPa	28/10/2025
YF-Ply 12mm	F8	12mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 12 (I 77.3 – Z 12.6 / I 70.3 – Z 13.5) Parallel: E 11482 MPa; f'_b 60.2 MPa; f'_s 6.2 MPa; f'_t 26.8 MPa; f'_c 41.1 MPa Perpendicular: E 14336 MPa; f'_b 63.8 MPa; f'_s 6.1 MPa; f'_t 27.5 MPa; f'_c 43.1 MPa	28/10/2025
YF-Ply 12mm	F11	12mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 12 (I 77.3 – Z 12.6 / I 70.3 – Z 13.5) Parallel: E 11482 MPa; f'_b 60.2 MPa; f'_s 6.2 MPa; f'_t 26.8 MPa; f'_c 41.1 MPa Perpendicular: E 14336 MPa; f'_b 63.8 MPa; f'_s 6.1 MPa; f'_t 27.5 MPa; f'_c 43.1 MPa	28/10/2025
YF-Ply 15mm	F8	15mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 15 (I 140.9 – Z 18.2 / I 149.0 – Z 21.6) Parallel: E 11802 MPa; f'_b 60.9 MPa; f'_s 6.0 MPa; f'_t 28.2 MPa; f'_c 36.7 MPa Perpendicular: E 13781 MPa; f'_b 69.0 MPa; f'_s 5.9 MPa; f'_t 26.3 MPa; f'_c 49.4 MPa	28/10/2025

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

YF-Ply 15mm	F11	15mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 15 (I 140.9 – Z 18.2 / I 149.0 – Z 21.6) Parallel: E 11802 MPa; f'_b 60.9 MPa; f'_s 6.0 MPa; f'_t 28.2 MPa; f'_c 36.7 MPa Perpendicular: E 13781 MPa; f'_b 69.0 MPa; f'_s 5.9 MPa; f'_t 26.3 MPa; f'_c 49.4 MPa	28/10/2025
YF-Ply 17mm	F8	17mm Structural Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 14035 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; f'_t 30.2 MPa; f'_c 41.5 MPa Perpendicular: E 16713 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa; f'_t 34.1 MPa; f'_c 44.2 MPa	28/10/2025
YF-Ply 17mm	F11	17mm Structural Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 14035 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; f'_t 30.2 MPa; f'_c 41.5 MPa Perpendicular: E 16713 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa; f'_t 34.1 MPa; f'_c 44.2 MPa	28/10/2025
YF-Ply 17mm	F14	17mm Structural Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 14035 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; f'_t 30.2 MPa; f'_c 41.5 MPa Perpendicular: E 16713 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa; f'_t 34.1 MPa; f'_c 44.2 MPa	28/10/2025
YF-Ply 17mm	F17	17mm Structural Plywood – Radiata Pine & Eucalyptus – CC, A Bond, Super E ₀ , 17 (I 237.2 – Z 27.3 / I 185.3 – Z 23.3) Parallel: E 14035 MPa; f'_b 62.5 MPa; f'_s 7.0 MPa; f'_t 30.2 MPa; f'_c 41.5 MPa Perpendicular: E 16713 MPa; f'_b 66.7 MPa; f'_s 7.0 MPa; f'_t 34.1 MPa; f'_c 44.2 MPa	28/10/2025
YF-Ply 19mm	F8	19mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 19 (I 306.6 – Z 31.4 / I 284.0 – Z 31.3) Parallel: E 11403 MPa; f'_b 51.9 MPa; f'_s 6.1 MPa; f'_t 31.1 MPa; f'_c 37.8 MPa Perpendicular: E 15451 MPa; f'_b 53.6 MPa; f'_s 5.8 MPa; f'_t 30.6 MPa; f'_c 43.1 MPa	28/10/2025
YF-Ply 19mm	F11	19mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E ₀ , 19 (I 306.6 – Z 31.4 / I 284.0 – Z 31.3) Parallel: E 11403 MPa; f'_b 51.9 MPa; f'_s 6.1 MPa; f'_t 31.1 MPa; f'_c 37.8 MPa Perpendicular: E 15451 MPa; f'_b 53.6 MPa; f'_s 5.8 MPa; f'_t 30.6 MPa; f'_c 43.1 MPa	28/10/2025

End of Record

Certificate No: PC10156

Originally Certified: 28/10/2025

Updated: 28/10/2025

Expires: 28/10/2030

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

