



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Maxiflows Piping Industry Co., Limited

RM12, 20/F, Ho King Comm Ctr, 2-16 Fayuen Street, Mongkok Kowloon, Hong Kong 999077 China

W [www.maxiflows.com](http://www.maxiflows.com)

T +8613922230172

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
1. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

**CMI Certification Pty Ltd**

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: [www.cmicert.com.au](http://www.cmicert.com.au)

E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



080064	06/07/2023	06/07/2023	06/07/2028	AS 2492:2007 Cross-linked polyethylene (PE-X) pipes for pressure applications
--------	------------	------------	------------	---

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
--------------------	----------------------------	----------------------------	---------------------------	-----------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## Maxiflows Piping Industry Co., Limited



APPLICABLE  
STANDARD/SPECIFICATION  
AS 2492:2007 Cross-linked polyethylene (PE-X) pipes for pressure applications

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free	Date Endorsed
MAXIFLOWS	PEX-B-16*2.0-BLACK	301162.0	PEX-B PIPE - PN:16, SDR:9, DN:16*2.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-16*2.0-COLOUR COATING	302162.0	PEX-B PIPE - PN:16, SDR:9, DN:16*2.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-20*2.0-BLACK	301202.0	PEX-B PIPE - PN:12.5, SDR:11, DN:20*2.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-20*2.0-COLOUR COATING	302202.0	PEX-B PIPE - PN:12.5, SDR:11, DN:20*2.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-25*2.5-BLACK	301252.5	PEX-B PIPE - PN:12.5, SDR:11, DN:25*2.5MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-25*2.5-COLOUR COATING	302252.5	PEX-B PIPE - PN:12.5, SDR:11, DN:25*2.5MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-32*3.0-BLACK	301323.0	PEX-B PIPE - PN:12.5, SDR:11, DN:32*3.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-32*3.0-COLOUR COATING	302323.0	PEX-B PIPE - PN:12.5, SDR:11, DN:32*3.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-16*2.2-BLACK	301162.2	PEX-B PIPE - PN:20, SDR:7.4, DN:16*2.2MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater.	Not Applicable	06/07/2023

				Nominal Temp: 20°C Max Temp: 60°C		
MAXIFLOWS	PEX-B-20*2.8-BLACK	301202.8	PEX-B PIPE - PN:20, SDR:7.4, DN:20*2.8MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-25*3.5-BLACK	301253.5	PEX-B PIPE - PN:20, SDR:7.4, DN:25*3.5MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-32*4.4-BLACK	301324.4	PEX-B PIPE - PN:20, SDR:7.4, DN:32*4.4MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-16*2.2-COLOUR COATING	302162.2	PEX-B PIPE - PN:20, SDR:7.4, DN:16*2.2MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-20*2.8-COLOUR COATING	302202.8	PEX-B PIPE - PN:20, SDR:7.4, DN:20*2.8MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-25*3.5-COLOUR COATING	302253.5	PEX-B PIPE - PN:20, SDR:7.4, DN:25*3.5MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-B-32*4.4-COLOUR COATING	302324.4	PEX-B PIPE - PN:20, SDR:7.4, DN:32*4.4MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-16*2.0-BLACK	311162.0	PEX-A PIPE - PN:16, SDR:9, DN:16*2.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-16*2.0-COLOUR COATING	312162.0	PEX-A PIPE - PN:16, SDR:9, DN:16*2.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-20*2.0-BLACK	311202.0	PEX-A PIPE - PN:12.5, SDR:11, DN:20*2.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-20*2.0-COLOUR COATING	312202.0	PEX-A PIPE - PN:12.5, SDR:11, DN:20*2.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-25*2.5-BLACK	311252.5	PEX-A PIPE - PN:12.5, SDR:11, DN:25*2.5MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C	Not Applicable	06/07/2023

				Max Temp: 60°C		
MAXIFLOWS	PEX-A-25*2.5-COLOUR COATING	312252.5	PEX-A PIPE - PN:12.5, SDR:11, DN:25*2.5MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-32*3.0-BLACK	311323.0	PEX-A PIPE - PN:12.5, SDR:11, DN:32*3.0MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-32*3.0-COLOUR COATING	312323.0	PEX-A PIPE - PN:12.5, SDR:11, DN:32*3.0MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-16*2.2-BLACK	311162.2	PEX-A PIPE - PN:20, SDR:7.4, DN:16*2.2MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-20*2.8-BLACK	311202.8	PEX-A PIPE - PN:20, SDR:7.4, DN:20*2.8MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-25*3.5-BLACK	311253.5	PEX-A PIPE - PN:20, SDR:7.4, DN:25*3.5MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-32*4.4-BLACK	311324.4	PEX-A PIPE - PN:20, SDR:7.4, DN:32*4.4MM, BLACK	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-16*2.2-COLOUR COATING	312162.2	PEX-A PIPE - PN:20, SDR:7.4, DN:16*2.2MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-20*2.8-COLOUR COATING	312202.8	PEX-A PIPE - PN:20, SDR:7.4, DN:20*2.8MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-25*3.5-COLOUR COATING	312253.5	PEX-A PIPE - PN:20, SDR:7.4, DN:25*3.5MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023
MAXIFLOWS	PEX-A-32*4.4-COLOUR COATING	312324.4	PEX-A PIPE - PN:20, SDR:7.4, DN:32*4.4MM, (PLATINUM GREY, LILAC, GREEN, BLUE, RED)	For fluids conveyance under pressure, included but not restricted to water, wastewater. Nominal Temp: 20°C Max Temp: 60°C	Not Applicable	06/07/2023

End of Record