



Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

North Solar

105b Northgate Drive, Thomastown, VIC 3074 Australia

ABN: 14 613 283 239

W: <https://northsolar.com.au>

T: 0435 016 869

E: enquiries@northsolar.com.au

Subject to the following conditions and limitations:

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

CMI Certification Pty Ltd

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: <https://cmicert.com.au>

E: office@cmicert.com.au



080060

15/01/2026

15/01/2026

15/01/2031

AS 3498:2020 Safety and public health requirements for plumbing products
- Water heaters and hot-water storage tanks

**CERTIFICATE
NUMBER**

**INITIAL
CERTIFICATION DATE**

**CURRENT
CERTIFICATION DATE**

**CERTIFICATION
EXPIRY DATE**

**APPLICABLE
STANDARD/SPECIFICATION**

This Certificate is issued by a JASANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au





Schedule To

North Solar



APPLICABLE
STANDARD/SPECIFICATION

AS 3498:2020 Safety and public health requirements for plumbing products - Water heaters and hot-water storage tanks

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
North Solar	NS-150P (NS-SS-M2-150) - 150L	NS-150P	Split/Pressurised/Solar Hot Water System – 15 Glass Vacuum Collectors - SS304 Stainless Steel 150L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – Copper Tubing Lead Free – 230V 50Hz 3000W IPX4 Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-250P (NS-SS-M2-250) - 250L	NS-250P	Split/Pressurised/Solar Hot Water System – 25 Glass Vacuum Collectors - SS304 Stainless Steel 250L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – Copper Tubing Lead Free – 230V 50Hz 3000W IPX4 Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-300P (NS-SS-M2-300) - 300L	NS-300P	Split/Pressurised/Solar Hot Water System – 30 Glass Vacuum Collectors - SS304 Stainless Steel 300L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – Copper Tubing Lead Free – 230V 50Hz 3000W IPX4 Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-400P (NS-SS-M2-400) - 400L	NS-400P	Split/Pressurised/Solar Hot Water System – 40 Glass Vacuum Collectors - SS304 Stainless Steel 400L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – Copper Tubing Lead Free – 230V 50Hz 3000W IPX4 Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-500P (NS-SS-M2-500) - 500L	NS-500P	Split/Pressurised/Solar Hot Water System – 50 Glass Vacuum Collectors - SS304 Stainless Steel 500L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – Copper Tubing Lead Free – 230V 50Hz 3000W IPX4 Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-100WB (SD-T-10) - 100L	NS-100WB	Low Pressure/Closed-Coupled/Solar Hot Water System - 10 Glass Vacuum Collectors - SS304 Stainless Steel 100L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – 230V 50Hz 3000W Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	NS-200WB (SD-T-20) - 200L	NS-200WB	Low Pressure/Closed-Coupled/Solar Hot Water System - 20 Glass Vacuum Collectors – SS304 Stainless Steel 200L Capacity – Temperature/Pressure	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026

			Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – 230V 50Hz 3000W Class I			
North Solar	NS-300WB (SD-T-30) - 300L	NS-300WB	Low Pressure/Closed-Coupled/Solar Hot Water System - 30 Glass Vacuum Collectors - SS304 Stainless Steel 300L Capacity – Temperature/Pressure Relief Valve Lead Free – Pressure Reducing Valve Lead Free – Dual Check Valve Lead Free – 230V 50Hz 3000W Class I	Max Operating Pressure: 600KpA Maximum Temperature: 60°C	N/A	15/01/2026
North Solar	Controller	SR21L-258	Controller – Pressure Limiting Valve / Dual Check Valve Lead Free	-	N/A	15/01/2026

*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

End of Record

