

CERTIFICATE OF CONFORMITY

This is to certify that

Pingyi Shengda Wood Co Ltd

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork AS/NZS 2269.0:2012 Plywood - Structural Specifications

Expires: 29/07/2030

Updated: 29/07/2025

Certificate Holder

Pingyi Shengda Wood Co Ltd No. 001, Nanlin Village, North of Wensi Road, Wenshui Town, Pingyi County, Linyi, Shandong 273307 China

Certification Body

Product Description

Plywood – Formwork Plywood - Structural

Product Purpose or Use

Plywood – Formwork Plywood - Structural

Subject to the following Conditions & Limitations:

Nil

Certificate No: PC10139


Originally Certified: 29/07/2025

JAS-ANZ Accreditation No. Z4450210AK PO Box 273. Palmwoods Qld 4555. Australia

CMI Certification Pty Ltd ABN: 81 663 250 815

Ph: +61 7 5445 2199 E: office@cmicert.com.au W: https://cmicert.com.au/





It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au





PC10139-I01-R00



CERTIFICATE OF CONFORMITY

This is to certify that

Pingyi Shengda Wood Co Ltd

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork

Brand	Model	Description	Date Endorsed
ang a woon	F17	17mm Formwork Plywood – Eucalyptus – Class 2, CD, A Bond, Super E ₀ , F17 – 17-18-9 (I 277.5 - Z 31.4 / I 166.5 - Z 23.5) Parallel: E 14700 MPa; f_b' 48.86 MPa; f_s' 7.53 MPa; Perpendicular: E 18250 MPa; f_b' 61.8 MPa; f_s' 7.22 MPa;	29/07/2025
CINGDA WOOD	F17	17mm Formwork Plywood – Eucalyptus – Class 2, CD, A Bond, Super E ₀ , F17 – 17-18-9 (I 277.5 - Z 31.4 / I 166.5 - Z 23.5) Parallel: E 14500 MPa; f_b' 50.58 MPa; f_s' 7.91 MPa; Perpendicular: E 19600 MPa; f_b' 55.31 MPa; f_s' 7.67 MPa;	29/07/2025
ANGBA WOOD	F17	17mm Formwork Plywood – Eucalyptus & Poplar – Class 2, CD, A Bond, Super E ₀ , F17 – 17-9-11 (I 226.8 - Z 26.6 / I 187.8 - Z 24.5) Parallel: E 14200 MPa; f_b' 68.28 MPa; f_s' 7.58 MPa; Perpendicular: E 16950 MPa; f_b' 71.17 MPa; f_s' 7.98 MPa;	29/07/2025

AS/NZS 2269.0:2012 Plywood - Structural Specifications

Brand	Model	Description	Date Endorsed
SINGDA WOOD	F11	9mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 9-8-7 (I 30.7 Z 7.0 / I 26.1 Z 7.3) Parallel: E 10700 MPa; f_b' 69.76 MPa; f_s' 7.02 MPa; f_t' 19.30 MPa; f_c' 31.38 MPa Perpendicular: E 11550 MPa; f_b' 45.37 MPa; f_s' 7.61 MPa; f_t' 19.25 MPa; f_c' 22.92 MPa	29/07/2025

[•] The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.

JAS-ANZ CMI ProdCert

• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au.

PC10139-I01-R00 Page **2** of **3**

		$ au_{1}$	
SINGDA WOOD	F11	12mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 12-21-5 (I 104.6 Z 17.6 / I 36.4 Z 8.8) Parallel: E 12800 MPa; f_b' 45.99 MPa; f_s' 6.52 MPa; f_t' 25.21 MPa; f_c' 25.75 MPa Perpendicular: E 12800 MPa; f_b' 42.12 MPa; f_s' 6.43 MPa; f_t' 18.52 MPa; f_c' 22.38 MPa	29/07/2025
NNGDA WOOD	F11	17mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 17-21-9 (I 324.4 Z 36.5 / I 139.6 Z 19.5) Parallel: E 12950 MPa; f_b' 53.54 MPa; f_s' 5.93 MPa; f_t' 26.39 MPa; f_c' 27.58 MPa Perpendicular: E 11850 MPa; f_b' 40.91 MPa; f_s' 5.78 MPa; f_t' 21.59 MPa; f_c' 25.08 MPa	29/07/2025
SINGDA WOOD	F11	17mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 17-21-9 (I 324.4 Z 36.5 / I 139.6 Z 19.5) AS/NZS 1604.1, H3.2 (New Zealand only) Parallel: E 12950 MPa; f_b' 53.54 MPa; f_s' 5.93 MPa; f_t' 26.39 MPa; f_c' 27.58 MPa Perpendicular: E 11850 MPa; f_b' 40.91 MPa; f_s' 5.78 MPa; f_t' 21.59 MPa; f_c' 25.08 MPa	29/07/2025
SNSDA WOOD	F11	19mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 19-21-11 (I 400.0 Z 41.4 / I 164.9 Z 20.6) Parallel: E 12250 MPa; f_b' 55.19 MPa; f_s' 5.95 MPa; f_t' 25.03 MPa; f_c' 31.10 MPa Perpendicular: E 13200 MPa; f_b' 44.65 MPa; f_s' 5.31 MPa; f_t' 24.89 MPa; f_c' 22.23 MPa	29/07/2025
SNGDA WOOD	F11	19mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F11 – 19-21-11 (I 400.0 Z 41.4 / I 164.9 Z 20.6) AS/NZS 1604.1, H3.2 (New Zealand only) Parallel: E 12250 MPa; f_b' 55.19 MPa; f_s' 5.95 MPa; f_t' 25.03 MPa; f_c' 31.10 MPa Perpendicular: E 13200 MPa; f_b' 44.65 MPa; f_s' 5.31 MPa; f_t' 24.89 MPa; f_c' 22.23 MPa	29/07/2025
SINGDA WOOD	F14	15mm Structural Plywood – Eucalyptus & Radiata Pine – CD, A Bond, Super E ₀ , F14 – 15-21-7 (I 205.3 Z 26.9 / I 90.2 Z 15.4) Parallel: E 12850 MPa; f_b' 45.54 MPa; f_s' 7.03 MPa; f_t' 28.08 MPa; f_c' 30.33 MPa Perpendicular: E 13400 MPa; f_b' 47.20 MPa; f_s' 6.28 MPa; f_t' 24.39 MPa; f_c' 28.49 MPa	29/07/2025
NINGDA WOOD	F22	4mm Structural Plywood – Eucalyptus – CD, A Bond, Super E ₀ , F22 – 4-14-3 (I 6.0 Z 2.8 / I 0.5 Z 0.4) Parallel: E 23950 MPa; f_b' 100.49 MPa; f_s' 6.00 MPa; f_t' 41.71 MPa; f_c' 50.63 MPa Perpendicular: E 16000 MPa; f_b' 79.63 MPa; f_s' 5.65 MPa; f_t' 36.80 MPa; f_c' 46.89 MPa	29/07/2025

End of Record

 Certificate No: PC10139
 Originally Certified: 29/07/2025
 Updated: 29/07/2025
 Expires: 29/07/2030

[•] The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.



PC10139-I01-R00 Page **3** of **3**

[•] It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au/