



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

Retigo s.r.o.

Lan 2310, PS 43, Roznov pod Radhostem, Zlin 756 64, Czech Republic

W: [www.retigo.com](http://www.retigo.com)

T: +420 571 665 511

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI Certification (CMI), and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland

**CMI Certification Pty Ltd**

PO Box 273, Palmwoods, Qld 4555, Australia

ABN: 81 663 250 815

T: + 61 7 5445 2199

W: [www.cmicert.com.au](http://www.cmicert.com.au)

E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



080052

11/06/2021

11/06/2026

11/06/2031

WMTS-101:2018

**CERTIFICATE  
NUMBER**

**INITIAL  
CERTIFICATION DATE**

**CURRENT  
CERTIFICATION DATE**

**CERTIFICATION  
EXPIRY DATE**

**APPLICABLE  
STANDARD/SPECIFICATION**

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

APPLICABLE STANDARD/SPECIFICATION

WMTS-101:2018 Appliances (low hazard rating)



Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
Retigo	Blue Vision	B623i-2E0623IA	Steamer – Combi Oven - Electric Injection – 683 x 602 x 586 mm. Meal capacity 30-50.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O623i-2E0623IZ	Steamer – Combi Oven - Electric Injection – 683 x 602 x 586 mm. Meal capacity 30-50.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O623i+-2E0623IZ	Steamer – Combi Oven - Electric Injection – 683 x 602 x 586 mm. Meal capacity 30-50.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B611i-2E0611IA	Steamer – Combi Oven - Electric Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O611i-2E0611IA	Steamer – Combi Oven - Electric Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O611i-2E0611IZ	Steamer – Combi Oven - Electric Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O611i+-2E0611IA	Steamer – Combi Oven - Electric Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O611i+-2E0611IZ	Steamer – Combi Oven - Electric Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B611b-2E0611BA	Steamer – Combi Oven - Electric Boiler – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O611b-2E0611BA	Steamer – Combi Oven - Electric Boiler – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O611b-2E0611BZ	Steamer – Combi Oven - Electric Boiler – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O611b+-2E0611BA	Steamer – Combi Oven - Electric Boiler – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021

Retigo	Orange Vision Plus	O611b+-2E0611BZ	Steamer – Combi Oven - Electric Boiler – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B621i-2E0621IA	Steamer – Combi Oven - Electric Injection – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O621i-2E0621IA	Steamer – Combi Oven - Electric Injection – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O621i-2E0621IZ	Steamer – Combi Oven - Electric Injection – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O621i+-2E0621IA	Steamer – Combi Oven - Electric Injection – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O621i+-2E0621IZ	Steamer – Combi Oven - Electric Injection – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B621b-2E0621BA	Steamer – Combi Oven - Electric Boiler – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O621b-2E0621BA	Steamer – Combi Oven - Electric Boiler – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O621b-2E0621BZ	Steamer – Combi Oven - Electric Boiler – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O621b+-2E0621BA	Steamer – Combi Oven - Electric Boiler – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O621b+-2E0621BZ	Steamer – Combi Oven - Electric Boiler – 1121 x 826 x 1018 mm. Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1011i-2E1011IA	Steamer – Combi Oven - Electric Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1011i-2E1011IA	Steamer – Combi Oven - Electric Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1011i-2E1011IZ	Steamer – Combi Oven - Electric Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1011i+-2E1011IA	Steamer – Combi Oven - Electric Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1011i+-2E1011IZ	Steamer – Combi Oven - Electric Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1011b-2E1011BA	Steamer – Combi Oven - Electric Boiler – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1011b-2E1011BA	Steamer – Combi Oven - Electric Boiler – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021

Retigo	Orange Vision	O1011b-2E1011BZ	Steamer – Combi Oven - Electric Boiler – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1011b+-2E1011BA	Steamer – Combi Oven - Electric Boiler – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1011b+-2E1011BZ	Steamer – Combi Oven - Electric Boiler – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1021i-2E1021IA	Steamer – Combi Oven - Electric Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1021i-2E1021IA	Steamer – Combi Oven - Electric Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1021i-2E1021IZ	Steamer – Combi Oven - Electric Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1021i+-2E1021IA	Steamer – Combi Oven - Electric Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1021i+-2E1021IZ	Steamer – Combi Oven - Electric Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1021b-2E1021BA	Steamer – Combi Oven - Electric Boiler – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1021b-2E1021BA	Steamer – Combi Oven - Electric Boiler – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1021b-2E1021BZ	Steamer – Combi Oven - Electric Boiler – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1021b+-2E1021BA	Steamer – Combi Oven - Electric Boiler – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1021b+-2E1021BZ	Steamer – Combi Oven - Electric Boiler – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B2011i-2E2011IA	Steamer – Combi Oven - Electric Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2011i-2E2011IA	Steamer – Combi Oven - Electric Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2011i-2E2011IZ	Steamer – Combi Oven - Electric Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2011i+-2E2011IA	Steamer – Combi Oven - Electric Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2011i+-2E2011IZ	Steamer – Combi Oven - Electric Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021

Retigo	Blue Vision	B2011b-2E2011BA	Steamer – Combi Oven - Electric Boiler – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2011b-2E2011BA	Steamer – Combi Oven - Electric Boiler – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2011b-2E2011BZ	Steamer – Combi Oven - Electric Boiler – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2011b+-2E2011BA	Steamer – Combi Oven - Electric Boiler – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2011b+-2E2011BZ	Steamer – Combi Oven - Electric Boiler – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B122i-2E1221IA	Steamer – Combi Oven - Electric Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1221i-2E1221IA	Steamer – Combi Oven - Electric Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1221i-2E1221IZ	Steamer – Combi Oven - Electric Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1221i+-2E1221IA	Steamer – Combi Oven - Electric Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1221i+-2E1221IZ	Steamer – Combi Oven - Electric Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1221b-2E1221BA	Steamer – Combi Oven - Electric Boiler – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1221b-2E1221BA	Steamer – Combi Oven - Electric Boiler – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1221b-2E1221BZ	Steamer – Combi Oven - Electric Boiler – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1221b+-2E1221BA	Steamer – Combi Oven - Electric Boiler – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1221b+-2E1221BZ	Steamer – Combi Oven - Electric Boiler – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B2021i-2E2021IA	Steamer – Combi Oven - Electric Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2021i-2E2021IA	Steamer – Combi Oven - Electric Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2021i-2E2021IZ	Steamer – Combi Oven - Electric Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021

Retigo	Orange Vision Plus	O2021i+-2E2021IA	Steamer – Combi Oven - Electric Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2021i+-2E2021IZ	Steamer – Combi Oven - Electric Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B2021b-2E2021BA	Steamer – Combi Oven - Electric Boiler – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2021b-2E2021BA	Steamer – Combi Oven - Electric Boiler – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2021b-2E2021BZ	Steamer – Combi Oven - Electric Boiler – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2021b+-2E2021BA	Steamer – Combi Oven - Electric Boiler – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2021b+-2E2021BZ	Steamer – Combi Oven - Electric Boiler – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B611ig-2G0611IA	Steamer – Combi Oven - Gas Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O611ig-2G0611IA	Steamer – Combi Oven - Gas Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O611ig+-2G0611IA	Steamer – Combi Oven - Gas Injection – 933 x 786 x 821 mm. Meal capacity 51-150.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B621ig-2G0621IA	Steamer – Combi Oven - Gas Injection – 44.1" (1120) x 32.5" (825) x 40.1" (1018 mm). Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O621ig-2G0621IA	Steamer – Combi Oven - Gas Injection – 44.1" (1120) x 32.5" (825) x 40.1" (1018 mm). Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O621ig+-2G0621IA	Steamer – Combi Oven - Gas Injection – 44.1" (1120) x 32.5" (825) x 40.1" (1018 mm). Meal capacity 100-300.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1011ig-2G1011IA	Steamer – Combi Oven - Gas Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1011ig-2G1011IA	Steamer – Combi Oven - Gas Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1011ig+-2G1011IA	Steamer – Combi Oven - Gas Injection – 933 x 1046 x 821 mm. Meal capacity 151-250.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1021ig-2G1021IA	Steamer – Combi Oven - Gas Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1021ig-2G1021IA	Steamer – Combi Oven - Gas Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021

Retigo	Orange Vision Plus	O1021ig+-2G1021IA	Steamer – Combi Oven - Gas Injection – 1121 x 1086 x 1018 mm. Meal capacity 300-500.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B2011ig-2G2011IA	Steamer – Combi Oven - Gas Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2011ig-2G2011IA	Steamer – Combi Oven - Gas Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2011ig+-2G2011IA	Steamer – Combi Oven - Gas Injection – 948 x 1804 x 834 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B1221ig-2G1221IA	Steamer – Combi Oven - Gas Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O1221ig-2G1221IA	Steamer – Combi Oven - Gas Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O1221ig+-2G1221IA	Steamer – Combi Oven - Gas Injection – 1111 x 1343 x 961 mm. Meal capacity 400-600.	Steamer Oven	N/A	11/06/2021
Retigo	Blue Vision	B2021ig-2G2021IA	Steamer – Combi Oven - Gas Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision	O2021ig-2G2021IA	Steamer – Combi Oven - Gas Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021
Retigo	Orange Vision Plus	O2021ig+-2G2021IA	Steamer – Combi Oven - Gas Injection – 1156 x 1815 x 963 mm. Meal capacity 600-900.	Steamer Oven	N/A	11/06/2021

\*Lead Free compliance in accordance with NCC 2025 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

**End of Record**