



CMI ProdCert
PC10155

CERTIFICATE OF CONFORMITY

This is to certify that

Shandong Fatima Import & Export Co., Ltd.

Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber, Part 0: Specifications

Certificate Holder

**Shandong Fatima
Import & Export Co., Ltd.**
Room 806, Xinghejingdu, Xiandaicheng
Building 1, Joint of Yizhou Road &
Taoran Road, Lanshan District, Linyi,
Shandong 276000 China

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Product Description

Structural Laminated Veneer Lumber

Product Purpose or Use

Structural Laminated Veneer Lumber

Subject to the following Conditions & Limitations:

Nil

Certificate No: PC10155

Originally Certified: 29/09/2025

Updated: 29/09/2025

Expires: 29/09/2030

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>





CMI ProdCert
PC10155

CERTIFICATE OF CONFORMITY

This is to certify that

Shandong Fatima Import & Export Co., Ltd.

Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber, Part 0: Specifications

Wood Species: Radiata Pine & Eucalyptus – Plies: ≥ 17 – Thickness: ≥ 35mm – Width: ≥ 90mm																					
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge f_p' [MPa]	On Edge f_{sj}' [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat f_p' [MPa]	On Flat f_{sj}' [MPa]	Axial f_t' [MPa]	Axial f_c' [MPa]	Date Endorsed	
Fatima LVL	E10	General Beams Used on Edge Only	F11	A	Phenolic Formaldehyde Resin	-	Super E ₀	11154	47.9	4.5	12.1	-	-	-	-	-	-	-	-	29/09/2025	
								Nails				Screws				Bolts					
								Lateral Parallel Face		Lateral Perpendicular Face		Lateral Parallel Face		Lateral Perpendicular Face		Lateral Parallel Face		Lateral Perpendicular Face			
								JD1 ¹		JD1 ³		JD1 ⁷		JD2 ⁹		JD1 ¹³		JD1 ¹⁴			
								Lateral Parallel Edge		Lateral Perpendicular Edge		Lateral Parallel Edge		Lateral Perpendicular Edge							
								JD2 ²		JD3 ⁴		JD1 ⁸		JD3 ¹⁰							
								Withdrawal Face		Withdrawal Edge		Withdrawal Face		Withdrawal Edge							
JD2 ⁵		JD4 ⁶		JD3 ¹¹		JD3 ¹²															

Notes:

1. Lateral Loaded Parallel to Grain, Driven into Face – Nail (Bullet Head 70mm x Dia: 3.0mm)	8. Lateral Loaded Parallel to Grain, Driven into Edge - Screw (Self-Drilling 70mm x Root Dia: 3.5mm)
2. Lateral Loaded Parallel to Grain, Driven into Edge – Nail (Bullet Head 70mm x Dia: 3.0mm)	9. Lateral Loaded Perpendicular to Grain, Driven into Face - Screw (Self-Drilling 70mm x Root Dia: 3.5mm)
3. Lateral Loaded Perpendicular to Grain, Driven into Face – Nail (Bullet Head 70mm x Dia: 3.0mm)	10. Lateral Loaded Perpendicular to Grain, Driven into Edge - Screw (Self-Drilling 70mm x Root Dia: 3.5mm)
4. Lateral Loaded Perpendicular to Grain, Driven into Edge – Nail (Bullet Head 70mm x Dia: 3.0mm)	11. Withdrawal Loads for Screws Driven into Face-Screw (Self-Drilling 50mm x Root Dia: 3.0mm)
5. Withdrawal Loads for Nails Driven into Face (Bullet Head 50mm x Dia: 2.46mm)	12. Withdrawal Loads for Screws Driven into Edge-Screw (Self-Drilling 50mm x Root Dia: 3.0mm)
6. Withdrawal Loads for Nails Driven into Edge (Bullet Head 50mm x Dia: 2.46mm)	13. Lateral Loaded Parallel to Grain, Driven into Face-Bolt (M12 x 150mm)
7. Lateral Loaded Parallel to Grain, Driven into Face - Screw (Self-Drilling 70mm x Root Dia: 3.5mm)	14. Lateral Loaded Perpendicular to Grain, Driven into Face-Bolt (M12 x 150mm)

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



Wood Species: Radiata Pine & Eucalyptus – Plies: ≥ 20 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge f_ρ' [MPa]	On Edge f_{sj}' [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat f_ρ' [MPa]	On Flat f_{sj}' [MPa]	Axial f_t' [MPa]	Axial f_c' [MPa]	Date Endorsed
Fatima LVL	E12	General Beams Used on Edge Only	F14	A	Phenolic Formaldehyde Resin	-	Super E ₀	12700	54.1	4.7	12.6	-	-	-	-	-	-	-	-	29/09/2025

Wood Species: Radiata Pine & Eucalyptus – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Fatima LVL	E13	General Beams Used on Edge Only	F14	A	Phenolic Formaldehyde Resin	-	Super E ₀	13620	64.0	5.8	14.3	-	-	-	-	-	-	-	-	29/09/2025

Wood Species: Radiata Pine & Eucalyptus – Plies: ≥ 18 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Fatima LVL	E14	General Beams Used on Edge Only	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	14230	58.0	4.2	11.4	-	-	-	-	-	-	-	-	29/09/2025

Wood Species: Spruce & Eucalyptus – Plies: ≥ 16 – Thickness: ≥ 35mm – Width: ≥ 90mm																				
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f'_b [MPa]	On Edge f'_s [MPa]	On Edge f'_ρ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f'_b [MPa]	On Flat f'_s [MPa]	On Flat f'_ρ [MPa]	On Flat f'_{sj} [MPa]	Axial f'_t [MPa]	Axial f'_c [MPa]	Date Endorsed
Fatima LVL	E15	General Beams Used on Edge Only	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	15885	63.0	6.8	12.4	-	-	-	-	-	-	-	-	29/09/2025

End of Record

Certificate No: PC10155

Originally Certified: 29/09/2025

Updated: 29/09/2025

Expires: 29/09/2030

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

