

# **CERTIFICATE OF CONFORMITY**

This is to certify that

## Shuyang Tiger Import & Export Co., Ltd.

Is certified to manufacture products to:

AS 6669:2016 Plywood – Formwork AS/NZS 2269.0:2012 Plywood - Structural Specifications

#### Certificate Holder

Shuyang Tiger Import & Export Co., Ltd.

No. 88. Development Avenue, Qingyihu Industrial Park, Shuyang County, Suqian, Jiangsu 223600 China

**Certification Body** 



**CMI Certification Pty Ltd** 

ABN: 81 663 250 815 JAS-ANZ Accreditation No. Z4450210AK

PO Box 273, Palmwoods Qld 4555, Australia

> Ph: +61 7 5445 2199 E: office@cmicert.com.au W: https://cmicert.com.au/

**Product Description** 

Formwork Plywood & Structural Plywood

**Product Purpose or Use** 

Formwork Plywood & Structural Plywood

**Subject to the following Conditions & Limitations:** 

Nil

Certificate No: PC10175

Talissa Ireland
CMI Certification Ptv Ltd



It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au.







# **CERTIFICATE OF CONFORMITY**

This is to certify that

### Shuyang Tiger Import & Export Co., Ltd.

Is certified to manufacture products to:


AS 6669:2016 Plywood – Formwork

Brand	Model	Description	Date Endorsed
Tiger Formply	17mm	17mm Formply Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E <sub>0</sub> , Class 2	04/09/2025
		F17 – 17-09-11 (I 225.7 – Z 25.4 / I 215.3 – Z 26.8)	
	F17	Parallel: E 16100 MPa; $f'_b$ 65.00 MPa; $f'_s$ 9.46 MPa;	
		Perpendicular: E 15200 MPa; $f_b'$ 50.95MPa; $f_s'$ 9.67 MPa	
	17mm	17mm Formply Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E <sub>0</sub> , Class 2	04/09/2025
Tiger Formply		F14 – 17-09-11 (I 225.7 – Z 25.4 / I 215.3 – Z 26.8)	
	F14	Parallel: E 16100 MPa; $f'_b$ 65.00 MPa; $f'_s$ 9.46 MPa;	
		Perpendicular: E 15200 MPa; $f_b'$ 50.95MPa; $f_s'$ 9.67 MPa	

### AS/NZS 2269.0:2012 Plywood - Structural Specifications

Brand	Model	Description	Date Endorsed
Tiger Ply	17mm F17	17mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E <sub>0</sub> , F17 – 17-09-11 (I 225.7 – Z 25.4 / I 215.3 – Z 26.8) Parallel: E 14400 MPa; $f_b'$ 60.19 MPa; $f_s'$ 8.61 MPa; $f_t'$ 29.22 MPa; $f_c'$ 40.99 MPa Perpendicular: E 14000 MPa; $f_b'$ 54.08 MPa; $f_s'$ 7.52 MPa; $f_t'$ 27.26 MPa; $f_c'$ 37.40 MPa	04/09/2025
Tiger Ply	12mm F14	12mm Structural Plywood – Red Olive & Eucalyptus – CD, A Bond, Super E <sub>0</sub> , F14 – 12-07-7 (I 80.4 – Z 12.7 / I 80.5 – Z 14.3) Parallel: E 12050 MPa; $f_b'$ 53.03 MPa; $f_s'$ 7.62 MPa; $f_t'$ 25.92 MPa; $f_c'$ 30.12 MPa Perpendicular: E 15950 MPa; $f_b'$ 41.70 MPa; $f_s'$ 7.05 MPa; $f_t'$ 22.28 MPa; $f_c'$ 27.45 MPa	04/09/2025

<sup>•</sup> The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.





PC10175-I01-R00

Tiger Ply	7mm	7mm Structural Plywood – Radiata Pine & Eucalyptus – CD, A Bond, Super E <sub>0</sub> ,	04/09/2025
		F17 – 7-09-5 (I 17.3 – Z 4.8 / I 12.8 – Z 4.6)	
	F17	Parallel: E 14600 MPa; $f_b'$ 46.71 MPa; $f_s'$ 7.95 MPa; $f_t'$ 27.53 MPa; $f_c'$ 36.41 MPa	0 17 0 07 2 0 2 0
		Perpendicular: E 28300 MPa; $f_b'$ 96.86 MPa; $f_s'$ 7.29 MPa; $f_t'$ 35.46 MPa; $f_c'$ 42.21 MPa	
Tiger Ply	4mm	4mm Structural Plywood – Eucalyptus – CD, A Bond, Super E₀,	04/09/2025
		F22 – 4-14-3 (I 6.0 – Z 2.8 / I 0.5 – Z 0.4)	
ligorriy	F22	Parallel: E 16200 MPa; $f'_b$ 62.50 MPa; $f'_s$ 6.07 MPa; $f'_t$ 43.42 MPa; $f'_c$ 53.94 MPa	
		Perpendicular: E 31200 MPa; $f_b'$ 125.34 MPa; $f_s'$ 5.98 MPa; $f_t'$ 37.22 MPa; $f_c'$ 49.54 MPa	
Tiger Ply	17mm	17mm Structural Plywood – Red Canarium & Eucalyptus – CD, A Bond, Super E₀,	04/09/2025
		F22 – 17-09-11 (I 225.7 – Z 25.4 / I 215.3 – Z 26.8)	
	F22	Parallel: E 16550 MPa; $f_b'$ 71.15 MPa; $f_s'$ 8.49 MPa; $f_t'$ 36.31 MPa; $f_c'$ 45.55 MPa	
		Perpendicular: E 16250 MPa; $f_b'$ 61.87 MPa; $f_s'$ 7.84 MPa; $f_t'$ 38.02 MPa; $f_c'$ 49.54 MPa	

#### **End of Record**



PC10175-I01-R00 Page **3** of **3** 

<sup>•</sup> The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.

<sup>•</sup> It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au/