

CERTIFICATE OF CONFORMITY

This is to certify that

Xuzhou Amish New Material Technology Co., Ltd

Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber

Certificate Holder

Xuzhou Amish New Material Technology Co., Ltd

Guanhu Town, Pizhou, Xuzhou, Jiangsu, China 221300

Product Description

Structural Laminated Veneer Lumber (LVL)

Product Purpose or Use

Structural Laminated Veneer Lumber (LVL)

Subject to the following Conditions & Limitations:

Nil

Certification Body

CERTIFICATION


CMI Certification Pty Ltd


ABN: 81 663 250 815 JAS-ANZ Accreditation No. Z4450210AK PO Box 273, Palmwoods Qld 4555, Australia

Ph: +61 7 5445 2199 E: office@cmicert.com.au W: https://cmicert.com.au/ Certificate No: PC10094

Originally Certified: 16/01/2024 **Updated:** 08/10/2025 **Expires:** 16/01/2029











PC10094-I01-R02



CERTIFICATE OF CONFORMITY

This is to certify that

Xuzhou Amish New Material Technology Co., Ltd


Is certified to manufacture products to:

AS/NZS 4357.0:2022 Structural laminated veneer lumber

	Laminated Veneer Lumber (LVL) - Wood Species: Mixed Species Radiata Pine & Larch − Plies: ≥ 31 − Thickness: ≥ 65mm − Width: ≥ 95mm																			
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge $f_{ ho}'$ [MPa]	On Edge f_{sj}' [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat $f_{ ho}'$ [MPa]	On Flat f_{sj}^{\prime} [MPa]	Axial f_t' [MPa]	Axial f_c' [MPa]	Date Endorsed
Amish LVL	F11	General Beam Used on Edge Only	F11	А	Phenolic Formaldehyde Resin	1	Super E ₀	10585	53	4.9	9.6	-	-	-	-	,	-	,	-	16/01/2024

	Laminated Veneer Lumber (LVL) - Wood Species: Mixed Species Radiata Pine & Larch – Plies: ≥ 37 – Thickness: ≥ 77mm – Width: ≥ 95mm																			
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge $f_{ ho}'$ [MPa]	On Edge f_{sj}^{\prime} [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat $f_{ ho}'$ [MPa]	On Flat f_{sj}^{\prime} [MPa]	Axial f_t' [MPa]	Axial f' _c [MPa]	Date Endorsed
Amish LVL	F11	General Beam Used on Edge Only	F11	А	Phenolic Formaldehyde Resin	-	Super E ₀	10585	53	4.9	9.6	-	-	-	-	-	-	-	-	16/01/2024

[•] The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certificate holder, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or infringement of, any patent or other proprietary right.





Page 2 of 3

PC10094-I01-R02

	Laminated Veneer Lumber (LVL) - Wood Species: Mixed Species Radiata Pine & Larch – Plies: ≥ 33 – Thickness: ≥ 65mm – Width: ≥ 95mm																			
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge $f_{ ho}'$ [MPa]	On Edge f_{sj}^{\prime} [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat $f_{ ho}'$ [MPa]	On Flat f_{sj}' [MPa]	Axial f_t' [MPa]	Axial f_C' [MPa]	Date Endorsed
Amish LVL	F14	General Beam Used on Edge Only	F14	А	Phenolic Formaldehyde Resin	-	Super E₀	12025	63.2	5.5	16.8	-	-	-	-	-	-	-	-	10/05/2024

	Laminated Veneer Lumber (LVL) - Wood Species: Mixed Species Radiata Pine & Larch − Plies: ≥ 37 − Thickness: ≥ 77mm − Width: ≥ 95mm																			
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge $f_{ ho}'$ [MPa]	On Edge f_{sj}' [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat $f_{ ho}'$ [MPa]	On Flat f_{sj}' [MPa]	Axial f_t' [MPa]	Axial f' _c [MPa]	Date Endorsed
Amish LVL	F14	General Beam Used on Edge Only	F14	A	Phenolic Formaldehyde Resin		Super E₀	12025	63.2	5.5	16.8	-	1	-	-	-	-	ı	ı	10/05/2024

	Laminated Veneer Lumber (LVL) - Wood Species: Mixed Species Spruce, Larch & Eucalyptus − Plies: ≥ 18 − Thickness: ≥ 35mm − Width: ≥ 90mm																			
Brand	Model	Use	F-Grade	Bond Type	Adhesive	Treatment	Emission Class	On Edge E [MPa]	On Edge f_b' [MPa]	On Edge f_s' [MPa]	On Edge $f_{ ho}'$ [MPa]	On Edge f'_{sj} [MPa]	On Flat E [MPa]	On Flat f_b' [MPa]	On Flat f_s' [MPa]	On Flat $f_{ ho}'$ [MPa]	On Flat f_{sj}^{\prime} [MPa]	Axial f_t' [MPa]	Axial f' _c [MPa]	Date Endorsed
Amish LVL	E13.2	General Beam Used on Edge Only	F14	А	Phenolic Formaldehyde Resin	-	Super E ₀	13200	62.2	5.0	8.8	-	-	-	-	-	-	-	-	08/10/2025
Amish LVL	E14	General Beam Used on Edge Only	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	14000	59.4	5.3	12.0	-	-	-	-	•	1	1	-	08/10/2025
Amish LVL	E14.5	General Beam Used on Edge Only	F17	A	Phenolic Formaldehyde Resin	-	Super E ₀	14500	59.4	5.3	12.0	_	-	-	-	-	-	-	-	08/10/2025

End of Record

Certificate No: PC10094 **Originally Certified:** 16/01/2024 **Updated:** 08/10/2025 **Expires:** 16/01/2029

• The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For futher information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right

• It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website https://register.cmicert.com.au/



PC10094-I01-R02 Page **3** of **3**