



CMI ProdCert
PC10071

CERTIFICATE OF CONFORMITY

This is to certify that

Yantai Aosheng Windows and Doors Co., Ltd

Is certified to manufacture products to:

AS 2047:2014 Windows and external glazed doors in buildings

Certificate Holder

Yantai Aosheng Windows and Doors Co., Ltd.
Geduihou Village, Dayao Street Office,
Muping, Yantai, Shandong 264100,
China

Product Description

Aluminium Windows and External Glazed Doors

Product Purpose or Use

Aluminium Windows and Doors for residential housing

Subject to the following Conditions & Limitations:

Nil

Certification Body



CMI Certification Pty Ltd
ABN: 81 663 250 815
JAS-ANZ Accreditation No.
Z4450210AK
PO Box 273, Palmwoods, Qld 4555,
Australia
Ph: +61 7 5445 2199
E: office@cmicert.com.au
W: <https://cmicert.com.au/>

Certificate No: PC10071

Originally Certified: 09/11/2021

Updated: 24/03/2025

Expires: 09/11/2026

Talissa Ireland
CMI Certification Pty Ltd



- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>



CMI ProdCert
PC10071

CERTIFICATE OF CONFORMITY

This is to certify that

Yantai Aosheng Windows and Doors Co., Ltd

Is certified to manufacture products to:

AS 2047:2014 Windows and external glazed doors in buildings

Model Identification	Product	Product Description	Performance	Date Endorsed
AK50	Aluminium Awning Window	Aluminium Frame: 900mm (Width) x 1800mm (Height) x 50mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 5mm + 12mm Air + 5mm	Serviceability Limit Wind Pressure: 1600Pa Ultimate Limit Wind Pressure: 4000Pa Water Penetration Resistance: 600Pa	09/11/2021
AK80	Aluminium Sliding Window	Aluminium Frame: 1600mm (Width) x 1200mm (Height) x 80mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 5mm + 6mm Air + 5mm	Serviceability Limit Wind Pressure: 1200Pa Ultimate Limit Wind Pressure: 4000Pa Water Penetration Resistance: 300Pa	09/11/2021
AK120	Aluminium Sliding Door	Aluminium Frame: 2000mm (Width) x 2100mm (Height) x 120mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 5mm + 12mm Air + 5mm	Serviceability Limit Wind Pressure: 1200Pa Ultimate Limit Wind Pressure: 3000Pa Water Penetration Resistance: 200Pa	09/11/2021
ASAWGR55	Aluminium Awning Window + Fixed Window	Aluminium Frame: 900mm (Width) x 1800mm (Height) x 55mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 5mm + 12mm Air + 5mm	Serviceability Limit Wind Pressure: 1600Pa Ultimate Limit Wind Pressure: 4000Pa Water Penetration Resistance: 600Pa	24/03/2025
ASAW100	Aluminium Awning Window + Fixed Window	Aluminium Frame: 900mm (Width) x 2200mm (Height) x 101mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 6mm + 12mm Air + 6mm	Serviceability Limit Wind Pressure: 1600Pa Ultimate Limit Wind Pressure: 4000Pa Water Penetration Resistance: 600Pa	24/03/2025
AS150	Aluminium Sliding Door	Aluminium Frame: 2000mm (Width) x 2400mm (Height) x 150mm (Thickness). Double Glazed AS/NZS 2208:1996 Toughened Safety Glass 6mm + 12mm Air + 6mm	Serviceability Limit Wind Pressure: 1200Pa Ultimate Limit Wind Pressure: 3000Pa Water Penetration Resistance: 300Pa	24/03/2025

End of Record

Certificate No: PC10071

Originally Certified: 09/11/2021

Updated: 24/03/2025

Expires: 09/11/2026

- The Certificate is issued to and relates to the certification of the described product(s) to the requirements of the described relevant Standard(s) and is subject to the conditions and limitations as described hereupon. CMI Certification Pty Ltd (CMI) is an Accredited Product Certification Body and undertakes certification in accordance with ISO/IEC 17065. The CMI ProdCert Scheme is an ISO/IEC 17067 Type 5 Scheme applicable to products seeking to show conformity to a particular Standard. This certification is to be read, considered and used as a whole document and may only be reproduced in its entirety. For further information contact the certificate holder. Nothing in this certificate should be construed as a warranty or guarantee by CMI, and the only applicable warranties or guarantees will be those provided by the Certificate Holder. CMI by granting this certification shall have no responsibility or liability for infringement of, any patent or other proprietary right.
- It is advised to check that this Certificate is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the CMI website <https://register.cmicert.com.au/>

