



# Certificate of Conformity

THIS CERTIFICATE IS GRANTED TO

**YUHUAN YINQUAN SANITARY WARE CO.,LTD.**

Qinggang Sci-tech Industrial Area,  
Yuhuan, Zhejiang 317600 China

**Subject to the following conditions and limitations:**

1. The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
2. The Certified products must be installed in accordance with the current version of the Plumbing Code of Australia.
3. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
4. Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but CMI Certification Pty Ltd (CMI) shall have no responsibility or liability for results obtained or damages resulting from such use. CMI grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate holder.

Talissa Ireland  
**CMI Certification Pty Ltd**  
PO Box 273, Palmwoods, Qld 4555, Australia  
ABN: 81 663 250 815  
T: + 61 7 5445 2199  
W: [www.cmicert.com.au](http://www.cmicert.com.au)  
E: [office@cmicert.com.au](mailto:office@cmicert.com.au)



080086	30/08/2024	01/05/2026	30/04/2028	AS 3718:2021 Water supply – Tap ware
--------	------------	------------	------------	--------------------------------------

CERTIFICATE NUMBER	INITIAL CERTIFICATION DATE	CURRENT CERTIFICATION DATE	CERTIFICATION EXPIRY DATE	APPLICABLE STANDARD/SPECIFICATION
--------------------	----------------------------	----------------------------	---------------------------	-----------------------------------

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au)





# Schedule To

## YUHUAN YINQUAN SANITARY WARE CO.,LTD



APPLICABLE  
STANDARD/SPECIFICATION  
AS 3718:2021 Water supply – Tap ware

Brand Name	Model Name	Model Identification	Product Description	Scope of Use	Lead Free* Yes/No**/Not Applicable	Date Endorsed
YINQUAN	216	117216	Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	213	117213	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	218	117218	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	211	110211	Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	265	117265	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	210	117210	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	225	110225	Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	286	110286	Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024





YINQUAN	216	512216	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 44.3260.010 CACHE Honeycomb TT PCA – 25mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	265	512265	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 44.3260.010 CACHE Honeycomb TT PCA – 25mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	213	512213	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 25mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	218	512218	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	210	512210	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	211	512211	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	225	512225	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.2060.000 PERLATOR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
YINQUAN	218	283023	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
YINQUAN	265	283024	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
YINQUAN	210	283026	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
YINQUAN	211	283027	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
YINQUAN	213	283028	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
YINQUAN	239	283025	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	213	BMB-8	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	211	BML-6	Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024

BELLA VISTA	265	BMK-9	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	210	BMT-7	Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	213	BMB-8-TALL	Tall Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	211	BML-6-TALL	Tall Basin Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	265	BMK-9-TALL	Tall Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	210	BMT-7-TALL	Tall Basin Faucet & Mixer – Brass - with DN6 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	213	WBB-8-2P-TK	Concealed Wall Basin Faucet & Mixer – Brass - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	211	WBL-6-2P-TK	Concealed Wall Basin Faucet & Mixer – Brass - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	265	WBK-9-2P-TK	Concealed Wall Basin Faucet & Mixer – Brass - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	210	WBT-7-2P-TK	Concealed Wall Basin Faucet & Mixer – Brass - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	213	SHMB-8-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	211	SHML-6-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	265	SHMK-9-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	210	SHMT-7-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	213	SHMB-8-DV-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024

BELLA VISTA	211	SHML-6-DV-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	265	SHMK-9-DV-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	210	SHMT-7-DV-TK	Concealed Bath/Shower Mixer – Brass - 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	265	SMK-9	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 44.3260.010 CACHE Honeycomb TT PCA – 25mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	213	SMB-8	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 25mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	210	SMT-7	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 26mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	211	SML-6	Kitchen Faucet & Mixer – Brass - with DN8 Flexible Braided 304 Stainless Steel & EPDM Hose - Aerator Flow Controller WMKA21177 40.8360.010 SLIM AIR HC STD PCA – 35mm Single Lever Ceramic Mixer Cartridge with Standard Base & Plastic Housing – Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	No	17/12/2024
BELLA VISTA	265	BTH-K-9-220	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	210	BTH-T-7-22	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	211	BTHL-6-22	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024
BELLA VISTA	213	BTH-B-8-22	Outlet - Brass - Available in 1. Chrome, 2. Matt Black, 3. Gun Metal, 4. Nickle Brushed, 5. Brushed Gold, 6. Rose Gold, 7. Satin, 8. Gun Black, 9. ORB, 10. Bronze	Working Pressure: 0.05 to 1MPa Working Temp: 1 to 55°C	N/A	30/08/2024

\*Lead Free compliance in accordance with NCC 2022 - Volume Three – Plumbing Code of Australia - A5G4(2)(b)

\*\* Product is not Lead Free compliant

**End of Record**